

**MD-BOTH INDUSTRIES**

850 Hawthorne Lane
 West Chicago, IL 60185-1966
 Tel: (630) 231-7600
 Fax: (630) 231-7623

Hazard Ratings			
Minimal	0	HEALTH	2
Slight	1	FLAMMABILITY	1
Moderate	2	REACTIVITY	0
Serious	3	PERSONAL	
Severe	4	PROTECTION	C

MATERIAL SAFETY DATA SHEET

Date of Preparation: May 4, 1998
 Prepared by: Jay Brooks

SECTION 1

Manufacturer's Name: MD-BOTH Industries
 Street Address: 40 Nickerson Road, Ashland, MA 01721
 Emergency Telephone #: CHEMTREC 800-424-9300 24HRS
 Product Class: Metallic Offset Ink
 Trade Name: 8304 and 8177 Ready-mixed UV Silver Offset Ink

SECTION 2 -- HAZARDOUS INGREDIENTS

<u>CAS NOS.</u>	<u>Chemical</u>	<u>% by weight</u>
Trade secret	Acrylate esters	60
7429-90-5	Aluminum	15

This product contains no ingredients subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

All of the components of these products are listed in the TSCA Inventory and can be found on the Canadian DSL.

SECTION 3 -- PHYSICAL DATA

Boiling Point (deg. C): Not determined	Flash point(deg. C): >100
Vapor Pressure: <1mm Hg (20 deg. C)	Appearance: Aluminum colored paste
Type of odor: Ester like odor	
% VOC: 0	

SECTION 4 -- FIRE AND EXPLOSION DATA

Flammability Classification: DOT: Not regulated

Flash Point (deg. C): 100

Extinguishing Media: Foam, carbon dioxide, dry chemical, sand.

Unusual Fire and Explosion Hazards: Water is not a suitable extinguishing medium. Fire will produce dense black smoke which may contain carbon monoxide or other hazardous combustion products. Closed containers may explode if exposed to excessive heat.

Protection Requirements: Wear self-contained breathing apparatus.

SECTION 5 -- HEALTH HAZARD DATA

Effects of Overexposure:

Eye contact: May cause irritation.

Skin contact: May cause irritation or dermatitis. Repeated prolonged contact may cause skin sensitization.

Inhalation: Prolonged exposure to high concentrations of vapor will cause irritation of the respiratory tract.

Ingestion: May result in aspiration of small amounts of material into lungs resulting in possible irritation of gastrointestinal tract or central nervous system damage.

Primary Routes of Entry: Inhalation of chemical vapors. Skin contact.

Emergency and First Aid Procedures:

Eye contact: Flush with large amounts of water for 15 minutes or until irritation subsides. If irritation persists, call physician.

Skin contact: Wash with soap and water. Remove and wash contaminated clothing.

Inhalation: Remove affected person to fresh air. Restore normal breathing.

Ingestion: Do not induce vomiting. Call physician.

SECTION 6 -- REACTIVITY DATA

Product Stability: Unstable; product may harden when exposed to light, or on standing.

Hazardous polymerization will not occur.

Conditions to avoid: Avoid temperatures above 60 deg. C, direct sunlight, strong UV light and heat during storage.

Decomposition Products: Incomplete combustion may result in the formation of carbon dioxide and carbon monoxide. It will also cause fumes and acrid smoke.

SECTION 7 -- SPILL OR LEAK PROCEDURES

Procedure When Material is Spilled or Released: Scoop up material and place in suitable container.

Waste Disposal Method: Landfill or incinerate where a metal containing organic mixture is acceptable, and in accordance with local, state, and federal regulations.

SECTION 8 -- SPECIAL PROTECTION INFORMATION

Ventilation: Use in well-ventilated area.

Protective Gloves: Use chemical resistant gloves to avoid prolonged skin contact.

Respiratory Protection: Not normally required if product is used in sufficiently ventilated area.

Eye Protection: Use chemical goggles.

Other Protective Equipment: Wear protective clothing to prevent skin contact.

SECTION 9 -- SPECIAL PRECAUTIONS

Handling and Storage: Store in closed containers in a cool, dry, well-ventilated area.

Precautions: Do not ingest. Avoid prolonged contact with skin. Avoid contact with eyes.

The information contained in this data sheet was obtained from sources we believe are reliable but cannot guarantee. Your use of this information is beyond our control. Therefore, the information is provided without any representation or warranty.

MARKETED BY
HARWICK STANDARD
DISTRIBUTION CORPORATION
60 S. Seiberling Street • Akron, Ohio 44305