FORMAT: USA

MATERIAL SAFETY DATA SHEET COPYRIGHT GENERAL ELECTRIC CO.

PRODUCT: SE421 METHYLVINYLSILICONE RUBBER PAGE: 001

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURED BY: GE SILICONES

260 HUDSON RIVER ROAD

WATERFORD, NY 12188

SUPPLIED BY: GE SILICONES

260 HUDSON RIVER ROAD

WATERFORD, NY 12188

EMERGENCY PHONE (24 HRS) (518) 237-3330

EMERGENCY PHONE (24 HRS)

(518) 237-3330

REVISED: 04/01/01 PREPARER: CE HANNIGAN

CHEMICAL FAMILY/USE: SILICONE RUBBER

FORMULA:

MIXTURE

2. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION/ APPROX. ACGIH TLV OSHA PEL CAS REG NO. WGT. % TWA STEL TWA STEL UNITS

1. HAZARDOUS

None Found

2. NON-HAZARDOUS

METHYLVINYLPOLYSILOXANE

68083-18-1 60-80 NA NE NA NE NA

SILANOL/STOPD POLYDIMETHYLSILOXANE
70131-67-8 5-10 NF NE NF NE

NA

AMORPHOUS SILICA

7631-86-9 10-30 10 NE 6 NE MG/M3
DIMETHYLDIPHENYLSILOXANE COPOLYMER
68951-94-0 1-5 NA NE NA NE NA

See Section 15 for description of any WHMIS Trade Secret(s).

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CAUTION!

May irritate the eyes.

Refer to other MSDS sections for detailed information.

\*\*\* CONTINUED ON NEXT PAGE

MARKETED BY

## HARWICK STANDARD DISTRIBUTION CORPORATION

60 S. Seiberling Street · Akron, Ohio 44305

Plant experience has shown that skin hazard is not applicable

This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by

Formaldehyde at approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. An MSDS for

Do not induce vomiting. If victim is conscious, give 1-3

May generate formaldehyde at temperatures greater than 150 C

(300 F). See Section 3 of MSDS for details.

Odorless

None known SKIN CONTACT:

in this form.

None Known. EYE CONTACT:

None known.

None known

None known.

OTHER:

INGESTION:

SKIN:

persists.

INGESTION:

INHALATION:

Varied color solid POTENTIAL HEALTH EFFECTS:

May cause mild eye irritation.

SUBCHRONIC (TARGET ORGAN) EFFECTS:

This space reserved for special use.

CHRONIC EFFECTS/CARCINOGENICITY:

NTP, IARC, or OSHA. PRODUCTS/INGREDIENTS

PRINCIPLE ROUTES OF EXPOSURE:

MEDICAL CONDITIONS AGGRAVATED:

This product contains Methylpolysiloxanes which can generate

PAGE: 002

4. FIRST AID MEASURES

Formaldehyde is available from GE Silicones.

glasses of water to drink. Never give anything by mouth to an unconscious person. Get medical attention if irritation

Wash with soap and water. INHALATION:

Move person to fresh air. Seek medical attention if symptoms of exposure develop.

EYES: In case of contact, immediately flush eyes with plenty of water PRODUCT: SE421 METHYLVINYLSILICONE RUBBER

for at least 15 minutes and get medical attention if irritation persists.

NOTE TO PHYSICIAN: None known.

5. FIRE FIGHTING MEASURES

PAGE: 003

FLASH POINT: NA (C) NA METHOD NA

IGNITION TEMP UNKN (C) UNKN

FLAMMABLE LIMITS IN AIR - LOWER (%): NA FLAMMABLE LIMITS IN AIR - UPPER (%): NA

SENSITIVITY TO MECHANICAL IMPACT (Y/N): NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected. EXTINGUISHING MEDIA:

All standard firefighting media

SPECIAL FIREFIGHTING PROCEDURES:

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

# 6. ACCIDENTAL RELEASE MEASURES

## ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wipe, scrape or soak up in an inert material and put in a container for disposal.

Wear proper protective equipment as specified in the protective equipment section.

### 7. HANDLING AND STORAGE

### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Curing releases vapors which may be harmful.

Cure only where appropriate ventilation systems exist

Avoid contact with eyes. Keep away from children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### ENGINEERING CONTROLS:

Eyewash stations.

PRODUCT: SE421 METHYLVINYLSILICONE RUBBER

PAGE: 004

See "Ventilation" below.

RESPIRATORY PROTECTION:

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29 CFR 1910.134).

PROTECTIVE GLOVES: Cloth gloves.

EYE AND FACE PROTECTION:

Safety glasses.

OTHER PROTECTIVE EQUIPMENT:

Wear eye protection and protective clothing. VENTILATION:

PRODUCT INFORMATION:

SPECIFIC GRAVITY (WATER=1) :

STABILITY:

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

9. PHYSICAL AND CHEMICAL PROPERTIES

NA.

1.10

UNKNOWN

BOILING POINT NA. (C) NA (F) VAPOR PRESSURE (20 C) (MM HG): NA. VAPOR DENSITY (AIR=1) :

FREEZING POINT NA. (C) NA (F)

MELTING POINT NA. (C) NA (F)

PHYSICAL STATE SCLID

ODOR ODORLESS

COLOR TRANSLUCENT

ODOR THRESHOLD (PPM) UNK

% VOLATILE BY VOLUME

<1 EVAP. RATE (BUTYL ACETATE=1): <1

DENSITY (KG/M3) ~1100 ACID/ALKALINITY (MEQ/G) :

 $_{
m PH}$ NA

VOC EXCL.H20 & EXEMPTS(G/L): SOLUBILITY IN WATER (20 C): NΤ NEGL.

SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT): UNKNOWN

10. STABILITY AND REACTIVITY

STABLE

PRODUCT: SE421 METHYLVINYLSILICONE RUBBER PAGE: 005 HAZARDOUS POLYMERIZATION: WILL NOT OCCUR HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS: Carbon monoxide. Carbon dioxide. Silicon dioxide. Formaldehyde. INCOMPATIBILITY (MATERIALS TO AVOID): None known. CONDITIONS TO AVOID: None known. 11. TOXICOLOGICAL INFORMATION PRODUCT INFORMATION: UNKNOWN ACUTE ORAL LD50 (MG/KG):
ACUTE DERMAL LD50 (MG/KG): UNKNOWN ACUTE INHALATION LC50 (MG/L): UNKNOWN OTHER: None. AMES TEST: UNKNOWN 12. ECOLOGICAL INFORMATION ECOTOXICOLOGICAL INFORMATION: No data at this time CHEMICAL FATE INFORMATION: No data at this time 13. DISPOSAL CONSIDERATIONS DISPOSAL METHOD: Disposal should be made in accordance with federal, state and local regulations. 14. TRANSPORT INFORMATION DOT SHIPPING NAME: NONE DOT HAZARD CLASS: NOT DOT REGULATED DOT LABEL(S): NONE UN/NA NUMBER: NONE PLACARDS: NONE \*\*\* CONTINUED ON NEXT PAGE \*\*\*

PRODUCT: SE421 METHYLVINYLSILICONE RUBBER PAGE: 006 TATA: NOT REGULATED BY IATA IMO IMDG-code: NOT REGULATED FOR OCEAN TRANSPORTATION EMS No: NZ EUROPEAN CLASS: RID (OCTI): NONE ADR (ECE) : NONE: RAR (IATA): NONE 15. REGULATORY INFORMATION SARA SECTION 302: None Found SARA (311,312) HAZARD CLASS: NONE SARA (313) CHEMICALS: NONE CPSC CLASSIFICATION: NONE WHMIS HAZARD CLASS: D2A VERY TOXIC MATERIALS WHMIS TRADE SECRET: None EXPORT: SCHDLE B/HTSUS: 3910.00 Silicones in Primary Form ECCN: EAR99 HAZARD RATING SYSTEMS FLAMMABILITY 0 , REACTIVITY 0 , HEALTH HMIS NFPA FLAMMABILITY O , REACTIVITY O , HEALTH CALIFORNIA PROPOSITION 65: NONE 16. OTHER INFORMATION This product or its components are on the European inventory of existing commercial chemicals (EINECS)..... These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. C = ceiling limit NEGL = negligible \*\*\* CONTINUED ON NEXT PAGE \*\*\*

```
PRODUCT: SE421
                                METHYLVINYLSILICONE RUBBER
                                                                  PAGE: 007
  EST=
        estimated
                             NF
                                    none found
  NA = not applicable
                            UNKN =
                                    unknown
  NE = none established
                            REC = recommended
  ND = none determined
                                    recomm. By vendor
  By-product = reaction by-
                             SKN
                                    skin
  product, TSCA inventory
                            TS = trade secret
  status not required under R
                                 = recommended
  40 CFR part 720.30(h-2)
                         MST = mist
  STEL = short term exposure NT = not tested
         limit
                         DATE PRINTED:
                                       08/22/01
                           ***
```