FORMAT: USA MATERIAL SAFETY DATA SHEET

COPYRIGHT GENERAL ELECTRIC CO.

SUPPLIED BY:

GE SILICONES

(518) 237-3330

260 HUDSON RIVER ROAD WATERFORD, NY 12188

EMERGENCY PHONE (24 HRS)

PRODUCT: VL240 FILLED METHYLVINYL SILOXANE PAGE: 001

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURED BY:

GE SILICONES

260 HUDSON RIVER ROAD WATERFORD, NY 12188

EMERGENCY PHONE (24 HRS)

(518) 237-3330

REVISED: 06/24/98 PREPARER: CE HANNIGAN

CHEMICAL FAMILY/USE: SILICONE RUBBER

FORMULA:

MIXTURE

2. COMPOSITION/INFORMATION ON INGREDIENTS

NE

PRODUCT COMPOSITION/ APPROX. ACGIH TLV OSHA PEL CAS REG NO. WGT. % TWA STEL TWA STEL UNITS

1. HAZARDOUS

None Found

2. NON-HAZARDOUS

DIMETHYL METHYLVINYL SILOXANE

67762-94-1 10-30 NA NE NA NE

VINYL/ STPD POLYDIMETHYLSILOXANE

68083-19-2 30-60 NA

TETRAMER TREATED FUMED SILICA

68583-49-3 10-30 10 NE

DIATOMACEOUS EARTH

1-5 0.05 NE

68855-54-9

DIMETHYLDIPHENYLSILOXANE COPOLYMER

68951-94-0 1-5 NA NE

See Section 15 for description of any WHMIS Trade Secret(s)

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

This section not in use

\*\*\* CONTINUED ON NEXT PAGE \*\*\*

MARKETED BY

NA

NA

15

0.05 NE

NE

NE

NE

MG/M3

MG/M3

HARWICK STANDARD DISTRIBUTION CORPORATION

60 S. Seiberling Street · Akron, Ohio 44305

PAGE: 002

POTENTIAL HEALTH EFFECTS:

INGESTION:

None known

SKIN CONTACT:

None known.

Plant experience has shown that skin hazard is not applicable in this form.

INHALATION:

None Known.

EYE CONTACT:

May cause mild eye irritation. MEDICAL CONDITIONS AGGRAVATED:

None known.

SUBCHRONIC (TARGET ORGAN) EFFECTS:

None known

CHRONIC EFFECTS/CARCINOGENICITY:

This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

PRODUCTS/INGREDIENTS

This space reserved for special use.

PRINCIPLE ROUTES OF EXPOSURE:

None known.

OTHER:

This product contains Methylpolysiloxanes which can generate Formaldehyde at approximately 300 degrees Fahrenheit (150'C)

and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. An MSDS for Formaldehyde is available from GE Silicones.

## 4. FIRST AID MEASURES

INGESTION:

None known.

SKIN:

Wash with soap and water.

INHALATION:

None known.

EYES:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

NOTE TO PHYSICIAN:

None known.

## FIRE FIGHTING MEASURES

PRODUCT: VL240

FILLED METHYLVINYL SILOXANE

XANE

PAGE	:	0	03

METHOD : IGNITION TEMP :

NA UNKN

NA

(C) NA

FLAMMABLE LIMITS IN AIR - LOWER (%):

FLASH POINT:

UNE

(C) UNKN

FLAMMABLE LIMITS IN AIR - UPPER (%): NA SENSITIVITY TO MECHANICAL IMPACT (Y/N): NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

EXTINGUISHING MEDIA:

All standard firefighting media SPECIAL FIREFIGHTING PROCEDURES:

None known

None known.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wipe, scrape or soak up in an inert material and put in a container for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

During cure, vapors are given off which may be harmful. Cure only where appropriate ventilation systems exist.

Caution!

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Eyewash stations.

RESPIRATORY PROTECTION:
None known.

PROTECTIVE GLOVES:

Cloth gloves.

EYE AND FACE PROTECTION:

Safety glasses.

OTHER PROTECTIVE EQUIPMENT:

None known.

VENTILATION:

None known.

FILLED METHYLVINYL SILOXANE

(C) NA

(C) NA

(F)

(F)

PAGE: 004

PRODUCT INFORMATION: NZA. (C) NA (F) VAPOR PRESSURE (20 C) (MM HG): NA. NA.

VAPOR DENSITY (AIR=1) : FREEZING POINT : NA. NA.

SCLID ODORLESS UNK

EVAP. RATE (BUTYL ACETATE=1):

PHYSICAL STATE ODOR COLOR ODOR THRESHOLD (PPM) : % VOLATILE BY VOLUME :

PRODUCT: VL240

BOILING POINT

MELTING POINT

PH

<1

SPECIFIC GRAVITY (WATER=1) :

TRANSLUCENT 1.10 1100

NEGL. DENSITY (KG/M3) : ACID/ALKALINITY (MEQ/G) : UNKN NA.

VOC EXCL.H2O & EXEMPTS(G/L): SOLUBILITY IN WATER (20 C): NT

INSCLUBLE

SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT): PARTIAL, TOLUENE 10. STABILITY AND REACTIVITY

STABLE

WILL NOT OCCUR

STABILITY: HAZARDOUS POLYMERIZATION: HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS: Carbon monoxide.

Carbon dioxide. Silicon dioxide.

Formaldehyde. INCOMPATIBILITY (MATERIALS TO AVOID): None known. CONDITIONS TO AVOID: None known.

PRODUCT INFORMATION:

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL LD50 (MG/KG):
ACUTE DERMAL LD50 (MG/KG): UNKNOWN ACUTE DERMAL LD50 (MG/KG): UNKNOWN

\*\*\* CONTINUED ON NEXT PAGE \*\*\*