REVISED: 02/26/99
PREPARER: CE HANNIGAN CHEMICAL FAMILY/USE: SILICONE RUBBER FORMULA: MIXTURE 2. COMPOSITION/INFORMATION ON INGREDIENTS PRODUCT COMPOSITION/ APPROX. ACGIH TLV OSHA PEL CAS REG NO. WGT. % TWA STEL TWA STEL UNITS 1. HAZARDOUS None Found 2. NON-HAZARDOUS METHYLVINYLPOLYSILOXANE 68083-18-1 30-60 NA NE NA NE NA DIMETHYLDIPHENYLSILOXANE COPOLYMER 68951-94-0 1-5 NA NE NA NE SILANOL/STOPD POLYDIMETHYLSILOXANE 70131-67-8 1-5 NF NE NF NE AMORPHOUS SILICA 10-30 10 NE 6 NE MG/M3 7631-86-9 **OUARTZ** 10-30 .1 NE .1 NE 14808-60-7 MG/M3 See Section 15 for description of any WHMIS Trade Secret(s) HAZARDS IDENTIFICATION EMERGENCY OVERVIEW: This section not in use *** CONTINUED ON NEXT PAGE *** MARKETED BY HARWICK STANDARD DISTRIBUTION CORPORATION

FORMAT:

PRODUCT: VL280

MANUFACTURED BY:

260 HUDSON RIVER ROAD

EMERGENCY PHONE (24 HRS)

WATERFORD, NY 12188

GE SILICONES

(518) 237-3330

USA

60 S. Seiberling Street · Akron, Ohio 44305

MATERIAL SAFETY DATA SHEET

FILLED METHYLVINYL POLYSILOXANE PAGE 001

COPYRIGHT GENERAL ELECTRIC CO

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIED BY:

GE SILICONES

(518) 237-3330

260 HUDSON RIVER ROAD

EMERGENCY PHONE (24 HRS)

NA

NA

WATERFORD, NY 12188

POTENTIAL HEALTH EFFECTS:

PAGE: 002

SKIN CONTACT:

INGESTION:

None known.

None known

Plant experience has shown that skin hazard is not applicable

in this form. INHALATION:

A dust hazard may be created if, under conditions of use, solid particles are separated from the polymeric matrix. EYE CONTACT:

May cause mild eye irritation. MEDICAL CONDITIONS AGGRAVATED:

None known. SUBCHRONIC (TARGET ORGAN) EFFECTS:

None known CHRONIC EFFECTS/CARCINOGENICITY:

This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, LARC, or OSHA.

PRODUCTS / INGREDIENTS This space reserved for special use.

PRINCIPLE ROUTES OF EXPOSURE:

None known.

OTHER:

This product contains Methylpolysiloxanes which can generate

Formaldehyde at approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant,

acute toxicant, and potential cancer hazard. An MSDS for Formaldehyde is available from GE Silicones.

4. FIRST AID MEASURES

INGESTION:

None known. SKIN:

Wash with soap and water.

INHALATION:

None known. EYES:

> In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

NOTE TO PHYSICIAN: None known.

PRODUCT: VL280

FILLED METHYLVINYL POLYSILOXANE

PAGE: 003

5. FIRE FIGHTING MEASURES

FLASH POINT: 315 (C) 600

(F) METHOD COC.

IGNITION TEMP (C) UNKN (F) UNKN

FLAMMABLE LIMITS IN AIR - LOWER (%): NA

FLAMMABLE LIMITS IN AIR - UPPER (%): NA

SENSITIVITY TO MECHANICAL IMPACT (Y/N): NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

EXTINGUISHING MEDIA:

All standard firefighting media

SPECIAL FIREFIGHTING PROCEDURES:

None known.

6 ACCIDENTAL RELEASE MEASURES

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wipe, scrape or soak up in an inert material and put in a container for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

During cure, vapors are given off which may be harmful Cure only where appropriate ventilation systems exist.

Caution!

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

None known.

RESPIRATORY PROTECTION:

None known.

PROTECTIVE GLOVES:

Cloth gloves.

EYE AND FACE PROTECTION:

Safety glasses.

OTHER PROTECTIVE EQUIPMENT:

None known.

VENTILATION:

None known.

PRODUCT INFORMATION:

VAPOR PRESSURE (20 C) (MM HG):

VAPOR DENSITY (AIR=1) :

ODOR THRESHOLD (PPM) : % VOLATILE BY VOLUME :

EVAP. RATE (BUTYL ACETATE=1):

SPECIFIC GRAVITY (WATER=1) :

ACID/ALKALINITY (MEQ/G) :

BOILING POINT

FREEZING POINT

MELTING POINT

DENSITY (KG/M3)

STABILITY:

None known.

PRODUCT INFORMATION:

ODOR

PH

COLOR

PHYSICAL STATE

(C) NA

(C) NA

(C) NA

FILLED METHYLVINYL POLYSILOXANE

PAGE: 004

(F)

(F)

(F)

1.4 1400 UNKN NA. VOC EXCL.H2O & EXEMPTS(G/L): SOLUBILITY IN WATER (20 C): NΤ

PHYSICAL AND CHEMICAL PROPERTIES

NA.

NA.

NA.

NA.

GFEY

NEGL.

UNK <1

SOLID

ODORLESS

NA.

10. STABILITY AND REACTIVITY

STABLE

11. TOXICOLOGICAL INFORMATION

UNKNOWN

INSOLUBLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS:

SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT): PARTIAL, TOLUENE

Carbon monoxide. Carbon dioxide.

Silicon dioxide.

Formaldehyde. INCOMPATIBILITY (MATERIALS TO AVOID):

None known. CONDITIONS TO AVOID:

ACUTE ORAL LD50 (MG/KG):

*** CONTINUED ON NEXT PAGE ***

PRODUCT: VL280 FILLED METHYLVINYL POLYSILOXANE PAGE: 005 ACUTE DERMAL LD50 (MG/KG): UNKNOWN ACUTE INHALATION LC50 (MG/L): UNKNOWN OTHER: None. AMES TEST: UNKNOWN 12. ECOLOGICAL INFORMATION ECOTOXICOLOGICAL INFORMATION: No data at this time CHEMICAL FATE INFORMATION: No data at this time 13. DISPOSAL CONSIDERATIONS DISPOSAL METHOD: Disposal should be made in accordance with federal, state and local regulations. 14. TRANSPORT INFORMATION DOT SHIPPING NAME: NA DOT HAZARD CLASS: NOT DOT REGULATED DOT LABEL(S): NΆ UN/NA NUMBER: NA NONE PLACARDS: TATA: NOT REGULATED BY IATA IMO IMDG-code: NOT REGULATED FOR OCEAN TRANSPORTATION EMS No: NA EUROPEAN CLASS: RID (OCTI): NZA ADR (ECE) : NA. RAR (IATA): NZA 15. REGULATORY INFORMATION SARA SECTION 302: None Found SARA (311,312) HAZARD CLASS: NONE SARA (313) CHEMICALS: NONE *** CONTINUED ON NEXT PAGE ***

END OF MSDS

PAGE

006