FORMAT: USA

MATERIAL SAFETY DATA SHEET COPYRIGHT GENERAL ELECTRIC CO.

PRODUCT: 23254

SILICONE RUBBER COMPOUND

PAGE: 001

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURED BY:

GE SILICONES

260 HUDSON RIVER ROAD WATERFORD, NY 12188

SUPPLIED BY:

GE SILICONES

260 HUDSON RIVER ROAD WATERFORD, NY 12188

OSHA PEL

EMERGENCY PHONE (24 HRS)

(518) 237-3330

EMERGENCY PHONE (24 HRS)

(518) 237-3330

REVISED:

FORMULA:

08/10/99

PREPARER:

CE BRITTON

PRODUCT COMPOSITION/ APPROX. ACGIR TLV

CHEMICAL FAMILY/USE: SILICONE RUBBER

MIXTURE

2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS REG NO.	WGT. *	TWA	STEL	TWA	STEL	UNITS
A. HAZARDOUS						
None Found						
B. NON-HAZARDOUS						
DIMETHYL-METHYLVINYL S	ILICONE	GUM				
67762-94-1	10-30	NZA.	NE.	NA	NE	NA
VINYL/ STPD POLYDIMETH	YLSILOX	ANE				
68083-19-2	60-80	NA.	NE	NA	NE	NA
TETRAMER TREATED FUMED	SILICA	•				
68583-49-3	10-30	10	NE	15	NE	MG/M3
TRADE SECRET COMPONENT						
	1-5	NF	NE	NF	NE	NA

See Section 15 for description of any WHMIS Trade Secret(s).

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Translucent Solid

Odorless

Refer to other MSDS sections for detailed information. POTENTIAL HEALTH EFFECTS:

INGESTION:

None known

MARKETED BY

HARWICK STANDARD DISTRIBUTION CORPORATION

60 S. Seiberling Street · Akron, Ohio 44305

PAGE: 002

SKIN CONTACT:

None known.

Plant experience has shown that skin hazard is not applicable in this form.

INHALATION:

None Known.

EYE CONTACT:

May cause mild eye irritation.

MEDICAL CONDITIONS AGGRAVATED:

None known.

SUBCHRONIC (TARGET ORGAN) EFFECTS:

None known.

CHRONIC EFFECTS/CARCINOGENICITY:

This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

PRODUCTS/INGREDIENTS

This space reserved for special use.

PRINCIPLE ROUTES OF EXPOSURE:

None known.

OTHER:

This product contains Methylpolysiloxanes which can generate Formaldehyde at approximately 300 degrees farenheit (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. An MSDS for Formaldehyde is available from GE Silicones.

4. FIRST AID MEASURES

INGESTION:

None known.

SKIN:

Wash with soap and water.

INHALATION:

None known.

EYES:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

NOTE TO PHYSICIAN:

None known.

5. FIRE FIGHTING MEASURES

FLASH POINT:

NA

(C) NA

(F)

PRODUCT: 23254	SILICONE	RUBBER COMPOUN	1D	PAGE: 00:	3				
METHOD IGNITION TEMP FLAMMABLE LIMITS IN AIR - I FLAMMABLE LIMITS IN AIR - I SENSITIVITY TO MECHANICAL I SENSITIVITY TO STATIC DISCE Sensitivity to static di EXTINGUISHING MEDIA: All standard firefightin SPECIAL FIREFIGHTING PROCES	JPPER (%): NA IMPACT (Y/N): NO HARGE: ischarge is not ex ng media		(F)						
None known.	JORES :	-							
6.	ACCIDENTAL RELI	EASE MEASURES							
ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wear proper protective equipment as specified in the protective equipment section.									
	7. HANDLING AND	STORAGE							
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: During cure, vapors are given off which may be harmful. Cure only where appropriate ventilation systems exist. Caution!									
8. EXP	OSURE CONTROLS/PE	RSONAL PROTEC	TION		_				
ENGINEERING CONTROLS: None known. RESPIRATORY PROTECTION: None known. PROTECTIVE GLOVES: Cloth gloves.									

9. PHYSICAL AND CHEMICAL PROPERTIES

EYE AND FACE PROTECTION:

None known.
VENTILATION:
None known.

Safety glasses.
OTHER PROTECTIVE EQUIPMENT:

PRODUCT: 23254

SILICONE RUBBER COMPOUND

PAGE: 004

PRODUCT INFORMATION: BOILING POINT (C) NA NA (F) VAPOR PRESSURE (20 C) (MM HG): NA. VAPOR DENSITY (AIR=1) : NA FREEZING POINT NA. (C) NA (F) MELTING POINT (C) NA NA. (F) PHYSICAL STATE SOLID ODOR ~ODORLESS COLOR TRANSLUCENT ODOR THRESHOLD (PPM) : % VOLATILE BY VOLUME : NA NA. EVAP. RATE (BUTYL ACETATE=1): NΆ SPECIFIC GRAVITY (WATER=1) : NA DENSITY (KG/M3) : ACID/ALKALINITY (MEQ/G) : NA. NA PH NA VOC EXCL. H2O & EXEMPTS (G/L): SOLUBILITY IN WATER (20 C): NA

SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT): NA

10. STABILITY AND REACTIVITY

STABILITY:

STABLE

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR

HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS:

Carbon monoxide. Carbon dioxide.

Silicon dioxide.

Formaldehyde.

INCOMPATIBILITY (MATERIALS TO AVOID):

None known.

CONDITIONS TO AVOID:

None known.

11. TOXICOLOGICAL INFORMATION

PRODUCT INFORMATION:

ACUTE ORAL LD50 (MG/KG): UNKNOWN ACUTE DERMAL LD50 (MG/KG): UNKNOWN ACUTE INHALATION LC50 (MG/L): UNKNOWN

PRODUCT: 23254 SILICONE RUBBER COMPOUND PAGE: 005 OTHER: None. AMES TEST: UNKNOWN 12. ECOLOGICAL INFORMATION ECOTOXICOLOGICAL INFORMATION: CHEMICAL FATE INFORMATION: No data at this time No data at this time ______ 13. DISPOSAL CONSIDERATIONS DISPOSAL METHOD: Disposal should be made in accordance with federal, state and local regulations. Bury in a licensed landfill or burn in an approved incinerator according to federal, state, and local regulations. 14. TRANSPORT INFORMATION DOT SHIPPING NAME: NONE NOT DOT REGULATED DOT HAZARD CLASS: DOT LABEL(S): NONE UN/NA NUMBER: NONE PLACARDS: NONE IATA: NOT REGULATED BY IATA IMO IMDG-code: NONE EMS No: NA EUROPEAN CLASS: RID (OCTI): NONE ADR (ECE) : NONE RAR (IATA): NONE

15. REGULATORY INFORMATION

SARA SECTION 302:

None Found

SARA (311,312) HAZARD CLASS:

NONE

SARA (313) CHEMICALS:

NONE

PRODUCT: 23254

SILICONE RUBBER COMPOUND PAGE: 006

CPSC CLASSIFICATION:

NA

WHMIS HAZARD CLASS:

D2A VERY TOXIC MATERIALS

WHMIS TRADE SECRET:

None

EXPORT:

SCHOLE B/HTSUS:

3910.00 Silicones in Primary Form

EAR99

HAZARD RATING SYSTEMS

HMIS NFPA

FLAMMABILITY 0 , REACTIVITY 0 , HEALTH 0 FLAMMABILITY 0 , REACTIVITY 0 , HEALTH 0

CALIFORNIA PROPOSITION 65:

NONE

OTHER INFORMATION

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

C = ceiling limit NEGL = negligible
EST= estimated NF = none found
NA = not applicable UNKN = unknown
NE = none established REC = recommended
ND = none determined V = recomm. By vendor
By-product = reaction byproduct, TSCA inventory TS = trade secret
status not required under

ACCEP ==== 720,30(h=2)
MST = mist

40 CFR part 720.30(h-2) MST = mist

STEL = short term exposure NT = not tested

limit

DATE PRINTED: 03/24/00