FORMAT: USA MATERIA	
DEODUCE COO	L SAFETY DATA SHEET
DIMET	HYLPOLYSILOXANES
1. CHEMICAL PRODUCT AND COMPANY IDENT	IFICATION
MANUFACTURED BY:	SUPPLIED BY:
GE SILICONES	GE SILICONES
260 HUDSON RIVER ROAD	260 HUDSON RIVER ROAD
WATERFORD, NY 12188	WATERFORD, NY 12188
EMERGENCY PHONE (24 HRS)	EMERGENCY PHONE (24 HRS)
(518) 237-3330	(518) 237-3330
REVISED: 07/20/01	
PREPARER: KE LINTZ	
CHEMICAL FAMILY/USE: SILICONE FLUID	
FORMULA: SILICONE FLUID	
2. COMPOSITION/INFORMATION ON INGREDI	ENTS
PRODUCT COMPOSITION/ APPROX. ACGIH	
CAS REG NO. WGT. % TWA STEI	
	·
None Found	
2. NON-HAZARDOUS	
DIMETHYLPOLYSILOXANES	
C3140 C0 0	NA NE NA

See Section 15 for description of any WHMIS Trade Secret(s).

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CAUTION!

May irritate the eyes.

ATTENTION: Not for injection into humans.

May generate formaldehyde at temperatures greater than 150 $\ensuremath{\text{C}}$

(300 F). See Section 3 of MSDS for details.

Odorless

Clear liquid

POTENTIAL HEALTH EFFECTS:

INGESTION:

None known

SKIN CONTACT:

None known.

INHALATION:

None Known.

EYE CONTACT:

May cause mild eye irritation.

MEDICAL CONDITIONS AGGRAVATED:

None known.

SUBCHRONIC (TARGET ORGAN) EFFECTS:

None known

CHRONIC EFFECTS/CARCINOGENICITY:

This product or one of its ingredients present 0.1% or more

is NOT listed as a carcinogen or suspected carcinogen by

NTP, IARC, or OSHA.

PRODUCTS/INGREDIENTS

This space reserved for special use.

PRINCIPLE ROUTES OF EXPOSURE:

Eyes.

OTHER:

Attention: Not for injection into humans.

COPYRIGHT GENERAL ELECTRIC CO.

This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. An MSDS for formaldehyde is available from GE Silicones.

4. FIRST AID MEASURES

INGESTION:

Do not induce vomiting. If victim is conscious, give 1-3 glasses of water to drink. Never give anything by mouth to an unconscious person. Get medical attention if irritation persists.

SKIN:

Wash with soap and water. Get medical attention if irritation or symptoms from Section 3 develop.

INHALATION:

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

EYES:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

1° NOTE TO PHYSICIAN:

None known.

FIRE FIGHTING MEASURES

COPYRIGHT GENERAL ELECTRIC CO.

FLASH POINT:	301.6	(C) 5	75	((F)			
METHOD		:	PMCC.					
IGNITION TEMP		:	UNKN		(C)	UNKN	(F)	
FLAMMABLE LIMITS	3 IN AIR -	LOWER (%):	NA				
FLAMMABLE LIMITS	IN AIR -	UPPER (%):	NA				
SENSITIVITY TO M	IECHANICAL	IMPACT	(Y/N):		NO			
SENSITIVITY TO S	TATIC DISC	HARGE:						
Sensitivity to s	tatic disc	harge i	s not e	xpec	ted.			
EXTINGUISHING ME	DIA:							
All standard fir	efighting	media						
SPECIAL FIREFIGH	TING PROCE	DURES:						
Firefighters mus	t wear NIO	SH/MSHA	approve	ed p	osit	ive pres	sure	
self-contained b	reathing a	pparatus	with f	ful1	fac	e mask a	nd full	
protective cloth	ing.							
				- -	-		-	
6. ACCIDENTAL 1	RELEASE MEA	ASURES						
				- -	-		-	
ACTION TO BE TAKE	EN IF MATER	RIAL IS	RELEASE	D OF	SP1	ILLED:		
Wipe, scrape or s	soak up in	an iner	t mater	ial	and	put in a	a	
container for dis								
Wash walking surf	aces with	deterge	nt and	wate	r to	reduce	slip-	
ping hazard.								
								
7. HANDLING AND								
~					-			
PRECAUTIONS TO BE	TAKEN IN I	HANDLING	AND ST	rorac	GE:			

Keep container closed when not in use.

Avoid contact with skin and eyes.

Store away from heat, sources of ignition, and incompatibles.

Keep away from children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Showers and eyewash stations. See "Ventilation" below.

RESPIRATORY PROTECTION:

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29 CFR 1910.134).

PROTECTIVE GLOVES:

Cloth gloves.

EYE AND FACE PROTECTION:

Safety glasses.

OTHER PROTECTIVE EQUIPMENT:

Wear eye protection and protective clothing.

VENTILATION:

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

9.	PHYSICAL AN	ND CHEMICAL	PROPERTIES

COPYRIGHT GENERAL ELECTRIC CO.

PRODUCT INFORMATION:

BOILING POINT : >204 (C) >400 (F)

VAPOR PRESSURE(20 C)(MM HG): NEG

VAPOR DENSITY (AIR=1) : NA

FREEZING POINT : NA (C) NA (F)

MELTING POINT : NA (C) NA (F)

PHYSICAL STATE : LIQUID

ODOR : ODORLESS

COLOR : CLEAR

ODOR THRESHOLD (PPM) : UNK

% VOLATILE BY VOLUME : <1

EVAP. RATE(BUTYL ACETATE=1): <1

SPECIFIC GRAVITY (WATER=1) : 0.97

DENSITY (KG/M3) : 958.5

ACID/ALKALINITY (MEQ/G) : 7

PH : UNK

VOC EXCL.H20 & EXEMPTS(G/L): NT

SOLUBILITY IN WATER (20 C): INSOLUBLE

SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT): SOLUBLE, TOLUENE

10. STABILITY AND REACTIVITY

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS:

Carbon monoxide.

Carbon dioxide.

Formaldehyde.

INCOMPATIBILITY (MATERIALS TO AVOID):

None known.

CONDITIONS TO AVOID:

COPYRIGHT GENERAL ELECTRIC CO.

None known.
11. TOXICOLOGICAL INFORMATION
PRODUCT INFORMATION:
ACUTE ORAL LD50 (MG/KG): >40,000 (RAT)
ACUTE INHALATION LOSO (MG/KG): NA
ACUTE INHALATION LC50 (MG/L): >535 MG/L (RAT) OTHER:
Non-irritating to skin (rbt).
AMES TEST: UNKNOWN
12. ECOLOGICAL INFORMATION
ECOTON TOOLOGICAL ANTIONNA TOOL
ECOTOXICOLOGICAL INFORMATION: No data at this time CHEMICAL FATE INFORMATION: No data at this time
No data at this time
13. DISPOSAL CONSIDERATIONS
DISPOSAL METHOD:
Disposal should be made in accordance with federal, state and
ocal regulations.

COPYRIGHT GENERAL ELECTRIC CO.

14. TRANSPORT INFORMATION ______ DOT SHIPPING NAME: NONE DOT HAZARD CLASS: NOT DOT REGULATED DOT LABEL(S): NONE UN/NA NUMBER: NONE PLACARDS: NONE IATA: NOT REGULATED BY IATA IMO IMDG-code: NOT REGULATED FOR OCEAN TRANSPORTATION EMS No: NA EUROPEAN CLASS: RID (OCTI): NONE ADR (ECE) : NONE RAR (IATA): NONE ______ 15. REGULATORY INFORMATION ______ SARA SECTION 302: None Found SARA (311,312) HAZARD CLASS: NONE SARA (313) CHEMICALS: NONE CPSC CLASSIFICATION: NONE WHMIS HAZARD CLASS: NON-CONTROLLED WHMIS TRADE SECRET: None

```
EXPORT:
SCHDLE B/HTSUS:
              3910.00 Silicones in Primary Form
ECCN:
        EAR99
HAZARD RATING SYSTEMS
HMIS
       FLAMMABILITY 0 , REACTIVITY 0 , HEALTH 0
NFPA
       \texttt{HEALTH} = 1, \texttt{FLAMMABILIITY} = 0 , \texttt{REACTIVITY} = 0
CALIFORNIA PROPOSITION 65:
NONE
 ______
16. OTHER INFORMATION
This product or its components are on the European inventory of
existing commercial chemicals (EINECS).....
.....
```

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

This product or its components are on the Australian inventory (ACOIN).....

.....

.....

C = ceiling limit NEGL = negligible EST= estimated NF = none found

NA = not applicable UNKN = unknown

NE = none established REC = recommended

ND = none determined V = recomm. By vendor

By-product = reaction by- SKN = skin

product, TSCA inventory TS = trade secret

```
status not required under R = recommended

40 CFR part 720.30(h-2) MST = mist

STEL = short term exposure NT = not tested

limit
.....
```