FORMAT USA MATERIAL SAFETY DATA SHEET

COPYRIGHT GENERAL ELECTRIC CO.

PRODUCT: VISC-30M DIMETHYLPOLYSILOXANE PAGE: 001

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURED BY:

GE SILICONES

260 HUDSON RIVER ROAD

WATERFORD, NY 12188

SUPPLIED BY:

GE SILICONES

260 HUDSON RIVER ROAD WATERFORD, NY 12188

EMERGENCY PHONE (24 HRS)

(518) 237-3330

EMERGENCY PHONE (24 HRS)

(518) 237-3330

REVISED: 06/22/00 PREPARER: CE HANNIGAN

CHEMICAL FAMILY/USE: SILICONE FLUID

FORMULA:

POLYMER MOXM

2. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION/ APPROX.

ACGIH TLV OSHA PEL

NE

CAS REG NO.

WGT. % TWA STEL TWA STEL UNITS

1. HAZARDOUS

None Found

2. NON-HAZARDOUS

DIMETHYLPOLYSILOXANE

63148-62-9

80-99 NA NE

NA

NA

See Section 15 for description of any WHMIS Trade Secret(s)

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CAUTION!

May irritate the eyes.

ATTENTION: Not for injection into humans.

May generate formaldehyde at temperatures greater than 150 C (300 F). See Section 3 of MSDS for details.

Odorless

Clear liquid

POTENTIAL HEALTH EFFECTS:

INGESTION:

*** CONTINUED ON NEXT PAGE ***

MARKETED BY

HARWICK STANDARD DISTRIBUTION CORPORATION 60 S. Seiberling Street • Akron, Ohio 44305

PAGE: 002

None known

SKIN CONTACT: None known.

None Known. EYE CONTACT:

None known.

INHALATION:

SUBCHRONIC (TARGET ORGAN) EFFECTS: CHRONIC EFFECTS/CARCINOGENICITY: This product or one of its ingredients present 0.1% or more

MEDICAL CONDITIONS AGGRAVATED:

May cause mild eye irritation.

is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA. PRODUCTS/INGREDIENTS

This space reserved for special use. PRINCIPLE ROUTES OF EXPOSURE:

Eyes.

OTHER:

Attention: Not for injection into humans.

acute toxicant, and potential cancer hazard. An MSDS for formaldehyde is available from GE Silicones.

4. FIRST AID MEASURES

INGESTION:

EYES:

Do not induce vomiting. If victim is conscious, give 1-3 glasses of water to drink. Never give anything by mouth to an unconscious person. Get medical attention if irritation

This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant,

persists. SKIN:

Wash with soap and water. Get medical attention if irritation or symptoms from Section 3 develop. INHALATION:

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists. NOTE TO PHYSICIAN:

*** CONTINUED ON NEXT PAGE ***

None known.

FLASH POINT:

METHOD

5. FIRE FIGHTING MEASURES

>204 (C) >400

(F) PMCC

IGNITION TEMP (C) NA (F)

FLAMMABLE LIMITS IN AIR - LOWER (%): NA

FLAMMABLE LIMITS IN AIR - UPPER (%): NA SENSITIVITY TO MECHANICAL IMPACT (Y/N): NO

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

EXTINGUISHING MEDIA:

All standard firefighting media

SPECIAL FIREFIGHTING PROCEDURES:

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wipe, scrape or soak up in an inert material and put in a container for disposal.

Wash walking surfaces with detergent and water to reduce slipping hazard.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep container closed when not in use.

Avoid contact with skin and eyes.

Store away from heat, sources of ignition, and incompatibles. Keep away from children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Showers and eyewash stations. See "Ventilation" below.

RESPIRATORY PROTECTION:

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should

PAGE: 004

be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29 CFR 1910.134).

PROTECTIVE GLOVES:

Cloth gloves.

EYE AND FACE PROTECTION:

Safety glasses.

PRODUCT INFORMATION:

BOILING POINT

OTHER PROTECTIVE EQUIPMENT:

Wear eye protection and protective clothing.

VENTILATION:

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

9. PHYSICAL AND CHEMICAL PROPERTIES

NA.

(C) NA

(F)

VAPOR PRESSURE (20 C) (MM HG): NEG VAPOR DENSITY (AIR=1) : NE:G (C) NA FREEZING POINT NA. (F) (C) NA MELTING POINT NA. (F) PHYSICAL STATE LIQUID ODOR ODORLESS COLOR CLEAR ODOR THRESHOLD (PPM) : UNK <1 EVAP. RATE (BUTYL ACETATE=1): <1 SPECIFIC GRAVITY (WATER=1) : . 97 DENSITY (KG/M3) 958.6 ACID/ALKALINITY (MEQ/G) : ~7 PH NA. VOC EXCL.H2O & EXEMPTS(G/L): SOLUBILITY IN WATER (20 C): NT' INSCLUBLE

10. STABILITY AND REACTIVITY

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT): TOLUENE

HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS: Carbon monoxide.

Carbon dioxide.

PRODUCT: VISC-30M DIME'THYLPOLYSILOXANE PAGE: 005 Formaldehyde. INCOMPATIBILITY (MATERIALS TO AVOID): None known. CONDITIONS TO AVOID: None known. 11. TOXICOLOGICAL INFORMATION PRODUCT INFORMATION: 20,000 RAT ACUTE ORAL LD50 (MG/KG): ACUTE DERMAL LD50 (MG/KG): NONE ACUTE INHALATION LC50 (MG/L): NONE OTHER: Tested for acute oral LD50. AMES TEST: UNKNOWN 12. ECOLOGICAL INFORMATION ECOTOXICOLOGICAL INFORMATION: No data at this time CHEMICAL FATE INFORMATION: No data at this time 13. DISPOSAL CONSIDERATIONS DISPOSAL METHOD: Disposal should be made in accordance with federal, state and local regulations. 14. TRANSPORT INFORMATION NONE NOT DOT REGULATED DOT SHIPPING NAME: DOT HAZARD CLASS: DOT LABEL(S): NA UN/NA NUMBER: NA PLACARDS: NONE TATA: NOT REGULATED BY IATA IMO IMDG-code: NOT REGULATED FOR OCEAN TRANSPORTATION EMS No: NA EUROPEAN CLASS: RID (OCTI): NΆ *** CONTINUED ON NEXT PAGE ***

006

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

This product or its components are on the Australian inventory (ACOIN)

C = ceiling limit NEGL = negligible

NE = none established REC = recommended

```
PRODUCT: VISC-30M
                               DIMETHYLPOLYSILOXANE
                                                                  PAGE: 007
ND = none determined
                                   recomm. By vendor
By-product = reaction by-
                            SKN
                                   skin
product, TSCA inventory
                           TS
                                = trade secret
status not required under
                           R
                                = recommended
40 CFR part 720.30(h-2)
                        MST
                                = mist
STEL = short term exposure NT
                                = not tested
       limit
                       DATE PRINTED: 09/21/01
```