FORMAT: USA MATERIAL SAFETY DATA SHEET COPYRIGHT GENERAL ELECTRIC CO.

PRODUCT: SF1214 CYCLIC SILICONES & DIMETHYL GUM PAGE: 001

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURED BY:

SUPPLIED BY:

GE SILICONES

GE SILICONES

260 HUDSON RIVER ROAD WATERFORD, NY 12188

260 HUDSON RIVER ROAD WATERFORD, NY 12188

EMERGENCY PHONE (24 HRS)

EMERGENCY PHONE (24 HRS)

(518) 237-3330

(518) 237-3330

REVISED:

11/11/97

PREPARER:

CE HANNIGAN

CHEMICAL FAMILY/USE:

SILICONE SILOXANE BLEND

FORMULA:

MIXTURE

2. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION/ CAS REG NO.	APPROX.	ACGI TWA	H TLV STEL	OSHA TWA	PEL STEL	UNITS
A. HAZARDOUS						
DECAMETHYLCYCLOPENTASI					5.999	CETTOE
541-02-6	60-80	5 PPM	NE	GE REC	NE	GUIDE
MIXED CYCLOSILOXANES						
69430-24-6	<3	NONE	NE	NONE	NE	NA.
B NON-HAZARDOUS						
DIMETHYLPOLYSILOXANE						
63148-62-9	10-30	NA.	NE	NA.	NE	NA

See Section 15 for description of any WHMIS Trade Secret(s).

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

This section not in use

POTENTIAL HEALTH EFFECTS:

INGESTION:

May be harmful if swallowed.

SKIN CONTACT:

None known.

INHALATION:

None Known.

EYE CONTACT:

*** CONTINUED ON NEXT PAGE ***

MARKETED BY

HARWICK STANDARD
DISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305 Akron • Chicago • Northeast • Southern • West Coast

PAGE: 002

May cause mild eye irritation. MEDICAL CONDITIONS AGGRAVATED:

None known.

SUBCHRONIC (TARGET ORGAN) EFFECTS:

None known.

CHRONIC EFFECTS/CARCINOGENICITY:

This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

PRODUCTS/INGREDIENTS

This space reserved for special use.

PRINCIPLE ROUTES OF EXPOSURE:

Eyes. OTHER:

D5

Ingestion:

Rodents given doses via oral gavage of decamethylpentasiloxane (100 mg/kg/day for females, 400 mg/kg/day for males, 14 days) developed increased liver weights relative to unexposed control

animals.

Inhalation: In inhalation studies, laboratory rodents exposed to decamethylpentasiloxane (120 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents.

Attention: Not for injection into humans. This product contains Methylpolysiloxanes which can generate Formaldehyde at approximately 300 degrees farenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. An MSDS for Formaldehyde is available from GE Silicones.

FIRST AID MEASURES 4.

INGESTION:

Rinse mouth with water several times.

SKIN:

None known. INHALATION:

None known.

EYES:

PAGE: 003

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

NOTE TO PHYSICIAN:

None known.

5. FIRE FIGHTING MEASURES

FLASH POINT: METHOD

76.7

(C) 170

(F)

IGNITION TEMP

PMCC UNK

(C) UNK

(F)

FLAMMABLE LIMITS IN AIR - LOWER (%):

UNK

UNK

FLAMMABLE LIMITS IN AIR - UPPER (%): SENSITIVITY TO MECHANICAL IMPACT (Y/N): NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is expected; material has a

flash point below 200 f.

EXTINGUISHING MEDIA:

All standard firefighting media

SPECIAL FIREFIGHTING PROCEDURES:

Combustible.

ACCIDENTAL RELEASE MEASURES 6.

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wipe, scrape or soak up in an inert material and put in a container for disposal.

Wash walking surfaces with detergent and water to reduce slipping hazard.

Wear proper protective equipment as specified in the protective equipment section.

Remove sources of ignition.

HANDLING AND STORAGE 7.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Use ground strap.

Use inert gas blanket.

Recommended storage in original container below 30'C (85'F).

Keep container closed when not in use.

Caution! Combustible.

Avoid contact with eyes.

Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container.

PAGE: 004

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Eyewash stations.

RESPIRATORY PROTECTION:

None known.

PROTECTIVE GLOVES:

None known.

EYE AND FACE PROTECTION:

Safety glasses.

OTHER PROTECTIVE EQUIPMENT:

None known. VENTILATION:

None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

PRODUCT INFORMATION:

BOILING POINT : 210 (C) 410 (F)

VAPOR PRESSURE (20 C) (MM HG): 1

VAPOR DENSITY (AIR=1) : NA

FREEZING POINT : UNK (C) UNK (F MELTING POINT : UNK (C) UNK (F

PHYSICAL STATE : LIQUID
ODOR : ODORLESS
COLOR : CLEAR

ODOR THRESHOLD (PPM) : UNK % VOLATILE BY VOLUME : UNK EVAP. RATE(BUTYL ACETATE=1): <1

EVAP. RATE (BUTYL ACETATE=1): <1
SPECIFIC GRAVITY (WATER=1): .95
DENSITY (KG/M3): 956.8
ACID/ALKALINITY (MEQ/G): <5 PPM

PH : NA VOC EXCL.H2O & EXEMPTS (G/L): 680

SOLUBILITY IN WATER (20 C): INSOLUBLE

SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT): SOLUBLE IN ACETONE

10. STABILITY AND REACTIVITY

STABILITY:

STABLE

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR

PAGE: 005 CYCLIC SILICONES & DIMETHYL GUM PRODUCT: SF1214 HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS: Carbon monoxide. Carbon dioxide. Silicon dioxide. Formaldehyde. INCOMPATIBILITY (MATERIALS TO AVOID): None known. CONDITIONS TO AVOID: Keep away from heat, sparks and flame. Avoid any source of ignition. 11. TOXICOLOGICAL INFORMATION PRODUCT INFORMATION: ACUTE ORAL LD50 (MG/KG): UNK ACUTE DERMAL LD50 (MG/KG): UNK ACUTE INHALATION LC50 (MG/L): OTHER: Non-irritatin to the eyes (rabbits). Mildly irritating to skin (rabbits). Product tested as having weak and insignificant allergenic potential (quinea pigs). NEGATIVE AMES TEST: 12. ECOLOGICAL INFORMATION No data at this time ECOTOXICOLOGICAL INFORMATION: No data at this time CHEMICAL FATE INFORMATION: 13. DISPOSAL CONSIDERATIONS DISPOSAL METHOD: Disposal should be made in accordance with federal, state and local regulations. TRANSPORT INFORMATION 14.

FOR BULK CONTAINERS (>119 GAL) ONLY: COMBUSTIBLE DOT SHIPPING NAME:

LIQUID N.O.S. (DECAMETHYLCYCLOPENTASILOXANE)

FOR BULK CONTAINERS ONLY: COMBUSTIBLE LIQUID DOT HAZARD CLASS:

NONE DOT LABEL(S):

PRODUCT: SF1214

CYCLIC SILICONES & DIMETHYL GUM

PAGE: 006

UN/NA NUMBER:

FOR BULK CONTAINERS ONLY: NA1993

PLACARDS:

FOR BULK CONTAINERS ONLY: COMBUSTIBLE

IATA:

NA

IMO IMDG-code:

NONE

EMS No:

NA

EUROPEAN CLASS:

RID (OCTI):

NONE

ADR (ECE) :

NONE

RAR (IATA):

NONE

15. REGULATORY INFORMATION

SARA SECTION 302:

None Found

SARA (311,312) HAZARD CLASS:

FIRE HAZARD

SARA (313) CHEMICALS:

NONE

CPSC CLASSIFICATION:

NA

WHMIS HAZARD CLASS:

B3 COMBUSTIBLE LIQUIDS
D2A VERY TOXIC MATERIALS

WHMIS TRADE SECRET:

None

EXPORT:

SCHDLE B/HTSUS:

3824.90 Chemical preparations N.E.S.

ECCN:

EAR99

HAZARD RATING SYSTEMS

HMIS NFPA FLAMMABILITY 2 , REACTIVITY 0 , HEALTH 0 FLAMMABILITY 2 , REACTIVITY 0 , HEALTH 0

CALIFORNIA PROPOSITION 65:

NONE

16. OTHER INFORMATION

This product or its components are on the European inventory of existing commercial chemicals (EINECS)......

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is made. The recommended handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use.

PRODUCT: SF1214

CYCLIC SILICONES & DIMETHYL GUM

PAGE: 007

C = ceiling limit NEGL = negligible
EST= estimated NF = none found
NA = not applicable UNKN = unknown
NE = none established REC = recommended
ND = none determined V = recomm. By vendor
By-product = reaction byproduct, TSCA inventory TS = trade secret
status not required under
40 CFR part 720.30(h-2) MST = mist

40 CFR part 720.30(h-2) MST = mist

STEL = short term exposure NT = not tested

limit

DATE PRINTED: 05/11/98

*** END OF MSDS ***