⊗FERRO

CLEVELAND DIVISION 1000 WAYSIDE ROAD, CLEVELAND, OHIO 44110 (216) 531-60'

MATERIAL SAFETY DAT _SHEET

PRODUCT IDENTIFICATION 1.

- **BRAND NAME: ALUMINUM STEARATE 303**
- COMMON NAME: METASAP 598, 537, ALUMINUM DISTEARATE 303, ALUMINUM STEARATE 265SW, R, 77, NUODEX ALUMINUM STEARATE MED GEL HI GED 27
- CHEMICAL NAME: ALUMINUM DISTEARATE
- CAS NUMBER: 300925
- FORMULA: C36H71AI4
- DOT HAZARD CLASS: NONE
- REPORTABLE QUANTITY: NONE
- HMIS RATING: HEALTH (0) FLAMMABILITY (1) REACTIVITY (0)
- **TOSCA LISTED**

2. **HAZARDOUS INGREDIENTS**

CHEMICAL NAME

CAS NUMBER

TRADE SECRET

PHYSICAL AND CHEMICAL PROPERTIES 3.

- STATE: SOLID
- MELTING POINT: 145-165° C
- **BOILING POINT: N/A**
- **VAPOR PRESSURE: NIL**
- SPECIFIC GRAVITY (H2O = 1) >1.0
- WATER SOLUBILITY: NEGLIGIBLE
- APPEARANCE AND ODOR: FINE WHITE POWDER, MILD FATTY ODOR

REACTIVITY DATA 4.

- STABILITY: STABLE
- CONDITIONS TO AVOID: NONE
- INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS
- DECOMPOSITION PRODUCTS: Al₂O₃, CO₂
- POLYMERIZATION POTENTIAL: WILL NOT OCCUR.

*HMIS RATING PER NFPA 704

MARKETED BY

HARWICK STANDARD DISTRIBUTION CORPORATION

60 S. Seiberling Street · Akron, Ohio 44305

ØFERRO

CLEVELAND DIVISION 1000 WAYSIDE ROAD, CLEVELAND, OHIO 44110 (216) 531-6010

MATERIAL SAFETY DATA SHEET

5. PHYSICAL HAZARD INFORMATION

PAGE 2
ALUMINUM STEARATE 303

- FLASH POINT: > 500° F (PMCC)
- FLAMMABLE LIMITS: UNKNOWN
- EXTINGUISHING MEDIA: WATER, CO₂ FOG, DRY CHEMICAL
- SPECIAL FIRE FIGHTING PROCEDURES: NONE

DUST EXPLOSIONS MAY OCCUR UNDER CONDITIONS OF HIGH DUST CONCENTRATION IN THE PRESENCE OF AN IGNITION SOURCE.

6. HEALTH HAZARD INFORMATION

- PRECAUTIONARY INFORMATION: AS WITH ANY CHEMICAL, AVOID CONTACT WITH SKIN AND EYES. DO NOT INGEST.
- PRIMARY ROUTES OF EXPOSURE:

INHALATION: YES

SKIN ABSORPTION: NO INGESTION: UNLIKELY

SKIN AND EYE CONTACT: NO

INHALATION - DUST CAN CAUSE DISCOMFORT OF THE NOSE, THROAT, AND UPPER RESPIRATORY TRACT, COUGHING AND CHOKING.

SKIN - CAN CAUSE DISCOMFORT WITH PROLONGED CONTACT.

INGESTION - CAN CAUSE GASTRO INTESTINAL DISCOMFORT IF SWALLOWED.

EYE CONTACT - CAN CAUSE DISCOMFORT WITH CONTACT.

EMERGENCY FIRST AID PROCEDURES

INHALATION - REMOVE TO FRESH AIR.

SKIN - WASH WITH MILD SOAP AND WATER.

INGESTION - CONSULT PHYSICIAN IF SWALLOWED.

EYES - FLUSH EYES WITH WATER. REMOVE ANY CONTACT LENSES TO ENSURE THOROUGH FLUSHING. IF DISCOMFORT PERSISTS, CONSULT PHYSICIAN.



CLEVELAND DIVISION
1000 WAYSIDE ROAD, CLEVELAND, OHIO 44110 (216) 531-6010

MATERIAL SAFETY DATA SHEET

7. ENGINEERING CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT

PAGE 3
ALUMINUM STEARATE 303

VENTILATION: SUFFICIENT TO CONTROL DUST.

PERSONAL PROTECTIVE EQUIPMENT

DEGREE OF EXPOSURE	EYE	SKIN	RESPIRATORY	OTHER
CLOSED SYSTEM (REMOTE)	Α	A	NONE	NONE
II OCCASIONAL (INFREQUENT)	Α	Α	NONE	NONE
III REPEATED & PROLONGED	Α	Α	Α	NONE
IV SPILLS (GROSS CONTACT)	Α	Α	A	NONE

KEY FOR PERSONAL PROTECTIVE EQUIPMENT

EYE

A SAFETY GLASSES
B CHEMICAL GOGGLES

C GAS TIGHT GOGGLES

SKIN

A ORDINARY WORK CLOTHES
B IMPERVIOUS CLOTHING
C IMPERVIOUS AND GAS TIGHT

RESPIRATORY PROTECTION (NIOSH APPROVED)

A HALF MASK W/CARTRIDGE
B FULL FACE W/CANISTER

C FULL FACE W/SUPPLIED AIR

OTHERS

A FACESHIELD

B GLOVES (RUBBER)

C APRON D BOOTS

ØFERRO

CLEVELAND DIVISION 1000 WAYSIDE ROAD, CLEVELAND, OHIO 44110 (216) 531-6010

MATERIAL SAFETY DATA SHEET

8. PRECAUTIONS FOR SAFE HANDLING AND STORAGE

PAGE 4
ALUM STEARATE 303

STORE IN COOL, DRY AREA, AWAY FROM HEAT, SPARK OR FLAME. AVOID SKIN AND EYE CONTACT. WASH HANDS AFTER HANDLING. WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT.

SPILLS/LEAKS/RELEASES

WORKPLACE RELEASE: REMOVE IGNITION SOURCES, SHOVEL INTO DRUMS. DISPOSAL SHOULD BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SOIL RELEASE: TREAT THE SAME AS A WORKPLACE RELEASE.

WATER RELEASE: NOTIFICATION OF THE PROPER GOVERNMENT AGENCY MAY BE APPROPRIATE.

AIR RELEASE: AVOID RAISING DUST CLOUDS. DUST EXPLOSION CAN OCCUR UNDER CONDITIONS OF HIGH DUST CONCENTRATIONS IN THE PRESENCE OF ANY IGNITION SOURCE.

9. SECTION 313 SUPPLIER NOTIFICATION

THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372:

CAS# CHEMICAL NAME PERCENT BY
WEIGHT

THIS PRODUCT DOES NOT FALL SUBJECT TO THE REQUIREMENTS OF SECTION 313.

THIS INFORMATION MUST BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

FOR ADDITIONAL INFORMATION TELEPHONE.....(216) 531-6010

DATE OF ISSUE DATE REVISED REPLACES

05/04/92 12/15/95 05/04/92

UNK = UNKNOWN > = GREATER THAN N/A = NOT APPLICABLE <= LESS THAN

Revised: 12/15/95 per E Frindt, update & reissue