



# MATERIAL SAFETY DATA SHEET

Ferro Corporation, Polymer Additives Division  
Walton Hills Operation  
7050 Krick Road  
Walton Hills, Ohio 44146-4494 USA

**Emergency telephone number**  
CHEMTREC: 1-800-424-9300

Plant Number: 1-216-750-6708

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Product Name:** Therm-Chek® SP231 425 Lb Drm  
**Chemical Family:** Polymer Additive  
**Chemical Name:** Zinc Complex Mixture  
**CAS-No.:** Mixture  
**Product code:** 1035678

Date of Preparation: 07/21/2005

## 2. HAZARD IDENTIFICATION

### Emergency Overview

Caution  
May cause eye/skin irritation. Avoid contact with the skin and the eyes.

NFPA 704

**Colour:** Yellow  
**Physical state:** Liquid  
**Odour:** Pungent

**Health:** 1  
**Fire:** 1  
**Instability:** 0

### Potential Health Effects

**Principle routes of exposure:** Eye contact. Skin contact. Inhalation.

**Eye contact:** May cause slight irritation.

**Skin contact:** Prolonged skin contact may cause skin irritation and/or dermatitis.

**Inhalation:** May cause irritation of respiratory tract.

**Ingestion:** May irritate digestive tract.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Weight %
Zinc compounds		5 - 10%

The specific chemical identities are being withheld as a trade secret (29CFR1910.1200).

## 4. FIRST AID MEASURES

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids. Get medical attention if irritation develops.

**Skin contact:** Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. If symptoms persist, call a physician.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms persist, call a physician.

**Ingestion:** Drink plenty of water. Consult a physician if necessary. Do not induce vomiting without medical advice.

**Notes to physician:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Product name: Therm-Chek® SP231 425 Lb Drm

MARKETED BY

**HARWICK STANDARD  
DISTRIBUTION CORPORATION**

60 S. Seiberling Street • Akron, Ohio 44305

Page 1 of 4

**Flash point:** 195 °C ( 383°F) Method: PMCC

**Suitable extinguishing media:** Use dry chemical, CO2, water spray or "alcohol" foam.

**Hazardous decomposition products:** Thermal decomposition can lead to release of irritating gases and vapors.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, NIOSH (approved or equivalent) and full protective gear.

**Unusual hazards:** None known

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Evacuate area of all unnecessary personnel. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Methods for cleaning up:** Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Dispose of promptly. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

**Handling:** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

**Storage:** Keep container tightly closed in a dry and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure limits:**

Components	OSHA	ACGIH
Vegetable oil derivative	15 mg/m <sup>3</sup> TWA (oil mist)	10 mg/m <sup>3</sup> TWA (oil mist)

**Engineering measures:** Ensure adequate ventilation, especially in confined areas.

**Eye protection:** Safety glasses with side-shields.

**Skin and body protection:** Lightweight protective clothing.

**Hand protection:** Impervious gloves.

**Respiratory protection:** Use NIOSH approved respirator when ventilation is inadequate.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice. Ensure that eyewash stations and safety showers are proximal to the work-station location. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Colour:</b>	Yellow	<b>Physical state:</b>	Liquid
<b>Odour:</b>	Pungent	<b>Molecular weight:</b>	No data available
<b>Boiling point/range (°C):</b>	No data available	<b>pH:</b>	No data available
<b>Specific gravity (Water =1):</b>	1.000	<b>Vapor pressure (mmHg):</b>	No data available
<b>Evaporation rate (Water =1):</b>	< 1.00	<b>Water solubility (mg/l):</b>	Insoluble
<b>VOC content (%)</b>	No data available		

## 10. STABILITY AND REACTIVITY

**Stability:** Stable at normal conditions.

**Polymerization:** Will not occur.

**Hazardous decomposition products:** None under normal use.

**Materials to avoid:** Strong oxidizing agents. Strong acids and strong bases.

**Conditions to avoid:** None known

### 11. TOXICOLOGICAL INFORMATION

**Acute toxicity:** No data is available on the product itself

### 12. ECOLOGICAL INFORMATION

**Aquatic toxicity:** Not determined

**Persistence and degradability:** Not determined

### 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:** Waste must be disposed of in accordance with federal, state and local environmental control regulations. Where possible recycling is preferred to disposal or incineration.

### 14. TRANSPORT INFORMATION

**DOT**

**Proper shipping name:** Not regulated.

**TDG (Canada)**

**Proper shipping name:** Not regulated.

### 15. REGULATORY INFORMATION

**U.S. Regulations:**

**Not subject to TSCA 12(b) Export Notification**

Components	SARA 313:
Zinc compounds (5 - 10%)	1.0% de minimis concentration (Chemical Category N982)

**State Regulations**

This product or its ingredients have been evaluated for New Jersey, Pennsylvania, and California Prop 65 supplier notification requirements. Substances that are subject to notification requirements, if any, are listed below.

Components	NJRTK:	PARTK:	Cal Prop65:
Zinc compounds	3012	Listed	N/A

**Canadian WHMIS**

WHMIS hazard class: D2B Toxic materials.

**International Inventories**

TSCA 8(b): Listed or exempt.

Canadian DSL: Listed or exempt.

EINECS: Listed or exempt.

Phillipines (PICCS): Listed.

Japan (ENCS): Not listed.  
Korea (KECL): Listed.  
China (IECS): Listed.  
Australia (AICS): Listed.

## 16. OTHER INFORMATION

### For Industrial Use Only

#### HMIS

Health: 1

Fire: 1

Physical hazard: 0

PPE: B

**Prepared by:** Ferro Technical Center

The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance obligations under any applicable federal or state laws.

**End of Safety Data Sheet**