

material safety data sheet

(in compliance with 29 CFR 1910.1200) identity: Stangard™ 3114

Page 1 of 4

Preparation / Product Information

manufactured for and supplied by:

telephone no: (330) 798-9300

Harwick Standard Distribution

May 18, 2000

Corporation

60 South Seiberling Street

Health, Safety & Environment

P.O. Box 9360

Akron, OH 44305-0360

product use:

preparer:

date prepared:

Antioxidant

section 2- Ingredients / Identity Information

components chemical identity/cas# exposure limits

PEL

Toxicity

amount %

Burnett service and the

Tris(3,5-di-t-butyl-4-

 $10mq/m^3$

LD50/LC50

100

hydroxybenzyl)isocyanurate CAS# 27676-62-6

section 3 - Physical / Chemical Characteristics

boiling point:

@760 mm Hg

424-433 °F

melting point: vapor pressure (mm Hg):

Not Determined

vapor density (AIR=1):

Not Determined

solubility in water

Negligible

appearance (physical state) and odor:

specific gravity:

OTHER

Not Determined

:Ha

odor threshold (ppm):

Not Determined Not Determined

coef. water/oil dist.:

Not Determined Not Determined

evaporation rate: Solid; White

Odor; Odorless

section 4 — Fire and Explosion Hazard Data

flash point (method):

552 °F

extinguishing media:

Use CO₂, foam, water, and dry chemical.

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



material safety data sheet

(in compliance with 29 CFR 1910.1200)


identity: Stangard™ 3114

Page 2 of 4

special fire fighting procedures: Wear self-contained breathing apparatus and protective clothing. Move exposed containers from fire area if possible. Use water to keep fire-exposed containers cool. unusual fire and explosion hazards: None hmis rating: 1 hazardous combustion products: CO_{x} Reactivity Data $\sqrt{}$ stability stable: unstable: П conditions to avoid (cond. of reactivity): None Known incompatibility (materials to avoid): Strong Oxidizing Agents hazardous decomposition or byproducts: CO_{x} hazardous polymerization may occur: will not occur: ☑ conditions to avoid: None Known hmis rating: 0 section 6 - Health Hazard Data primary routes of exposure inhalation skin contact \square \square eye contact ☑ skin absorption ingestion health hazards May cause eye, skin and respiratory tract irritation. Ingestion of very large quantities may cause diarrhea acute: None Known chronic: None Known carcinogenicity NTP IARC **OSHA** The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or

the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such

goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



material safety data sheet

(in compliance with 29 CFR 1910.1200) identity: Stangard™ 3114

Page 3 of 4

signs and symptoms of exposure:

See health hazards.

medical conditions generally aggravated by exposure:

None Known

hmis rating: 1

section 7 - First Aid Measures

emergency and first aid procedures

inhalation: Remove from exp

Remove from exposure.. Allow the victim to rest in a well-ventilated area. Consult a

physician.

ingestion: Do not induce vomiting immediately. If victim is conscious, give 2 to 4 glasses of water

or milk, and induce vomiting. Consult a physician immediately.

skin contact: After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. If irritation develops, consult a

physician.

eye contact: Flush with large quantities of water for 15 minutes. If irritation develops, consult a

physician.

section 8 - Precautions for Safe Handling and Use

steps to be taken in case material is

released or spilled: Provide ventilation. Wear proper OSHA protective equipment.

Sweep up spilled material with a minimum of dusting or vacuum with a filtered outlet vacuuming system. Place the resulting waste in a suitable container for reuse or disposal.

waste disposal method:

In accordance with federal, state, and local regulations. Refer to

Section 10.

precautions to be taken in handling

and storing: Store in a cool, dry, well ventilated storage area Do not store

near oxidizing agents or strong acids.

other precautions: Avoid contact with eyes, skin, and clothing.

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



material safety data sheet (in compliance with 29 CFR 1910.1200) identity: Stangard™ 3114

Page 4 of 4

section 9 - Control Measures

respiratory protection (specify type):

A NIOSH/MSHA approved respirator above PEL or TLV or as

necessary.

ventilation

local exhaust:

mechanical (general):

Recommended to minimize exposure.

Recommended to minimize exposure.

protective gloves:

Impervious

eye protection:

Safety glasses or goggles for dusty conditions.

other protective clothing or equipment:

Eyewash station, rubber apron

work/hygienic practices:

drinking, or using rest room.

Wash thoroughly after handling and before eating,

section 10 - Additional Information

special shipping information:

Not DOT Regulated

TSCA Inventory Status:

Chemical components are listed on the TSCA inventory.

sara title III

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

None Known

RCRA status

The following chemical components are listed under (40 CFR 261):

None Known

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.