

# Material Safety Data Sheet



**Keltan® 6531A**

## Section 1. Chemical product and company identification

**Product name** : Keltan® 6531A

**Supplier** : DSM Elastomers Europe B.V.  
Mijnweg 1, 6167 AC Geleen  
P.O. Box 601, 6160 AP Geleen  
The Netherlands

DSM Elastômeros Brasil Ltda.  
BR 386, Rodovia Tabai-Canos  
km 419 - Via de Contorno, no 292  
III Pólo Petroquímico - Triunfo - RS  
Brasil

**Chemical name** : Ethylene-propylene-(diene) elastomer, EP(D)M oil extended

**Material uses** : Elastomeric component in rubber compounds, plastics modification and oil modification, for applications in automotive, construction, wire and cable and general rubber goods.

**Code** : WW36837

**Emergency telephone number** : Phone : (31) 46 4765555 Fax : (31) 46 4766440

Brasil: + 55 51 457 59 99

In case of emergency during transport, for North- and South- America: CHEMTREC, (800) 424 9300

## Section 2. Hazards identification

**Physical state** : Solid. [Bales]

**Odor** : Odorless.

**Emergency overview** :  
NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.  
No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

**Potential acute health effects**

**Eyes** : May cause eye irritation. (redness).

**Skin** : Heated material can cause thermal burns resulting in pain, redness, blistering.

**Ingestion** : There is no known acute effect after over-exposure to this product.

**Potential chronic health effects**

**Chronic effects** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Medical conditions aggravated by over-exposure** : None known.

Continued on next page

**Remarks** : The material burns slowly with high smoke density and flaming drips. Additives contained in this product do not pose a risk to health unless they are liberated during processing (fumes from melting, dusts). Suitable Industrial Hygiene precautions should be implemented to prevent (respirable) dust and fume exposures. Exposure to (melting) fumes should be kept as low as possible, using suitable ventilation equipment. Dusts and fumes created from secondary processing may be irritating to respiratory tract and skin and should be considered as potentially hazardous. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. If heated and ventilation is inadequate, use respirator which will protect against organic vapor and dust/mist.

See toxicological information (section 11)

### Section 3. Composition/information on ingredients

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### Section 4. First aid measures

**Eye contact** : Rinse with plenty of running water. Get medical attention if symptoms occur.  
**Skin contact** : Rinse with plenty of running water. Get medical attention.  
**Ingestion** : If swallowed, rinse mouth with water (only if the person is conscious). Get medical attention if symptoms occur.  
**Protection of first-aiders** :  No action shall be taken involving any personal risk or without suitable training.  
**Notes to physician** :  No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### Section 5. Fire-fighting measures

**Flammability of the product** :  No specific fire or explosion hazard.  
**Hazardous thermal decomposition products** : In case of fire, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide, (dense) black smoke, aldehydes, organic acids.  
**Extinguishing media**  
**Suitable** : Use dry chemical powder. Alcohol-resistant foam.  
**Special fire-fighting procedures** : Avoid contact with heated material.  
**Protection of fire-fighters** : Wear suitable protective clothing. Self-contained breathing apparatus.

### Section 6. Accidental release measures

**Personal precautions** :  No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see section 8).  
**Environmental precautions** : No special measures required.  
**Methods for cleaning up** : Vacuum or sweep up material and place in a designated, labeled waste container. Recycle, if possible. Prevent formation of dust clouds. Clean up affected area with a large amount of water.

### Section 7. Handling and storage

**Handling** : Use with adequate ventilation.  
**Storage** : Store in a fireproof location. Keep away from incompatible materials and avoid specific conditions (See section 10).  
**Storage temperature** : Store between the following temperatures: 15 and 25 °C.  
**Remarks** : For further information about handling and storage see "Keltan® EPDM packaging storage conditions".

Continued on next page

## Section 8. Exposure controls/personal protection

- Engineering controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Personal protection**
- Eyes** :  Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

### Product name

### Exposure limits

Not available

**Consult local authorities for acceptable exposure limits.**

- Remarks** : If general ventilation is inadequate, local exhaust ventilation should be used to dispose of vapors from hot processing equipment, particularly during purging. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

## Section 9. Physical and chemical properties

- Physical state** : Solid. [Bales]
- Flash point** : Closed cup: >260°C (>500°F)
- Auto-ignition temperature** : >370°C (>698°F)
- Color** : White.
- Odor** : Odorless.
- Density** : 0.86 to 0.88 g/cm<sup>3</sup>
- Solubility** : Insoluble in the following materials: cold water.

## Section 10. Stability and reactivity

- Stability and reactivity** :  The product is stable.
- Conditions to avoid** : Keep away from heat, sparks and flame. Exposure to (sun)light. Relative humidity should be kept below 65%.
- Materials to avoid** : Oxidizing agent.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.
- Possibility of hazardous reactions** :  Under normal conditions of storage and use, hazardous reactions will not occur.

*Continued on next page*

## Section 11. Toxicological information

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<input checked="" type="checkbox"/> ethylene-propylene-(diene) elastomer, EP(D)M oil extended	LD50 Oral	Rat	>5000 mg/kg	-

Conclusion/Summary : Not available.

### Chronic toxicity

Conclusion/Summary : Not available.

### Irritation/Corrosion

Conclusion/Summary : Not available.

### Sensitizer

Conclusion/Summary : Not available.

### Carcinogenicity

Conclusion/Summary : Not available.

### Mutagenicity

Conclusion/Summary : Not available.

### Teratogenicity

Conclusion/Summary : Not available.

### Reproductive toxicity

Conclusion/Summary : Not available.

Remarks : Acute oral toxicity (LD50) Estimated.

## Section 12. Ecological information

Ecotoxicity : Not readily biodegradable.

### Aquatic ecotoxicity

Conclusion/Summary : Not available.

### Persistence/degradability

Conclusion/Summary : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Waste disposal : Waste must be disposed of in accordance with national and local environmental regulations.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Consult your local or regional authorities.

## Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-

Continued on next page

<b>Mexico Classification</b>	Not regulated.	-	-	-	-
<b>ADR/RID Class</b>	Not regulated.	-	-	-	-
<b>IMDG Class</b>	Not regulated.	-	-	-	-
<b>IATA-DGR Class</b>	Not regulated.	-	-	-	-

## Section 15. Regulatory information

**HCS Classification** : Not regulated.

**U.S. Federal regulations** : **United States inventory (TSCA 8b): -**

**SARA 302/304/311/312 extremely hazardous substances:** No products were found.

**SARA 302/304 emergency planning and notification:** No products were found.

**SARA 302/304/311/312 hazardous chemicals:** No products were found.

**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:** No products were found.

**Clean Water Act (CWA) 307:** No products were found.

**Clean Water Act (CWA) 311:** No products were found.

**Clean Air Act (CAA) 112 accidental release prevention:** No products were found.

**Clean Air Act (CAA) 112 regulated flammable substances:** No products were found.

**Clean Air Act (CAA) 112 regulated toxic substances:** No products were found.

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** :  Not listed

**Clean Air Act Section 602 Class I Substances** :  Not listed

**Clean Air Act Section 602 Class II Substances** :  Not listed

**DEA List I Chemicals (Precursor Chemicals)** :  Not listed

**DEA List II Chemicals (Essential Chemicals)** :  Not listed

**State regulations** :  **Connecticut Carcinogen Reporting:** None of the components are listed.  
 **Connecticut Hazardous Material Survey:** None of the components are listed.  
 **Florida substances:** None of the components are listed.  
 **Illinois Chemical Safety Act:** None of the components are listed.  
 **Illinois Toxic Substances Disclosure to Employee Act:** None of the components are listed.  
 **Louisiana Reporting:** None of the components are listed.  
 **Louisiana Spill:** None of the components are listed.  
 **Massachusetts Spill:** None of the components are listed.  
 **Massachusetts Substances:** None of the components are listed.  
 **Michigan Critical Material:** None of the components are listed.  
 **Minnesota Hazardous Substances:** None of the components are listed.  
 **New Jersey Hazardous Substances:** None of the components are listed.  
 **New Jersey Spill:** None of the components are listed.  
 **New Jersey Toxic Catastrophe Prevention Act:** None of the components are listed.  
 **New York Acutely Hazardous Substances:** None of the components are listed.  
 **New York Toxic Chemical Release Reporting:** None of the components are listed.  
 **Pennsylvania RTK Hazardous Substances:** None of the components are listed.  
 **Rhode Island Hazardous Substances:** None of the components are listed.

Continued on next page

Canada inventory	: <input checked="" type="checkbox"/> Not determined.
<b>International regulations</b>	
International lists	: <input checked="" type="checkbox"/> <b>Australia inventory (AICS)</b> : Not determined. <b>China inventory (IECSC)</b> : Not determined. <b>Japan inventory</b> : Not determined. <b>Korea inventory</b> : Not determined. <b>New Zealand Inventory of Chemicals (NZIoC)</b> : Not determined. <b>Philippines inventory (PICCS)</b> : Not determined.
Chemical Weapons Convention List Schedule I Chemicals	: <input checked="" type="checkbox"/> Not listed
Chemical Weapons Convention List Schedule II Chemicals	: <input checked="" type="checkbox"/> Not listed
Chemical Weapons Convention List Schedule III Chemicals	: <input checked="" type="checkbox"/> Not listed

## Section 16. Other information

Label requirements	: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.
Information	: Contact:
	Europe: DSM Elastomers B.V. Geleen, The Netherlands T. + 31 46 476 35 03 F. + 31 46 476 00 40
	North America: DSM Elastomers Americas, Detroit, MI, United States T. + 1 248 537 11 60 F. + 1 248 844 96 07
	South America: DSM Elastomers Brazil, Sao Paulo, SP, Brazil T. + 55 11 3046 3350 / 3351 F. + 55 11 3046 3352
	Asia: DSM Elastomers Asia, Singapore T. +65 6 295 71 88 F. +65 6 299 58 48
	China: DSM Elastomers Trading Shanghai office T. + 86 21 6876 7118 F. + 86 21 6876 7868
	www.keltan.com.

Date of printing	: 4/2/2010.
Date of issue	: 4/2/2010.
Date of previous issue	: 8/4/2009.
Version	: 2
<b>Notice to reader</b>	

The information contained in the Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.

**Sources of key data** : Literature data and/or investigation reports are available through the manufacturer.

**Alterations compared to the previous version** : Alterations compared to the previous version are marked with a little (blue) triangle.