A174 DLC®-Z

1: Identification

Product identifier: Other means of identification: Supplier: A174 DLC[®]-Z Gamma-methacryloxypropyltrimethoxysilane on calcium silicate NATROCHEM, Inc. P.O. Box 1205 Savannah, GA 31402-1205 912-236-4464

Recommended use: Restrictions on use: Emergency phone number: 912-236-4464 Rubber compounding Not applicable. CHEMTREC (USA) 800-424-9300 CHEMTREC (Int'l) 202-483-7616

2: Hazard(s) identification

OSHA/HCS status:	This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).	
	Hazard Classification	Category
GHS classification:	Combustible dust	N/A
GHS label elements		
Signal word: Symbol(s):	WARNING	
Hazard statements:	May cause an allergic skin reaction.	
Hazards not otherwise	May form combustible dust concentrations in the air.	
classified:	Additional methanol may be formed by reaction with moisture.	
Precautionary statements:		
Prevention:	Avoid breathing dust/vapours.	
	Do not get in eyes, on skin, or on clothing.	
	Do not eat, drink or smoke when using this product.	
	Avoid release to the environ	ment.
	Wear protective gloves.	
Response:	IF ON SKIN (or hair): Wash with plenty of soap and water.	
	If skin irritation or rash occurs: Get medical attention.	
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	IF IN EYES: Rinse cautiously with water for several minutes.	
	Remove contact lenses if pre	esent and easy to do – continue rinsing

	IF exposed or concerned: Call a POISON CENTER/ doctor if you feel unwell.
	In case of fire: Use dry chemical, CO ₂ , alcohol-resistant foam, or water spray to extinguish.
Storage:	Store in a dry place. Store in a closed container.
Disposal:	Dispose of contents/container in accordance with applicable regulations.
Supplemental information:	Not applicable.

3: Composition

Substance/mixture:

Ingredient	Synonyms	CAS number	Concentration (%)
3-trimethoxysilylpropyl		2530-85-0	70-74
methacrylate			
Calcium silicate		1344-95-2	26-30

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Mixture

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4: First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM, OR PHYSICIAN immediately; have SDS information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

2 courption of necessary	
Eye contact:	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion:	If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed.

Potential acute health effective	ffects	
Eye contact:	No significant irritation expected other than possible mechanical irritation.	
Inhalation:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat, and lungs.	
Skin contact:	Prolonged or repeated contact may dry skin and cause irritation.	
Ingestion:	No known significant effects or critical hazards.	
Over-exposure signs/sy	mptoms	
Eye contact:	Adverse symptoms may include the following:	
	Irritation	
	Redness	
Inhalation:	Adverse symptoms may include the following:	
	Coughing	
	Respiratory tract irritation	

Skin contact: Adverse symptoms may include the following:

Dryness Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Je e e e e e e e e e e e e e e e e e e	
Notes to physician:	Treat symptomatically. Contact poison treatment specialist
	immediately if large quantities have been ingested or inhaled.
Specific treatments:	No specific treatment.
Protection of first-aiders:	No action shall be taken involving any personal risk or without
	suitable training.
· · · · · · · · · · · · · · · · · · ·	

See toxicological information (Section 11)

5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:	Use dry chemical, CO_2 , alcohol-resistant foam, or water spray.		
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread fire.		
Specific hazards arising from the chemical:	Product forms a slippery surface when combined with water.		

Hazardous thermal	In the event of a fire, hazardous decomposition products may	
decomposition products:	include:	
	Carbon monoxide	
	Carbon dioxide	
	Metal oxides	
	Other unidentified organic compounds	
	Measurements at temperatures above 150°C in the presence of air	
	(oxygen) have shown that small amounts of formaldehyde are	
	formed due to oxidative degradation.	
Special protective actions for	No action shall be taken involving any personal risk or without	
firefighters:	proper training.	
Special protective	Firefighters and others who may be exposed to products of	
equipment for firefighters:	combustion should wear full firefighting turn out gear (full bunker	
	gear) and self-contained breathing apparatus (SCBA) operated in	
	pressure-demand mode (MSHA/NIOSH approved or equivalent).	

6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

· · · · · · · · · · · · · · · · · · ·		
For non-emergency	Keep unnecessary and unprotected personnel from entering. Do	
personnel:	not touch or walk through spilled material. Product forms slippery surface when combined with water. No action shall be taken	
	involving any personal risk or without suitable training.	
For emergency responders:	If specialized clothing is required to deal with the spillage, take	
	note of any information in Section 8 on suitable and unsuitable	
	materials. See also the information immediately above in "For non-	
	emergency personnel".	
Environmental precautions:	Avoid release to sewers, waterways, soil, or air. Inform the	
	relevant authorities if the product has caused environmental	
	pollution (sewers, waterways, soil, or air).	

Methods and materials for containment and cleaning up

Small spill:	Avoid generating dust. Vacuum or sweep up material and place in a
	designated, labeled waste container.
Large spill:	Avoid generating dust. Vacuum or sweep up material and place in a
	designated, labeled waste container.

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7: Handling and storage

Precautions for safe handling

Protective measures:

Put on appropriate personal protective equipment (see **Section 8**).

Advice on general	Eating, drinking, and smoking should be prohibited in areas where	
occupational hygiene:	this material is handled, stored, and processed. Workers should	
	wash hands and face before eating, drinking, and smoking. Remove	
	contaminated clothing and protective equipment before entering	
	eating areas. When transferring material into flammable solvents,	
	use proper grounding to avoid electrical sparks. Avoid alteration of	
	product properties before use. Calcining (which may result in	
	crystalline silica formation) or mixing with additives may alter	
	toxicological properties.	
	See also Section 8 for additional information on hygiene measures.	
Conditions for safe storage,	Store in accordance with local regulations. Store in original	
including any incompatibilities:	container protected from direct sunlight in a dry, cool, and well-	
	ventilated area away from incompatible materials (see Section 10)	
	and food and drink. Keep container tightly closed and sealed until	
	ready for use. Do not store in unlabeled containers.	

8: Exposure controls/personal protection

Control parameters Occupational exposure limits None. **Recommended monitoring** If this product contains ingredients with exposure limits, personal, procedures: workplace atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required. Good general ventilation should be sufficient to control worker Appropriate engineering controls: exposure to airborne contaminants. **Environmental exposure** Emissions from ventilation or work process equipment should be controls: checked to ensure that they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters, or engineering modifications to process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures:Wash hands, forearms, and face thoroughly after handling
chemical products, before eating, smoking, and using the lavatory,
and at the end of the working period. Appropriate techniques
should be used to remove potentially contaminated clothing. Wash
contaminated clothing before reusing. Ensure that eyewash
stations and safety showers are close to the workstation location.

Revised 2024-02-16	A174 DLC [®] -Z	Safety Data Sheet
Eye/face protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: splash goggles.	
Skin protection		
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. When handling hot material, wear heat-resistant gloves that are able to withstand the temperature of molten product.	
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection:	Appropriate footwear and any additional s should be selected based on the task being risks involved and should be approved by a handling this product.	g performed and the
Respiratory protection:	Respirator selection must be based on kno exposure levels, the hazards of the product limits of the selected respirator. If workers concentrations above the exposure limit, the appropriate, certified respirators. Use a pr purifying or air-fed respirator complying w	t and the safe working are exposed to hey must use operly fitted, air-

standard if a risk assessment indicates this is necessary.

9: Physical and chemical properties

<u>Appearance</u>	
Physical state:	Powder, solid, or granular solid.
Color:	White to off-white.
Odor:	Ester-like.
Odor threshold:	Not available.
pH:	Not available.
Melting/freezing point:	Not available.
Boiling point and range:	Not available.
Flash point:	Not available.
Evaporation rate:	Not available.
Flammability:	Not available.
Flammability or explosive	Not available.
limits:	
Vapor pressure:	Not available.
Vapor density:	Not available.
Relative density:	1.21
Solubility:	Not available.
Partition coefficient: n-	Not available.
octanol/water:	
Auto-ignition temperature:	Not available.

Decomposition temperature:	Not available.
Viscosity:	Not applicable.

10: Stability and reactivity

6	
Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability:	This product is stable.
Possibility of hazardous	Under normal conditions of storage and use, hazardous reactions
reactions:	will not occur.
Conditions to avoid:	Avoid generating dust.
	Refer to protective measures listed in Sections 7 and 8.
Incompatible materials:	Reactive or incompatible with the following materials:
	Acids
	Oxidizing materials
	Strong alkalis
	Water
Hazardous decomposition	In the event of a fire, hazardous decomposition products may
products:	include:
	Carbon monoxide
	Carbon dioxide
	Metal oxides
	Other unidentified organic compounds
	Measurements at temperatures above 150°C in the presence of air
	(oxygen) have shown that small amounts of formaldehyde are
	formed due to oxidative degradation.

11: Toxicological information

Information on toxicological effects Acute toxicity

Not determined.			
Result	Species	Dose	Exposure
LD ₅₀ oral	Rat	>5000 mg/kg	-
LD ₅₀ dermal	Rabbit	>5000 mg/kg	-
LC ₅₀ inhalation	Rat	0.69 mg/L	-
Slightly irritating to the skin (Rabbit).			
Slightly irritating to the eyes (Rabbit).			
Not determined.			
Not determined.			
Not determined.			
	Result LD ₅₀ oral LD ₅₀ dermal LC ₅₀ inhalation Slightly irritating to Slightly irritating to Not determined. Not determined.	ResultSpeciesLD50 oralRatLD50 dermalRabbitLC50 inhalationRatSlightly irritating to the skin (RabbSlightly irritating to the eyes (RabbNot determined.	ResultSpeciesDoseLD50 oralRat>5000 mg/kgLD50 dermalRabbit>5000 mg/kgLC50 inhalationRat0.69 mg/LSlightly irritating to the skin (Rabbit).Slightly irritating to the eyes (Rabbit).Not determined.Not determined.

Conclusion/summary:	Not mutagenic in Ames test.
Carcinogenicity	
Conclusion/summary:	Not determined.
Reproductive toxicity	
Conclusion/summary:	Not determined.
Teratogenicity	
Conclusion/summary:	Not determined.
Specific target organ toxicity (s	ingle exposure)
Not available.	
Specific target organ toxicity (r	epeated exposure)
Not available.	
Target organs	Contains material which may cause damage to the following
	organs: upper respiratory tract, eyes.
Aspiration hazard	
Not available.	
Information on the likely routes	Routes of entry anticipated: oral, dermal, inhalation.
of exposure:	

Potential acute health effects

Eye contact:	Slightly irritating to the eyes.
Inhalation:	Exposure to airborne concentrations above statutory or
	recommended exposure limits may cause irritation of the nose,
	throat, and lungs.
Skin contact:	Slightly irritating to the skin.
Ingestion:	Irritating to the mouth, throat, and stomach.

Symptoms related to the physical, chemical, and toxicological characteristics

Eye contact:	Adverse symptoms may include the following:
	Irritation
	Redness
Inhalation:	Adverse symptoms may include the following:
	Coughing
	Respiratory tract irritation
Skin contact:	Adverse symptoms may include the following:
	Dryness
	Irritation
	Redness
Ingestion:	No specific data.

Delayed and immediate effects and also chronic effects from short- and longterm exposure

Short-term exposure	
Potential immediate	No significant irritation expected other than possible mechanical
effects	irritation.
Potential delayed effects	Prolonged or repeated contact may dry skin and cause irritation.

Long-term exposure

Potential immediate	Repeated or prolonged inhalation of dust may lead to chronic
effects	respiratory irritation.
Potential delayed effects	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Potential chronic health effects

Contains material that can cause target organ damage. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates Not available.

12: Ecological information

Toxicity

Calcium silicate	LC ₅₀ > 10000 mg/L	Fish – Brachydanio rerio	96 hours
	EC ₅₀ > 1000 mg/L	Daphnia – <i>Daphnia magna</i>	24 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Ingredient	LogPow	BCF	Potential
3-	2.1	-	low
trimethoxysilylpropyl methacrylate			

Mobility in soil

Soil/water partition	Not available.
coefficient (K _{oc}):	
Other adverse effects:	No known significant effects or critical hazards.

13: Disposal considerations

Disposal methods:The generation of waste should be avoided or minimized wherever
possible. Disposal of this product, solutions, and any by-products
should at all times comply with the requirements of environmental

protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Refer to Sections 6, 7, and 8 for additional information on accidental release measures, handling and storage, and exposure controls.

14: Transport information

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping	-	-	-
name			
Transport hazard	-	-	-
class(es)			
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant	Not applicable.	Not applicable.	Not applicable.
substances			
Additional information	-	-	-

Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:

Not available.

15: Regulatory information

Inventory status

mit entery status	
United States inventory (TSCA	All components are listed or exempted.
8b):	
Australia inventory (AICS):	All components are listed or exempted.
Canada inventory (DSL):	All components are listed or exempted.
China inventory (IECSC):	All components are listed or exempted.
Europe inventory (REACH):	All components are listed or exempted.
Japan inventory (ENCS):	Please contact your supplier for information on the inventory
	status of this material.
Korea inventory (KECI):	All components are listed or exempted.
New Zealand inventory	All components are listed or exempted.
(NZIOC):	
Philippines inventory (PICCS):	All components are listed or exempted.

United States

US Federal regulations:

SARA Title III

Section 302 – Extremely Hazardous Chemicals:

The components in this product are either not SARA Section 302 regulated or are regulated but present in negligible concentrations.

Section 311/312 – Hazard Categories:

Immediate (acute) health hazard.

Section 313 – Toxic Chemicals:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (de minimis) reporting levels established by SARA Title III, Section 313.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) – Reportable Quantity (RQ)

The components of this product are either not CERCLA regulated, regulated but present in negligible concentrations, or regulated with no assigned reportable quantity.

US State regulations:

New Jersey Right to Know: Calcium silicate. Massachusetts Right to Know: Calcium silicate. Pennsylvania Right to Know: Calcium silicate. Rhode Island Right to Know:

Calcium silicate.

California Prop. 65:

This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

16: Other information

Hazardous Material Identification System (USA)

HEALTH	2
FLAMMABILITY	1
REACTIVITY	1
PERSONAL PROTECTION	

Caution: HMIS[®] ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS[®] ratings are not required on SDSs under 29 CFR 1901.1200, the preparer may choose to provide them. HMIS[®] ratings are to be used with a fully implemented HMIS[®] program. HMIS[®] is a registered mark of the Nation Paint & Coatings Association (NPCA). HMIS[®] materials may be purchased exclusively from J.J.Keller 800-327-6868.

* - chronic effects

The customer is responsible for determining the PPE code for this material.

Key to abbreviations:

ATE	Acute toxicity estimate
BCF	Bioconcentration factor
GHS	Globally Harmonized System of classification and labeling of chemicals
IATA	International Air Transport Association
IBC	Intermediate bulk container
IMDG	International Maritime Dangerous Goods
LogPow	Logarithm of the octanol/water partition coefficient
MARPOL 73/78	International convention for the Prevention of Pollution from Ships,
	1973, as modified by the Protocol of 1978. (MARPOL = marine pollution)
UN	United Nations

Disclaimer:

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Natrochem, Inc. makes no warranty express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon.

Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Natrochem, Inc. Consequently, Natrochem makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose for merchantability. Buyer acknowledges that Natrochem will not be liable for consequential, incidental, direct or special damages arising directly or indirectly in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.