



Material Safety Data Sheet

Last Revision: 04/27/2007

Printing Date: 05/03/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: PERKACIT® TETD

MSDS NO. FLXP0023

Chemical Name: Tetraethylthiuram Disulfide

Synonyms: Disulfide, bis(diethylthiocarbamoyl); Thioperoxydicarbonic diamide, tetraethyl-; Ethyl Thiuram; Antabuse

Use: Accelerator.

Manufactured By: Flexsys America L.P. 260 Springside Drive Akron OH 44333-2433 USA

Emergency Telephone: CHEMTREC: 1-800-424-9300 [TOLL FREE - USA and Territories]
703-527-3887 [ELSEWHERE - Collect Calls Accepted]
CANUTEC: 613-996-6666 [Canada]
SETIQ: 91-800-00-214 [Mexico]

Prepared By: Flexsys America Product Safety: Phone (330) 668-8281 FAX (330) 668-8345
E:mail sharen.b.breyer@flexsys.com

2. HAZARDS IDENTIFICATION

Emergency Overview: WARNING! Dust may be irritating to eyes and upper respiratory tract. Fine dust clouds may form explosive mixtures with air. Highly toxic to fish and aquatic invertebrates. May cause sensitization by skin contact. May cause alcohol intolerance.

Eye Contact: Causes mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing.

Skin Contact: May cause an allergic skin reaction. May be absorbed through the skin and product effects similar to those caused by inhalation and/or ingestion. May cause skin defatting with prolonged exposure.

Inhalation: Exposure to dust particles generated from this material may cause irritation of the respiratory tract. Inhalation may cause alcohol intolerance

Ingestion: May cause alcohol intolerance (Antabuse Effect). May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Tetraethylthiuram Disulfide	97-77-8	> 97.0
Ethoxylated Alcohols [in -pdr-d and 3mm-grs ONLY]	68439-50-9	1 - 2

4. FIRST AID MEASURES

In Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

FLXP0023

MARKETED BY
**HARWICK STANDARD
DISTRIBUTION CORPORATION**
60 S. Seiberling Street • Akron, Ohio 44305

4. FIRST AID MEASURES

On Skin:	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists.
Inhaled:	Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.
Swallowed:	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.
Notes To Physician:	Treat symptomatically. Exposure by ingestion, inhalation or skin absorption may cause alcohol intolerance (Antabuse Effect).

5. FIRE FIGHTING MEASURES

Flash Point (°F/C):	Not Determined
Flash Point Method:	Not Determined
Autoignition Temp. (°F/C):	240 - 280°C
Lower Explosion Limit (LEL):	20 g/m ³
Upper Explosion Limit (UEL):	Not Determined.
Extinguishing Media:	Use water fog, carbon dioxide, foam or dry chemical.
Special Exposure Hazards:	Fight fire from a safe distance and from a protected location. Use water spray to cool fire exposed surfaces. Decomposition in fire may produce toxic gases. Do not allow runoff to enter waterways.
Special Protective Equipment:	Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.
Unusual Fire/Explosion Hazards:	Toxic emissions may result if product is involved in a fire. Dust Class = ST 1. Minimum Ignition Energy [MIE] = < 10 mJ. Kst = 150 bar.m/sec Rmax = 552 bar/s Pmax = 6.8 bar

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:	Wear protective equipment specified. Avoid the generation of dust. Sweep, vacuum, or shovel and place into closable container for disposal.
Procedure for Cleaning/Absorption:	Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Scoop up and remove solids. Do NOT spread spilled product with water.
CERCLA Reportable Quantity (RQ):	Not Applicable

7. HANDLING AND STORAGE

Handling:	Avoid contact with eyes, skin and clothing. Avoid generating or breathing dust. Wash thoroughly with soap and water after handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Reclose containers of unused product. Keep containers tightly closed when not in use. Do not reuse this container.
Storage:	Store closed containers in a cool, dry, well-ventilated area. Store away from strong oxidizing materials. Avoid exposure to direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye Protection:	Wear safety glasses or goggles to protect against exposure.
Skin Protection:	Normal work coveralls. Launder contaminated clothing before reuse.
Gloves:	Use gloves as a standard industrial handling procedure. Appropriate chemical resistant gloves should be worn.

FLXP0023

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection:	Use in a well ventilated area. Use approved NIOSH respiratory protection if TLV exceeded or if overexposure is likely. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure.
Ventilation:	General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits during the use of this product.
Airborne Exposure Limits:	OSHA PEL/8-Hr TWA: None Established. NIOSH REL/8-Hr TWA: 2 mg/m ³ . ACGIH TLV/8-Hr TWA: 2 mg/m ³ .

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White to off-white powder or Granules.
Odor:	SLIGHT AMINE
pH:	Not Applicable
Specific Gravity:	1.31 @20°C
Density:	Not Determined.
Bulk Density:	610-650 kg/m ³ @20°C
Melting Point (°F/C):	147°F / 64°C
Boiling Point (°F/C):	117°C
Vapor Pressure:	Negligible @ 20°C
Vapor Density (Air=1):	Not Applicable.
% Volatile by Volume:	<0.5% by weight
Solubility in Water:	0.02 g/100ml
Other Solubility:	Soluble in: Benzene Carbon Disulfide Organic liquids, including fats and oils Ethanol
Viscosity:	Not Applicable.
Other Data:	See Section 5 for Dust Explosion Data.
Molecular Weight:	296.54
Molecular Formula:	C10-H20-N2-S4

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable when stored at room temperature in closed, original container. Stable under normal conditions of handling, use and transportation.
Hazardous Polymerization:	WILL NOT OCCUR
Conditions to Avoid:	Not determined.
Materials to Avoid:	Avoid contact with acidic, basic or oxidizing agents.
Hazardous Decomposition Products:	Carbon monoxide. Oxides of nitrogen. Oxides of sulfur.
Additional Guidelines:	Not Applicable

11. TOXICOLOGICAL INFORMATION

Acute Oral LD50 (mg/kg):	4573 mg/kg
Acute Dermal LD50 (mg/kg):	2050 mg/kg
Acute Inhalation LC50 (mg/l):	Not determined

Target Organs / Principle Routes of Exposure: Dermal - skin. Inhalation.

Ingestion:	May cause alcohol intolerance (Antabuse Effect). May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation.
Skin Contact:	May cause an allergic skin reaction. May be absorbed through the skin and product effects similar to those caused by inhalation and/or ingestion. May cause skin defatting with prolonged exposure.
Inhalation:	Exposure to dust particles generated from this material may cause irritation of the respiratory tract. Inhalation may cause alcohol intolerance

11. TOXICOLOGICAL INFORMATION

Eye Contact:	Causes mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing.
Aggravated Conditions:	Alcohol consumption problems. IMPORTANT NOTE: Perkacit TETD and the prescription alcohol aversion drug "Antabuse" are the same chemical.
Carcinogenicity Comment:	This product, or one of its ingredients present at 0.1% or more, is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC or OSHA. NOTE: May react with nitrosating agents during rubber vulcanization to form nitrosamines. Some nitrosamines are suspect human carcinogens.
Other Information:	Ingestion of the product may result in vomiting.
Primary Irritation Effect:	Practically non-irritating
Carcinogenicity:	Negative in standard tests using bacteria and/or yeast cells.
Genotoxicity:	None
Reproductive/Developmental Toxicity:	No evidence of teratogenicity in animal studies using rats, mice and/or hamsters.

12. ECOLOGICAL INFORMATION

Acute Fish Toxicity:	96Hr LC50 Bluegill Sunfish: 0.07 mg/l 96Hr LC50 Guppy: 0.32 mg/l
Acute Crustaceans Toxicity:	48Hr LC50 Daphnia Magna: 0.12 mg/l
Acute Algae Toxicity:	96Hr EC50 Algae: 1.80 mg/l
Octanol/Water Coefficient:	3.88 log P
Chemical Fate Information:	Not Determined.
Other Information:	Not Applicable

13. DISPOSAL CONSIDERATIONS

Disposal of Waste Method:	This product, if disposed as received, is a non-hazardous waste. Bury in a licensed landfill or burn in an approved incinerator according to federal, state, and local regulations. Federal, state and local disposal laws and regulations will determine the proper waste disposal/recycling/reclamation procedure. Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected.
Contaminated Packaging:	If empty container retains product residues, all label precautions must be observed. Transport with all closures in place. Return for reuse or dispose according to national or local regulations. Do NOT reuse container. Dispose of container according to national or local regulations.

14. TRANSPORT INFORMATION

DOT:	UN 3077, Environmentally Hazardous Substance, Solid, N.O.S., (Tetraethylthiuram Disulfide), 9, III
DOT Reportable Quantity (lbs):	None
ICAO/IATA:	See DOT
IMDG:	See DOT
Marine Pollutant:	No
TDG (Canada):	See DOT
Remarks:	None

15. REGULATORY INFORMATION

Worldwide Inventory Status

USA (TSCA):	Listed
Canada (DSL):	Listed
Canada (NDSL):	Not Applicable. Listed on the DSL.

FLXP0023

15. REGULATORY INFORMATION

European Union (EINECS/ELINCS):	Listed
Japan (ENCS):	Listed
Korea (ECL):	Listed
Australia (AICS):	Listed
New Zealand (NZ):	Listed
Phillipines (PICCS):	Listed
China (CLECS):	Listed.

US Regulatory Rules

SARA Section 302:	Not Applicable / None
SARA 311/312 Hazard Categories:	Immediate Delayed
SARA 313 Chemical:	Not Applicable / None
RCRA Status:	Not a RCRA waste.

Other Regulations:

California Proposition 65:	NONE
New Jersey Right-to-Know List:	Listed NJ Substance ID# 0811.
Pennsylvania Right to Know List:	Listed
Florida Right to Know:	Not Applicable.
Minnesota Right to Know:	Listed as "Disulfiram"
Massachusetts Right to Know Law:	Listed

FDA Status 21 CFR:	Regulated for Use under the following sections of 21 CFR: 177.2600 Rubber Articles Intended for Repeated Use in Food Contact. 175.105 Components of Adhesives. IMPORTANT NOTE: FDA information applies to the -pdr and -pdr-s product forms (no dedusting additive) ONLY.
--------------------	---

Canadian Regulations

WHMIS Hazard Class:	D2B TOXIC MATERIALS / Materials Causing Other Toxic Effects
NPRI:	Not Listed. [Canada]

16. OTHER INFORMATION

Hazard Rating Systems:

HMIS Classification:	HEALTH 2, FLAMMABILITY 1, REACTIVITY 0
NFPA Rating:	HEALTH 2, FLAMMABILITY 1, REACTIVITY 0

The following has been revised since the last issue of this MSDS: New MSDS format. Transport information or classification has been changed/corrected.

Additional Information: WHMIS Ingredient Disclosure List (Canada): WHMIS Concentration threshold = 1%. This product has been classified and appears on the Mexico Hazard Identification Guidance List.

Important Note: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

FLXP0023