

Material Safety Data Sheet FLXP0039

Revision Date:

12/09/2003 12/09/2003

Date of Printing:

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:

SANTOFLEX® IPPD

MSDS NO.

FLXP0039

Chemical Name:

N-Isopropyl-N'-phenyl-p-phenylenediamine

Synonyms:

Santoflex IP; Permanax IPPD; 1,4-Benzenediamine, N-(1-methylethyl)-N'-phenyl-

Use:

Antidegradant

Manufactured By: **Emergency Telephone:**

Flexsys America L.P. 260 Springside Drive Akron OH 44333 USA CHEMTREC: 1-800-424-9300 (TOLL FREE - USA and Territories)

703-527-3887 (ELSEWHERE - Collect Calls Accepted)

SETIQ:

CANUTEC: 613-996-6666 (Canada) 91-800-00-214 (Mexico)

Prepared By:

Flexsys America Product Safety Phone (330) 668-8281 FAX (330) 668-8345

COMPOSITION/INFORMATION ON INGREDIENTS

Components/CAS#

Percent

N-Isopropyl-N´-phenyl-pphenylenediamine

101-72-4

96-99

3. HAZARDS IDENTIFICATION

Emergency Overview: WARNING! May irritate the eyes. May irritate the skin. May irritate the lungs. Avoid breathing

dust. May cause allergic skin reaction.

Eye Contact:

Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing. May irritate

Skin Contact:

May cause an allergic skin reaction. Skin contact with molten material may result in a thermal burn. Moderate Skin Irritation: signs/symptoms can include redness, swelling, itching, and

drvness.

Inhalation:

Exposure to dust particles generated from this material may cause irritation of the respiratory

tract. Illness may occur after a single overexposure by inhalation to relatively large quantities of

Ingestion:

Illness may occur after a single swallowing of relatively large quantities of this material.

FLXP0039



Responsible Care Page 1 of 6

MARKETED BY

HARWICK STANDARD ISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305

4. FIRST AID MEASURES

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get

medical attention if irritation persists.

On Skin: Wash with soap and water. Remove contaminated clothing and launder before reuse. If irritation

persists or signs of toxicity occur, seek medical attention.

Inhaled: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get

immediate medical attention. If inhaled, remove from area to fresh air. Get medical attention if

respiratory irritation develops or if breathing becomes difficult.

Swallowed: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician.

Never give anything by mouth to an unconscious person. Get medical attention! If vomiting

occurs, keep head lower than hips to prevent aspiration. Never give fluids or induce vomiting if the

victim is unconscious or having convulsions.

Notes To Physician: Treat symptomatically. Monitor respiratory system function

5. FIRE FIGHTING MEASURES

Flash Point (°F/C): 303°F / 150.5°C

Flash Point Method: Cleveland Open Cup

Autoignition Temp. (°F/C): Not determined.

Lower Explosion Limit in Air (LEL): Not determined.

Upper Explosion Limit in Air (UEL): Not determined.
Extinguishing Media: Water fog, carbon dioxide, foam, dry chemical

Special Exposure Hazards: Fight fire from a safe distance and from a protected location. Use water spray to

cool fire exposed surfaces. Decomposition in fire may produce toxic gases. Do

not allow runoff to enter waterways.

Special Protective Equipment: Fire fighters should wear full protective clothing, including self-contained

breathing equipment:

Unusual Fire/Explosion Hazards: Toxic emissions may result if product is involved in a fire.

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Wear protective equipment specified. Avoid the generation of dust. Sweep,

vacuum, or shovel and place into closable container for disposal.

Procedure for Cleaning/Absorption: Isolate spill and stop leak where safe. Scoop up and remove. Do NOT spread

spilled product with water.

CERCLA Reportable Quantity (RQ): Not Applicable.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Avoid breathing dust; if exposed to high dust concentration, leave area


immediately. Keep away from food and smoking materials. Good hygienic practices should be observed. Work clothes should be washed seperately at the end of each work day. Disposable clothing should be discarded with material. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Do not reuse this container. Reclose containers of unused product. Keep containers tightly closed

when not in use.

Storage: Store closed containers in a cool, dry, well-ventilated area. Store away from strong oxidizing materials.

Avoid exposure to direct sunlight. Do not double stack.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Eye Protection: Wear safety glasses or goggles to protect against exposure. Wear eye protection

appropriate to handling activities. Employees should wear appropriate protective

(impervious) clothing and gloves when contact with material.

Skin Protection:

Normal work coveralls. Launder contaminated clothing before reuse.

Gloves:

Use gloves as a standard industrial handling procedure. Appropriate chemical resistant

gloves should be worn.

Respiratory Protection:

Appropriate respiratory protection shall be worn when applied engineering controls are

not adequate to protect against inhalation exposure.

Ventilation:

General; local exhaust ventilation as necessary to control any air contaminants to within

their exposure limits during the use of this product. Adequate ventilation should be

provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air pollutions control regulations.

Eliminate ignition sources. Use local exhaust to control to recommended P.E.L.

Airborne Exposure Limits:

Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m3 (Total Dust). OSHA PEL/8-Hr TWA =

05 mg/m3 (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m3.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Dark purple to brown flakes

Odor: pH:

AROMATIC Not Applicable 1.07 @ 25°C

Specific Gravity: Density:

1.17 g/cc

Bulk Density:

Not Determined

Melting Point (°F/C):

72-76°C

Boiling Point (°F/C): Vapor Pressure:

161°C @ 1mm Hg 0.00343 mm Hg @ 90°C

Vapor Density (Air=1): Not Determined

% Volatile by Volume: <0.5%

Solubility in Water: 7.6 mg/l @ 25°C

Other Solubility:

Soluble in Acetone Ethanol Benzene Naphtha

Viscosity: Other Data: 10.7 cps @ 80°C Ash = 0.1% max.

Molecular Weight:

226.32

Molecular Formula:

C15-H18-N2

10. STABILITY AND REACTIVITY

Chemical Stability:

Stable under normal conditions of handling, use and transportation. Stable if

protected from heat and exposure to air.

Hazardous Polymerization:

Will not occur

Conditions to Avoid:

Temperatures above 300°C. Avoid contact with strong oxidants such as liquid

chlorine and concentrated oxygen. Air.

Materials to Avoid:

Strong oxidizers

Hazardous Decomposition Products: Oxides of nitrogen. Carbon monoxide.

Additional Guidelines:

Not Applicable

11. TOXICOLOGICAL INFORMATION


Target Organs

Acute Oral LD50 (mg/kg): Acute Dermal LD50 (mg/kg): 900 mg/kg (Rat) >7940 mg/kg (Rabbit)

Acute Inhalation LC50 (mg/l):

No mortalities at 90 mg/m3 for 4 hours (Mice)

FLXP0039



Principle Routes of Exposure:

Inaestion:

Dermal - skin, Inhalation.

Illness may occur after a single swallowing of relatively large quantities of this

material.

Skin Contact:

May cause an allergic skin reaction. Skin contact with molten material may result

in a thermal burn. Moderate Skin Irritation: signs/symptoms can include redness,

swelling, itching, and dryness.

Inhalation:

Exposure to dust particles generated from this material may cause irritation of the respiratory tract. Illness may occur after a single overexposure by inhalation to

relatively large quantities of this material.

Eye Contact:

Mild Eve Irritation; signs/symptoms can include redness, swelling, pain and

tearing. May irritate eyes.

Aggravated Conditions:

Dermal ailments. Blood disorders. This material or its emissions may cause an allergic or sensitization reaction and thereby aggravate systemic disease. Liver

disorders. Pulmonary disorders.

Carcinogenicity Comment:

This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA, Carcinogenic:

Category 3

Other:

Decomposition products and fumes from vulcanization and cross-linking may cause eve, skin and respiratory sensitization. May be a skin sensitizer.

Primary Irritation Effect:

Slightly irritating to eyes. Moderate skin irritant. Possible sensitizer.

Carcinogenicity: Genotoxicity:

Negative in standard tests using bacteria and yeast cells.

Negative for genetic activity - in vitro tests. Negative for genetic activity - in vivo

Reproductive/Developmental

Toxicity:

No evidence of teratogenicity in animal studies using rats, mice and/or hamsters. Did not affect reproductive performance or post-natal development in animal studies. Fetal toxicity noted only at levels that produced maternal toxicity.

12. **ECOLOGICAL INFORMATION**

Acute Fish Toxicity:

96Hr LC50 Rainbow Trout: 0.34 mg/l 96Hr LC50 Bluegill Sunfish: 0.43 mg/l 96Hr

LC50 Fathead Minnow: 0.41 mg/l 96Hr LC50 Midge: 23.0 mg/l

Acute Crustaceans Toxicity:

Acute Algae Toxicity:

Other Information:

48Hr LC50 Daphnia Magna: 1.10 mg/l 96Hr EC50 Algae (Cell Number): 0.50 mg/l

Octanol/Water Coefficient:

Chemical Fate Information:

3.88 log P Bioconcentration Factor = 170 (Calculated). Biodegradability: 99% after 24 hours. Tests indicate this material will not bioaccumulate or persist in the environment.

Rapid degradation via hydrolysis.

13. **DISPOSAL CONSIDERATIONS**

Disposal of Waste Method:

This product is not regarded as hazardous waste. Dispose in accordance with local regulations. Incineration recommended in approved incinerator according to federal, state, and local regulations.

Contaminated Packaging:

If empty container retains product residues, all label precautions must be observed. Transport with all closures in place, Return for reuse or dispose according to national or local regulations. Do NOT reuse container.

TRANSPORT INFORMATION 14.

DOT:DOT Status:

Not Regulated

DOT Shipping Name:

NONE None

DOT Reportable Quantity (lbs):

NONE

ICAO/IATA:Status:

FLXP0039 Responsible Care Page 4 of 6

Proper Shipping Name:

UN/NA Number:

None NONE

IMDG:Status:

Not Regulated

Proper Shipping Name: TDG (Canada):Status:

None None None

Proper Shipping Name:

REGULATORY INFORMATION

Worldwide Inventory Status

TSCA (USA):

Listed

15.

Canadian DSL: Canadian NDSL: Listed Not Applicable. Listed on the DSL.

EINECS/ELINCS (Europe):

Listed Listed

Japanese Inventory (ENCS): Korean Chemical Inventory (ECL): Australian Chemical Inventories

Listed Listed

(AICS):

New Zealand (NZ):

Listed

Phillipines (PICCS) Inventory:

Listed

China (CLECS):

US Regulatory Rules

Listed

SARA Section 302: SARA 311/312 Hazard Catagories: Not Applicable / None

SARA 313 Chemical:

Immediate Delayed Not Applicable / None

RCRA Status:

Not a RCRA waste.

Other Regulations:

California Proposition 65:

NONE

New Jersey Right-to-Know List:

Not Applicable.

Pennsylvania Right to Know List:

Not Applicable. Not Applicable.

Florida Right to Know: Minnesota Right to Know:

Not Applicable.

MA Right to Know Law:

Not Applicable.

FDA Status 21 CFR:

Regulated for Use under the following sections of 21 CFR: 177.2600 Rubber

Articles Intended for Repeated Use in Food Contact.

Canadian Regulations

WHMIS Hazard Class:

NON-CONTROLLED

NPRI:

Not Listed. [Canada]

OTHER INFORMATION 16.

Hazard Rating Systems:

HMIS Classification:

HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

NFPA Rating:


HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

The following has been revised since the last issue of this MSDS:

Addition of Log P value. Add environmental information. Add toxicology information. Periodic worldwide chemical regulatory status review.

Additional Information:

This material is not oil-treated.



Important Note:

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

