

(in compliance with 29 CFR 1910.1200) identity: Stearic Acid F-300 PRILL

Page 1 of 4

section 1 - Preparation / Product Information

manufactured for and supplied by:

telephone no:

(330) 798-9300

Harwick Standard Distribution

date prepared:

November 2, 2006

Corporation

60 South Seiberling Street

preparer:

Health, Safety & Environment

P.O. Box 9360

Akron, OH 44305-0360

product use:

Rubber Additive

section 2- Ingredients / Identity Information

components	exposure limits			Toxicity	amount
chemical identity/cas#	PEL	TLV	OTHER	LD50/LC50	%
Stearic Acid				>5mg/kg	50-60
CAS #57-11-4				dermal LD50 Rabbit	
Palmitic Acid				>10 mg/kg	40-50
CAS# 57-10-3				oral LD50 rat	

section 3 - Physical / Chemical Characteristics

boiling point:

556°F

specific gravity:

0.940

freezing point:

Not Determined

pH:

Not Determined

vapor pressure (mm Hg):

1.0000

odor threshold (ppm): coef. water/oil dist.:

Not Determined

vapor density (AIR=1): solubility in water

Not Determined Insoluble

evaporation rate:

Not Determined Not Determined

appearance (physical state) and odor:

Solid, white to yellowish

Odor; mild

section 4 - Fire and Explosion Hazard Data

flash point (method):

385°F (COC)

extinguishing media:

CO₂, dry chemical, or water spray or "alcohol" foam. Do not use a

solid water stream as it may scatter and spread fire.

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200) identity: Stearic Acid F-300 PRILL

Page 2 of 4

	ghting procedures avy stream of water,			reathing apparatus and p	rotective clothing.			
unusual fire a	and explosion haza	rds: Dust m	nay form explosi	ve mixture in air.				
hmis rating: 0			0					
hazardous co	mbustion products	s: CO _x						
section 5 – R	eactivity Data							
stability	stable: unstable:							
	avoid (cond. of readsive mixture in air.	activity):	Open flames, h	ot surfaces and sources	of ignition. Dust			
incompatibility (materials to avoid):			Strong oxidizing agents and strong bases.					
hazardous decomposition or byproducts:			CO _x					
hazardous po	olymerization	may occur: will not occur:						
conditions to avoid:			None known					
hmis rating:	0							
section 6 - H	ealth Hazard Data	er i						
	es of exposure							
inhalation skin absorpti	on □	skin contact ingestion		eye contact	Ø			
health hazard	ds							
acute:	May cause irritation to eye, skin and respiratory tract.							
chronic:	None known							
carcinogenic	ity							

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200) identity: Stearic Acid F-300 PRILL

Page 3 of 4

NTP

IARC

OSHA

signs and symptoms of exposure: None known

medical conditions generally aggravated by exposure: None known

hmis rating: 1

section 7 - First Aid Measures

emergency and first aid procedures

inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Consult a physician.

ingestion: Drink 1-2 glasses of water. Do not induce vomiting without medical advice. Consult a

physician.

skin contact: Wash with soap and water immediately. If irritation develops, consult a physician.

eye contact: Flush with water for 15 minutes, also under eyelids. If irritation develops, consult a

physician.

Note to physician: Treat symptomatically

section 8 - Precautions for Safe Handling and Use

steps to be taken in case material is

released or spilled: Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not let product enter drains. Avoid dust formation. Do not breathe vapors/dust. Place in a suitable closed container for disposal.

waste disposal method:

In accordance with federal, state, and local regulations. Refer to

Section 10.

precautions to be taken in handling

and storing: Avoid dust formation. Avoid contact with skin and eyes. Take measures to prevent the build up of electrostatic charge. Keep container tightly closed in a dry well-ventilated place. Keep away from open flames, hot surfaces & sources of ignition. Wear personal protective equipment.

other precautions:

Avoid contact with eyes, skin, and clothing.

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200) identity: Stearic Acid F-300 PRILL

Page 4 of 4

section 9 - Control Measures

respiratory protection (specify type):

A NIOSH/MSHA approved respirator above PEL or TLV,

and/or an organic vapor respirator for hot rubber fumes.

ventilation

local exhaust:

mechanical (general):

Recommended to minimize exposure.

Recommended to minimize exposure.

protective gloves:

Impervious

eye protection:

Safety glasses with side-shields. Avoid contact with eyes.

other protective clothing or equipment:

Eyewash station, light weight protective clothing.

work/hygienic practices:

Wash thoroughly after handling

section 10 - Additional Information

special shipping information:

Not DOT Regulated

TSCA Inventory Status:

Chemical components are listed on the TSCA inventory.

sara title III

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

None known

RCRA status

The following chemical components are listed under (40 CFR 261):

None known

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.