

**Health, Safety & Environment** 

toxicity

(in compliance with 29 CFR 1910.1200)

identity: Plastone

Page 1 of 5

amount

section 1 – Preparation / Product Information

manufactured for and supplied by: telephone no: (330) 798-9300

Harwick Standard Distribution date prepared: May 24, 1993

Corporation

60 South Seiberling Street P.O. Box 9360

components

Akron, OH 44305-0360 product use: Rubber Additive

exposure limits

section 2- Ingredients / Identity Information

chemical identity/cas# PEL TLV OTHER LD50/LC50 %

preparer:

Acid Refined Tall Oil; Mixture of Not Established 70-80

Fatty Acids and Rosin Acids CAS #8002-26-4

Monoisopropanolamine Not Established CAS #78-96-6

Diisopropanolamine Not Established

CAS #110-97-4

Triisopropanolamine Not Established CAS #122-20-3

section 3 – Physical / Chemical Characteristics

**boiling point:** Not Determined **specific gravity:** 0.99

freezing point: Not Determined pH: Not Determined

solubility in water Negligible evaporation rate: Not Determined

appearance (physical state) and odor:

Odor; Fatty Acid

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200) identity: Plastone

Page 2 of 5

## section 4 - Fire and Explosion Hazard Data

Not Determined
Water fog, foam, CO <sub>2</sub> , dry chemical
Wear self-contained breathing apparatus and protective clothing.
This product can undergo spontaneous heating or combustion ely high ambient temperature.
1
CO <sub>x</sub> , NO <sub>x</sub>
Extreme heat and sunlight. Sources of ignition; open
Strong oxidizing agents, mineral acids, organic acids,
ts: CO <sub>x</sub> , NO <sub>x</sub>
ccur: □ ot occur: ☑
None known

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200)

identity: Plastone

Page 3 of 5

#### ction 6 – Health Hazard Data primary routes of exposure inhalation skin contact $\square$ 図 eye contact skin absorption ingestion health hazards acute: May cause moderate skin and eye irritation. Prolonged and repeated contact may cause burns and loss of vision. Breathing vapors may cause respiratory tract irritation. Ingestion can cause severe gastrointestinal irritation, vomiting, diarrhea, sweating, weakness, and/or headache. chronic: None known carcinogenicity IARC **OSHA** NTP See Health Hazards above. signs and symptoms of exposure: medical conditions generally aggravated by exposure: Pre-existing skin disorders.

## hmis rating: 2

#### section 7 - First Aid Measures


## emergency and first aid procedures

**inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

**ingestion:** Consult a physician. Do <u>NOT</u> induce vomiting.

**skin contact:** Wash with soap and water. Flush with water for at least 15 minutes. If irritation develops, consult a physician.

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



material safety data sheet (in compliance with 29 CFR 1910.1200)

identity: Plastone

Page 4 of 5

eve contact:

Flush with water for 15 minutes. If irritation develops, consult a physician.

## section 8 - Precautions for Safe Handling and Use

steps to be taken in case material is

released or spilled: Contain spill. Remove all ignition sources. Use absorbent material

to collect small spills. Do not flush into sewer or waterway.

waste disposal method:

In accordance with federal, state, and local regulations. Refer to

Section 10.

precautions to be taken in handling

and storing: Avoid excessive heat and ignition sources.

other precautions:

Avoid contact with eyes, skin, and clothing. Avoid breathing

vapors or mists.

#### section 9 - Control Measures

**respiratory protection (specify type):** A NIOSH/MSHA approved respirator above PEL or TLV, and/or an organic vapor respirator for vapors or mists.

#### ventilation

local exhaust: mechanical (general):

Recommended to maintain PEL/TLV and vapors/mists.

Recommended to maintain PEL/TLV and vapors/mists.

protective gloves:

Impervious

eye protection:

Chemical goggles

other protective clothing or equipment:

Coveralls, apron, boots, faceshield as necessary to

prevent skin contact. Eyewash station and safety shower should be easily accessible.

work/hygienic practices:

Wash thoroughly after handling

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200) identity: Plastone

Page 5 of 5

## section 10 - Additional Information

special shipping information:

Not Available

#### **TSCA Inventory Status:**

Chemical components are listed on the TSCA inventory.

#### sara title III

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

None known

#### **RCRA** status

The following chemical components are listed under (40 CFR 261):

None known

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.