

**MATERIAL SAFETY DATA SHEET****Section 1. Product and company identification**

<b>Product name:</b>	<b>BRIGHTSUN™</b> HB3DP Antimony Trioxide
<b>Manufacturer:</b>	China Antimony Chemicals Co., Ltd. Yongning Coastal Economic Corridor & Development Zone Nanning, Guangxi, China 530221 <a href="http://www.chinaantimony.com.cn">http://www.chinaantimony.com.cn</a>
<b>Telephone numbers for information:</b>	1-410-715-5687 (USA) 86-771-4016991/4016992/4016993 (China)
<b>CHEMTREC</b>	1-800- 424-9300 (USA) 1-703-527-3887 (International)
<b>Date prepared:</b>	August 22, 2005
<b>Chemical family:</b>	Metal Oxide
<b>MSDS number:</b>	10002

**Section 2. Composition/information on ingredients**

<b>Chemical ingredients:</b>	Antimony Trioxide $\geq$ 96% Diisodecyl phthalate 2.5-3.5% Arsenic $<$ 0.08% Lead $<$ 0.08%
<b>CAS Number:</b>	Antimony Trioxide 1309-64-4 Diisodecyl phthalate 68515-49-1 Arsenic 7440-38-2 Lead 7439-92-1

**Section 3. Hazards identification**

<b>Emergency overview:</b>	White powder, no odor. May be harmful if swallowed. May be harmful if inhaled. Cancer hazard. Harmful if absorbed through skin.
<b>Potential health effects:</b>	Acute eye: may causes slight irritation. Acute skin: may cause irritation, allergic reaction. Acute inhalation: may cause respiratory tract irritation. Acute ingestion: may cause loss of coordination, burns to mouth and esophagus.
<b>Chronic effects:</b>	This product contains ingredients that are considered to be probable or suspected human carcinogens (see Section 11 — Chronic).

*Reliable and Responsible<sup>SM</sup>*

1

MARKETED BY  
**HARWICK STANDARD  
 DISTRIBUTION CORPORATION**  
 60 S. Seiberling Street • Akron, Ohio 44305

## Section 4. First aid measures

<b>Eyes:</b>	Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist.
<b>Skin exposure:</b>	In case of contact, wash with plenty of soap and water. Seek medical attention if irritation develops or persists.
<b>Inhalation:</b>	Remove the victim from immediate source of exposure and assure that the victim is breathing. If breathing is difficult, administer oxygen, if available. If victim is not breathing, administer CPR (cardiopulmonary resuscitation). Seek medical attention.
<b>Ingestion:</b>	If victim is conscious and alert, give large amounts of water to drink and do not induce vomiting. Seek immediate medical attention.
<b>Notes to physician:</b>	All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically.

## Section 5. Fire fighting measures

<b>Flash point:</b>	Not flammable
<b>Extinguishing media:</b>	All conventional media are suitable
<b>Personal protective equipment:</b>	Wear self-contained breathing apparatus (pressure-demand MSHA/NIOSH approved or equivalent) and full protective gear.
<b>Special procedures:</b>	Contain runoff. Remain upwind. Avoid breathing smoke. Use water spray to cool containers exposed to fire.
<b>Unusual fire and explosion hazards:</b>	Under fire conditions, toxic and irritating fumes may be emitted.
<b>Hazardous products of combustion:</b>	Oxides of antimony; oxides of arsenic; oxides of lead.

## Section 6. Accidental release measures

<b>Evacuation procedures and safety:</b>	Wear appropriate protective gear for the situation. See personal protection information in Section 8.
<b>Cleanup and disposal of spill:</b>	Carefully sweep up material and place in suitable labeled containers for disposal. Residual dusts can be removed by vacuuming. Wash spill area after pick-up is complete, collecting all clean up water for appropriate disposal.
<b>Environmental and Regulatory reporting:</b>	Prevent material from entering public sewer system or any waterways. Spills may be reported to the National Response Center (800-424-8802) and to state and/or local agencies.

## Section 7: Handling and Storage

<b>Handling:</b>	Do not get on skin or in eyes. Do not ingest. Use handling, storage and disposal procedures that will prevent contamination of water, food or feed.
<b>Storage:</b>	Store in a cool, dry, well-ventilated area away from incompatible materials. Keep container tightly closed. Protect containers against damage.

## Section 8. Exposure controls/personal protection

<b>Ingestion:</b>	Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Always wash thoroughly after handling.
<b>Eye contact:</b>	To avoid eye contact, wear safety glasses with side shields or chemical goggles.
<b>Skin contact:</b>	To avoid skin contact, wear rubber gloves, rubber boots, long-sleeved shirt, long pants and a head covering.
<b>Engineering controls:</b>	If needed, use local exhaust to keep exposures to a minimum.
<b>Exposure guidelines:</b>	Antimony Trioxide: 0.5 mg/m <sup>3</sup> as Sb (OSHA PEL TWA); 0.5 mg/m <sup>3</sup> as Sb (ACGIH TLV TWA) Diisodecyl phthalate: 5 mg/m <sup>3</sup> for similar phthalate esters (OSHA PEL TWA, ACGIH TLV TWA) Arsenic: 0.01 mg/m <sup>3</sup> (OSHA PEL TWA); 0.01 mg/m <sup>3</sup> A1 (ACGIH TLV TWA) Lead: 0.05 mg/m <sup>3</sup> (OSHA PEL TWA); 0.05 mg/m <sup>3</sup> A3 (ACGIH TLV TWA)

## Section 9. Physical and chemical properties

<b>Color/Appearance</b>	White powder, dust free
<b>Odor</b>	Odorless
<b>pH Value</b>	Not applicable
<b>Specific gravity (Water = 1)</b>	Not applicable
<b>Vapor density</b>	Not applicable
<b>Vapor pressure</b>	Not applicable
<b>Boiling point</b>	Not applicable
<b>Solubility in water</b>	Very slightly soluble

## Section 10. Stability and reactivity

<b>Chemical stability</b>	Stable at normal temperatures and storage conditions
<b>Hazardous polymerization</b>	Will not occur
<b>Conditions to avoid</b>	Extreme humidity
<b>Chemical incompatibility</b>	Strong acids; Strong bases; Hot perchloric acid; Strong oxidizers
<b>Hazardous decomposition products</b>	Thermal decomposition products or combustion: oxides of antimony, oxides of arsenic, oxides of lead

## Section 11. Toxicological information

Acute Data	
<b>Irritation:</b>	100 mg eyes – Rabbit mild
<b>Oral LD<sub>50</sub>:</b>	Rat: >34600 mg/kg
<b>Dermal LD<sub>50</sub>:</b>	Rabbit: >2000 mg/kg
<b>Intraperitoneal LD<sub>50</sub>:</b>	Mouse: 172 mg/kg Rat: 3250mg/kg
Chronic Data	
<b>Chronic toxicity studies:</b>	In a 90 day oral study in male and female rats, no adverse health effects were observed at doses of 1000, 5000 and 20000 ppm.
<b>Mutagenicity data:</b>	Prolonged and excessive exposures may result in gastrointestinal discomfort and ulcers, blood effects, liver effects and neurological effects.
<b>Reproductive/teratology data:</b>	Prolonged and excessive exposures may result in reproductive effects.
<b>Carcinogenicity data:</b>	Antimony trioxide has been classified by IARC as a Class 2B, which exhibits sufficient evidence in animal tests (possible human carcinogen) and has been determined by ACGIH to be a carcinogenic risk. Antimony trioxide has been identified by the EPA as a suspected lung carcinogen.  Arsenic has been found to be a cancer hazard in humans, causing lung and skin cancer.  Lead has been classified by IARC as a possible human carcinogen (Class 2B) and identified by ACGIH as a Category A3, Animal Carcinogen.

## Section 12. Ecological information

<b>Eco-acute toxicity</b>	<ul style="list-style-type: none"><li>• Bluegill sunfish, 96-hour LD<sub>50</sub>: &gt;530 mg/l</li><li>• Fathead minnow, 96-hour LC<sub>50</sub>: &gt;833 mg/l</li><li>• Daphnia magna, 48-hour LC<sub>50</sub>: 423-530 mg/l</li><li>• Brachydanio rerio, 96-hour LC<sub>50</sub>: &gt;1000 mg/l</li></ul>
<b>Environmental fate</b>	Antimony trioxide may biodegrade. This material will persist in the environment. Antimony oxide is not expected to bioconcentrate.

## Section 13. Disposal considerations

<b>Procedures:</b>	For disposal, incinerate this material at a facility that complies with local, state and federal regulations.
--------------------	---

## Section 14. Transportation information

<b>Proper shipping name:</b>	U.S.DOT: Not regulated for containers less than 400 lb. For containers 400-999 lb: Environmentally hazardous substances, solid, n.o.s. (Contains Arsenic) For containers 1000-4999 lb: Environmentally hazardous substances, solid, n.o.s. (Contains Arsenic and Antimony Trioxide) For containers 5000 lb or greater: Environmentally hazardous substances, solid, n.o.s. (Contains Arsenic, Lead and Antimony Trioxide)
<b>Hazard class</b>	9
<b>UN No.</b>	UN 3077
<b>Packing group</b>	III

## Section 15. Regulatory information

<b>OSHA:</b>	For arsenic see OSHA 29 CFR 1910.1018; For lead see OSHA 29 CFR 1910.1025
<b>SARA Title 3:</b>	Sections 311/312 Hazardous Categories (40 CFR 370.21): Acute: Yes; Chronic: Yes; Fire: No; Reactive: No; Pressure: No
<b>SARA 313:</b>	The following materials are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: Antimony trioxide (de minimis concentration = 1%) Arsenic (de minimis concentration = 0.1%) Lead (de minimis concentration = 0.1%)

<b>Quantity (RQ):</b>	Antimony trioxide RQ: 1000 lb Arsenic RQ: 1 lb Lead RQ: 10 lb
<b>State Regulations:</b>	<p>Antimony trioxide: New Jersey Right to Know Hazardous Substance List (1% reporting limit) Massachusetts Substance List Pennsylvania Environmental Hazard List California Proposition 65: WARNING: This product contains antimony trioxide, known by the State of California to cause cancer.</p> <p>Arsenic: New Jersey Special Health Hazard Substance List (0.1% reporting limit) Massachusetts Substance List -Carcinogen Pennsylvania Environmental Hazard List and Special Hazardous Substance List California Proposition 65: No-significant risk levels are 0.06 ug/day (inhalation) and 10 ug/day (except inhalation) WARNING: This product contains arsenic, known by the State of California to cause cancer and reproductive toxicity.</p> <p>Lead: New Jersey Special Health Hazard Substance List (0.1% reporting limit) Massachusetts Substance List –Teratogen with sufficient evidence of risk in humans Pennsylvania Environmental Hazard List California Proposition 65: Acceptable intake level is 0.5 ug/day WARNING: This product contains lead, known by the State of California to cause developmental and reproductive toxicity.</p>
<b>International regulations</b>	<p>This material (or each component) is listed on the following inventories:</p> <ul style="list-style-type: none"> <li>Canada – DSL</li> <li>EU – EINECS</li> <li>Australia – AICS</li> <li>Japan – ENCS</li> <li>Korea – ECL</li> <li>Philippines – PICCS</li> <li>China – List I</li> </ul> <p>Canadian Disclosure List (1%) – Antimony trioxide Canadian Disclosure List (0.1%) – Arsenic Canadian Disclosure List (0.1%) – Lead Canadian WHMIS Hazard Class and Division = D.2.a, D.2.b</p>

## Section 16. Other information

<b>National Fire Protection Association (NFPA) ratings</b>	Health = 3; Flammability = 1; Reactivity = 1
<b>Issue date</b>	08/22/2005
<b>Revised date</b>	02/28/2007
<b>Supersedes</b>	
<b>Responsibility for MSDS</b>	China Antimony Chemicals Co., Ltd.
<b>Address</b>	Yongning Coastal Economic Corridor & Development Zone Nanning, Guangxi, China 530221
<b>Telephone</b>	86-771-4016991/4016992/4016993, 4016995 (Fax)

**IMPORTANT:** The information presented herein, while not guaranteed, was prepared by our competent technical personnel and is true and accurate to the best of our knowledge. No warranty of merchantability or of fitness for a particular purpose, or warranty or guaranty of any other kind, expressed or implied, is made regarding performance, suitability, stability or otherwise. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended to, and nothing herein shall be construed as a recommendation to, infringe any existing patents or violate any laws, rules, regulations or ordinances of any governmental entity.