

(in compliance with 29 CFR 1910.1200)

identity:

Merrol® 4200

Page 1 of 5

section 1 - Preparation / Product Information

manufactured for and supplied by:

telephone no:

(330) 798-9300

Harwick Standard Distribution

date prepared:

May 4, 1999

Corporation

60 South Seiberling Street

preparer:

Health, Safety & Environment

P.O. Box 9360

Akron, OH 44305-0360

product use:

Plasticizer

section 2- Ingredients / Identity Information

components chemical identity/cas# exposure limits PEL TLV toxicity

amount

OTHER

LD50/LC50

TO SELECTION OF A B

%

Dibutoxyethyl Sebacate CAS #141-19-5

Not Established

90-100

section 3 - Physical / Chemical Characteristics

boiling point: melting point: Not Determined

~ -20° F

vapor pressure (mm Hg): vapor density (AIR=1):

Not Determined

Not Determined

solubility in water

Insoluble

evaporation rate:

appearance (physical state) and odor:

specific gravity:

0.970

pH:

odor threshold (ppm):

coef. water/oil dist.:

Not Determined Not Determined Not Determined

17.5

Not Determined

Liquid; Light oily

Odor; Mild

ection 4 - Fire and Explosion Hazard Data

flash point (method):

360° F (COC)

extinguishing media:

Use water spray, foam, CO₂, or dry chemical.

Wear self-contained breathing apparatus and protective clothing. special fire fighting procedures: Water may be ineffective, but should be used to keep fire exposed containers cool. If a spill or leak has not ignited, use water spray to disperse the vapors.

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warrantles, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200)

identity:

Merrol® 4200

Page 2 of 5

unusual fire and explosion hazards:		zards: Noi	ne known			
hmis rating:	1	1				
hazardous c	ombustion produ	cts: CO	×			
sussion (=)	Reactivity Data					
stability	stable: unstable:	□				
conditions to avoid (cond. of reactivity): Keep away from heat and flames.						
incompatibi	lity (materials to	avoid):	Avoid contact	Avoid contact with strong oxidizers and strong bases.		
hazardous d	lecomposition or l	byproducts:	COx	CO _x		
hazardous polymerization may occur: will not occ						
conditions to avoid:			None known	None known		
hmis rating: 0						
section 6 -	Health Hazard Da	13 .	_			
primary routes of exposure						
inhalation skin absorpt	ion 🗆	skin cont ingestion		eye contact		
health hazards						
acute:	No data available.	Handle in acc	ordance with good	l industrial hygiene and	safety practices.	
chronic:	None known					

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warrantles, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warrantles of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200)

identity: Merrol® 4200

Page 3 of 5

carcinogenicity

NTP

IARC

OSHA

signs and symptoms of exposure:

See Health Hazards above.

medical conditions generally aggravated by exposure:

None known

hmis rating: 1

section 7 - First Aid Measures

emergency and first aid procedures

inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Consult a physician.

ingestion: Consult a physician.

skin contact: Wash with soap and water. If irritation develops, consult a physician.

eye contact: Immediately flush with water for 15 minutes. If irritation develops, consult a physician.

section 8 - Precautions for Safe Handling and Use

steps to be taken in case material is

released or spilled: Wear appropriate protective clothing and respiratory protection as described in Section VII. Contain spilled material with inert material (earth, absorbent). Transfer to secure containers. In the event there is an uncontrolled release of this material, the user should determine if the release is reportable under applicable laws and/or regulations.

waste disposal method:

In accordance with federal, state, and local regulations. Refer to

Section X.

precautions to be taken in handling

and storing:Store in cool, dry, ventilated area away from direct sunlight.
Store only in approved containers under approved conditions. Storage area should not be subject to rapid

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warrantles, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warrantles of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200)

identity: Merrol® 4200

Page 4 of 5

temperature changes. Such changes may cause increased internal pressure, rapid expansion or contraction of metal containers resulting in leakage.

other precautions:

Avoid contact with eyes, skin, and clothing.

section 9 - Control Measures

respiratory protection (specify type): A NIOSH/MSHA approved respirator above PEL or TLV, and/or an organic vapor respirator for vapors or mists.

ventilation

local exhaust:

mechanical (general):

Recommended to maintain PEL/TLV and vapors/mists. Recommended to maintain PEL/TLV and vapors/mists.

protective gloves: Impervious

eye protection: Chemical goggles

other protective clothing or equipment: Eyewash station and safety shower

work/hygienic practices: Wash thoroughly after handling. Wash contaminated clothing before reuse.

section 10 - Additional Information

special shipping information: Not Determined

TSCA Inventory Status:

Chemical components are listed on the TSCA inventory.

sara title III

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

None Known

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.



(in compliance with 29 CFR 1910.1200)

identity: Merrol® 4200

Page 5 of 5

RCRA status

The following chemical components are listed under (40 CFR 261):

None known

The Information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.