

MATERIAL SAFETY DATA SHEET

ACCU-WAY 3996

Version Number 1.0 Revision Date 01/15/2003 Page 1 of 6 Print Date 1/16/2003

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 14330 Kinsman Road, Burton, OH 44021

NON-EMERGENCY

Product Stewardship (440)-834-4644

TELEPHONE

Emergency telephone

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

or accident).

Product name

number

: ACCU-WAY 3996

Product code

: AD30000416OC

Chemical Name CAS-No.

: Mixture : Mixture

Product Use

Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium silicate	1344-95-2	1 - 5
Stearic acid	57-11-4	1 - 5
Silica, amorphous	7631-86-9	5 - 10
Zinc oxide	1314-13-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:

: Inhalation, Skin contact, Ingestion

Acute exposure

Inhalation

: Irritating to respiratory system.

Ingestion

: May be harmful if swallowed.

Eyes

: Particulates, like other inert materials can be mechanically irritating.


Skin

: Experience shows no unusual dermatitis hazard from routine handling.

Chronic exposure

: Refer to Section 11 for Toxicological Information.

MARKETED BY
HARWICK STANDARD
DISTRIBUTION CORPORATION
50 S. Selberling Street • Akron, Ohio 44305



MATERIAL SAFETY DATA SHEET

ACCU-WAY 3996

Version Number 1.0 Revision Date 01/15/2003

Page 2 of 6 Print Date 1/16/2003

Medical Conditions Aggravated by Exposure: None known.

4. FIRST AID MEASURES

Inhalation Move to fresh air. When symptoms persist or in all cases of doubt

seek medical advice.

Do not induce vomiting without medical advice. Seek medical Ingestion

attention if necessary.

Rinse immediately with plenty of water for at least 15 minutes. If eye Eyes

irritation persists, seek medical attention.

Skin Wash off with soap and plenty of water.

5. FIRE-FIGHTING MEASURES

Flash point : Not applicable

Flammable Limits

Upper explosion limit

Lower explosion limit

Autoignition temperature

Suitable extinguishing media

Special Fire Fighting

Procedures

Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne

contaminants. None

dioxide..

Not applicable

Not applicable

No data available.

Unusual Fire/Explosion

Hazards

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Avoid breathing dust. Avoid dust formation. Ensure adequate

ventilation. Wear appropriate personal protection during cleanup,

Use water spray, alcohol-resistant foam, dry chemical or carbon

such as impervious gloves, boots and coveralls.

Should not be released into the environment. The product should not Environmental precautions

be allowed to enter drains, water courses or the soil.

Methods for cleaning up Clean up promptly by sweeping or vacuum. Do not create a powder

cloud by using a brush or compressed air. Shovel into suitable container for disposal. Refer to Section 13 of this MSDS for proper

disposal methods.

7. HANDLING AND STORAGE

Provide for appropriate exhaust ventilation and dust collection at Handling



MATERIAL SAFETY DATA SHEET

ACCU-WAY 3996

Version Number 1.0 Revision Date 01/15/2003 Page 3 of 6 Print Date 1/16/2003

machinery. Avoid formation of dust and aerosols.

Storage

Store in a cool dry place. Keep away from open flames, hot surfaces

and sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Employees using respirators must be properly trained. Employers must follow applicable regulations such as OSHA 29 CFR 1910.134.

Eye/Face Protection

: Safety glasses with side-shields.

Hand protection

Protective gloves.

Skin and body protection

: Long sleeved clothing.

Additional Protective

Measures

Safety shoes

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling

the product.

Engineering measures

Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing

vapors.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium silicate	10 mg/m3	Time Weighted Average Dust.		ACGIH
		(TWA):		
Calcium silicate	cium silicate 5 mg/m3 PEL: Respirable fraction.		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Stearic acid 10 mg/m3 Time Weighted Average (TWA):		Total dust, as stearates	ACGIH	
Zinc oxide	10 mg/m3	Time Weighted Average (TWA):	Total dust. as Zn	ACGIH
	5 mg/m3	PEL:	Respirable dust. as Zn	OSHA Z1
	15 mg/m3	PEL:	Total dust. as Zn	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Solid

Evaporation rate

Not applicable.

Appearance

: powder, Crumb, Pellets

Specific Gravity

Not determined



MATERIAL SAFETY DATA SHEET

ACCU-WAY 3996

Version Number 1.0 Revision Date 01/15/2003 Page 4 of 6 Print Date 1/16/2003

Color Odor Melting point/range : NO PIGMENT: Very faint: Not applicable: Not applicable.

Bulk density Vapor pressure Vapor density pH : Not determined: Not applicable: Not applicable: Not applicable

Boiling Point: Water solubility

: Negligible

10. STABILITY AND REACTIVITY

Stability

Stable.

Hazardous Polymerization

Will not occur.

Conditions to avoid

: Heat, flames and sparks.

Incompatible Materials

strong acids and oxidizing agents

Hazardous decomposition

products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
1344-95-2 Calcium silicate S		Systemic effects	Eyes, Skin, Respiratory system.	
57-11-4	Stearic acid	Irritant	Eyes, Skin.	
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.	
1314-13-2	Zinc oxide	Systemic effects	Respiratory system.	

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
57-11-4	Stearic acid			
		Dermal LD50	> 5 gm/kg	rabbit
1314-13-2	Zinc oxide	LC50	2500 mg/m3	mouse
		Oral LD50	7,950 mg/kg	mouse

12. ECOLOGICAL INFORMATION

Persistence and degradability

: No data available.

Environmental Toxicity

No data available.

Bioaccumulation Potential

No data available.



MATERIAL SAFETY DATA SHEET

ACCU-WAY 3996

Version Number 1.0 Revision Date 01/15/2003 Page 5 of 6 Print Date 1/16/2003

Additional advice

: No data available.

13. DISPOSAL CONSIDERATIONS

Product

Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Contaminated packaging

Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S. DOT Classification

: Refer to specific regulation.

ICAO/IATA

Refer to specific regulation.

IMO / IMDG

: Refer to specific regulation.

15. REGULATORY INFORMATION

US Regulations:

OSHA Status

Classified as hazardous based on components.

TSCA Status

All components of this product are listed on or exempt from the

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition

This product does not contain a substance listed by California Prop

65

65.

SARA Title III Section 313 Toxic Chemicals:

101 : 137	CAS-No.	Weight %
Chemical Name	1 'Δ X-N/Δ	W/etant %



MATERIAL SAFETY DATA SHEET

ACCU-WAY 3996

Version Number 1.0 Revision Date 01/15/2003 Page 6 of 6 Print Date 1/16/2003

Chemical Name	CAS-No.	Weight %
ZINC COMPOUNDS	1314-13-2	18.97

Canadian Regulations:

WHMIS Classification

: D2B

WHMIS Ingredient Disclosure List

	CAS-No.
-	7631-86-9
	57-11-4
Į	1314-13-2

DSL

All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS

Listed.

China IECS

Listed.

Europe EINECS

Not determined.

Japan ENCS

Not determined.

Korea KECI

Not determined.

Philippines PICCS

Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.