## MATERIAL SAFETY DATA SHEET

IDENTITY: Stan-Tone® HCC-12156 Red								
**************************************								
MANUFACTURED FOR AND SUPPLIED BY:		TELEPHONE NUMBER: (330) 837-8679						
PolyOne Corporation 1675 Navarre Road		DATE PREPARED: May 13, 1998						
Massillon, OH 44646		PREPARER: Health, Safety, & Environment						
		PRODUCT USE: Colorant						
		DATE PRINTED: June 28, 2002						
**************************************								
COMPONENTS CHEMICAL IDENTITY/CAS#/UN#	EXPOSURE LIN PEL TLV	MITS OTHER	TOXICITY LD50/LC50	AMOUNT %				
Epoxidized Soybean Oil CAS #8013-07-8 *PEL & TLV for vegetable oil mist, total p **PEL for vegetable oil mist, respirable fra								
1,2 Benzenedicarboxylic Acid, di-C9-11 branched alkyl esters CAS #68515-49-1	Not Established		LD50 rat/oral >64,000 mg/kg	50-60				
Calcium Salt CI Pigment Red 48:2, CI #15865:2 CAS #7023-61-2	Not Established			20-30				
************************								
SECTION III-Physical/Chemical Characteristics  ***********************************								
BOILING POINT: Not Determined FREEZING POINT: Not Determined VAPOR PRESSURE (mm Hg): Not Determined VAPOR DENSITY (AIR=1): Not Determined SOLUBILITY IN WATER: Negligible APPEARANCE (PHYSICAL STATE) AND ODOR: Paste;		SPECIFIC GRAVITY (H20=1): 1.12(calc.) pH: Not Determined ODOR THRESHOLD (ppm): Not Determined COEF. WATER/OIL DIST.: Not Determined EVAPORATION RATE: Not Determined Red Slight						

Odor; Slight

MARKETED BY

HARWICK STANDARD

DISTRIBUTION CORPORATION
60 S. Seiberling Street • Akron, Ohio 44305

FLASH POINT (Method): Not Determined

EXTINGUISHING MEDIA: CO2, chemical foam, water, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing. Water spray may be ineffective. Use water to cool closed containers.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode when exposed to extreme heat or fire. If burned, material could give off toxic fumes.

HMIS RATING: 1

FLAMMABLE LIMITS LEL: Not Determined UEL: Not Determined

AUTOIGNITION TEMPERATURE: Not Determined SENS. TO MECHANICAL IMPACT: Not Determined SENS. TO STATIC DISCHARGE: Not Determined

HAZARDOUS COMBUSTION PRODUCTS: COx, NOx, organic acids

\*

SECTION V - Reactivity Data

STABILITY STABLE: X UNSTABLE:

CONDITIONS TO AVOID (Cond. of Reactivity): Avoid excessive heat and ignition sources.

INCOMPATIBILITY (Materials to Avoid): Strong oxidizing agents, alkalies, amines, and acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: COx, NOx, organic acids

HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: X

CONDITIONS TO AVOID: None known

HMIS RATING: 0

**************************************							
PRIMARY ROUTES OF EXPOSU	JRE						
INHALATION: X SKIN ABSORPTION:		KIN CONTACT: X NGESTION:	EYE CONTACT	: X			
HEALTH HAZARDS							
ACUTE: Prolonged eye and skin contact may cause mild irritation. Overexposure to vapors generated at high temperatures may result in respiratory tract irritation. Inhalation may cause nausea. Ingestion can cause abdominal cramps, nausea, and diarrhea.							
CHRONIC: None known							
CARCINOGENICITY NTP: No	IARC: No		OSHA: No				
SIGNS AND SYMPTOMS OF EXPOSURE: See Health Hazards above.							
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known							
OECD TEST VALUES FOR:							
IRRITANCY: Not Determined SENSITIZATION: Not Determi MUTAGENICITY: Not Determ		REPRODUCTIVE TO TERATOGENICITY:	XICITY: Not Determined Not Determined				
SYNERGISTIC PRODUCTS: Not Determined							
HMIS RATING: 1							
**************************************	easures						
EMERGENCY AND FIRST AID PROCEDURES							
INHALATION: Move to fresh air	<b>:</b> .						
DICECTION: Committee abouting							

INGESTION: Consult a physician.

SKIN CONTACT: Wash with soap and water.

EYE CONTACT: Flush with water for 15 minutes. If irritation persists, consult a physician.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wear apron, rubber gloves, and chemical goggles. Cover with inert, absorbent material and remove to disposal containers. Wash clothing before reuse. Do not flush into sewer or waterway.

WASTE DISPOSAL METHOD: In accordance with all Federal, State, and Local regulations. Refer to Section X.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Avoid contamination of this material by other materials. Avoid excessive heat and sources of ignition. Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or mists.

RESPIRATORY PROTECTION: (Specify Type)

A NIOSH/MSHA approved respirator above PEL or TLV, and/or an organic vapor respirator for vapors or mists.

## **VENTILATION**

LOCAL EXHAUST: Recommended to minimize exposure.

MECHANICAL (General): Recommended to minimize exposure.

PROTECTIVE GLOVES: Impervious

EYE PROTECTION: Chemical goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station. If product is hot, wear protective clothing that covers all skin areas (e.g., long sleeve shirt).

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling.

SECTION X - Additional Information

SPECIAL SHIPPING INFORMATION: Not Available

## TSCA INVENTORY STATUS:

Chemical component(s) are listed on the TSCA Inventory.

## **SARA TITLE III:**

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

None

RCRA STATUS:

The following chemical component(s) are listed under (40 CFR 261):

None

The information provided in this Saftey Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.