

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-9266 BLACK

Version Number 1.0 Revision Date 05/06/2005 Page 1 of 7 Print Date 4/26/2006

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION

8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone

: Product Stewardship (770) 590-3500 x.3563

Emergency telephone

: CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

number

or accident).

Product name

: STAN-TONE HCC-9266 BLACK

: FO20011543PA

Product code Chemical Name

: Mixture : Mixture

CAS-No.
Product Use

: Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Di(2-ethylhexyl)phthalate	117-81-7	30 - 60	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:

: Inhalation, Skin contact, Ingestion

Acute exposure

Inhalation

: Inhalation of airborne droplets may cause irritation of the respiratory

tract.

Ingestion Eyes : May be harmful if swallowed.: May cause eye/skin irritation.

Skin

: Experience shows no unusual dermatitis hazard from routine handling.

Chronic exposure

: Refer to Section 11 for Toxicological Information.

Medical Conditions

: None known.

Aggravated by Exposure:

HARWICK STANDARD
DISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-9266 BLACK

Version Number 1.0 Revision Date 05/06/2005

Page 2 of 7 Print Date 4/26/2006

4	FIRST	AID	MEA	SURES	

Inhalation : Move to fresh air in case of accidental inhalation of fumes from

overheating or combustion. When symptoms persist or in all cases of

doubt seek medical advice.

: Do not induce vomiting without medical advice. Seek medical Ingestion

attention if necessary.

: Rinse immediately with plenty of water for at least 15 minutes. If eye Eyes

irritation persists, seek medical attention.

Skin Wash off with soap and plenty of water. If skin irritation persists

seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point : No data available

Flammable Limits

Upper explosion limit

Lower explosion limit Autoignition temperature

Suitable extinguishing media

Special Fire Fighting

Procedures

Unusual Fire/Explosion

Personal precautions

Hazards

: No data available

: No data available Not applicable

Carbon dioxide blanket, water spray, dry powder, foam.

: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

(NOx), other hazardous materials, and smoke are all possible.

contaminants.

: Wear appropriate personal protection during cleanup, such as

impervious gloves, boots and coveralls.

Environmental precautions The product should not be allowed to enter drains, water courses or

6. ACCIDENTAL RELEASE MEASURES

the soil. Should not be released into the environment.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Package all material in

appropriate container for disposal. Refer to Section 13 of this MSDS

for proper disposal methods.

7. HANDLING AND STORAGE

Handling : Heat only in areas with appropriate exhaust ventilation. Prolonged

heating may result in product degradation.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-9266 BLACK

Version Number 1.0 Revision Date 05/06/2005

Page 3 of 7 Print Date 4/26/2006

Storage

Keep containers dry and tightly closed to avoid moisture absorption

and contamination. Store in a cool dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection

: Under normal handling conditions a respirator may not be required.

Eye/Face Protection

Safety glasses with side-shields.

Hand protection

: Protective gloves.

Skin and body protection

: Long sleeved clothing.

Additional Protective

Measures

: Safety shoes.

General Hygiene Considerations

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Engineering measures

: Heat only in areas with appropriate exhaust ventilation. Provide

appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Di(2-	5 mg/m3	PEL:	Vapor.	OSHA Z1
ethylhexyl)phthalate				

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: liquid

Evaporation rate

: Not established

Appearance

: liquid, Viscous liquid dispersion

Specific Gravity:

: Not determined

Color

: BLACK

Bulk density

: Not applicable

Odor

: Very faint

Vapor pressure Vapour density

: Not determined : Heavier than air.

Melting point/range Boiling Point:

: Not applicable : Not applicable : Immiscible

pH

: Not determined

Water solubility

10. STABILITY AND REACTIVITY

Stability

: Stable.

Hazardous Polymerization

: Will not occur.

Conditions to avoid

: Keep away from oxidizing agents and open flame. To avoid thermal

decomposition, do not overheat.

Incompatible Materials

: Incompatible with strong acids and oxidizing agents.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-9266 BLACK

Version Number 1.0 Revision Date 05/06/2005 Page 4 of 7 Print Date 4/26/2006

Hazardous decomposition

products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
117-81-7	Di(2-ethylhexyl)phthalate	Systemic effects	Eyes, Respiratory system, Liver, central nervous system (CNS), Skin, digestive system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
117-81-7	Di(2-ethylhexyl)phthalate	Oral LD50	30 gm/kg	rat
		Dermal LD50	25 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
---------	---------------	------	------	-----

IARC Carcinogen Classifications:

- 1 The component is carcinogenic to humans.
- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Di(2-ethylhexyl)phthalate 117-81-7 There is sufficient evidence for the carcinogenicity of di (2-ethylhexyl) phthalate in experimental animals. Administered in the feed this chemical caused an increase incidence of liver cancer in male and female rats and mice. The relevance of this finding to humans is uncertain.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Environmental toxicity has not been established for this mixture as a



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-9266 BLACK

Version Number 1.0 Revision Date 05/06/2005 Page 5 of 7 Print Date 4/26/2006

whole.

Bioaccumulation Potential

: No data available

Additional advice

: No data available

13. DISPOSAL CONSIDERATIONS

Product

: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Contaminated packaging

: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S. DOT Classification

: Refer to specific regulation.

ICAO/IATA (air)

: Refer to specific regulation.

IMO / IMDG (maritime)

: Refer to specific regulation.

15. REGULATORY INFORMATION

US Regulations:

OSHA Status

: Classified as hazardous based on components.

TSCA Status

: All components of this product are listed on or exempt from the

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product
Di(2- ethylhexyl)phthalat e	117-81-7	100 lbs	200 LB

California Proposition

65

: WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or

STAN-TONE HCC-9266 BLACK

Version Number 1.0 Revision Date 05/06/2005

Page 6 of 7 Print Date 4/26/2006

other reproductive harm.

SARA Title III Section 302 Extremely Hazardous Substance Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
DI(2-ETHYLHEXYL)PHTHALATE (DEHP)	117-81-7	50.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Di(2-ethylhexyl)phthalate	117-81-7	50.00	25

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No. 117-81-7

DSL

All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS

: Listed

China IECS

Listed

Europe EINECS

Listed

Japan ENCS

Listed

Korea KECI

Listed

Philippines PICCS

Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-9266 BLACK

Version Number 1.0 Revision Date 05/06/2005 Page 7 of 7 Print Date 4/26/2006