

MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-29367 BLUE

Version Number 1.0 Revision Date 10/01/2003

Page 1 of 6 Print Date 1/22/2004

### 1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY

: Product Stewardship (314) 771-1800

TELEPHONE

Emergency telephone

number

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

or accident).

Product name

STAN-TONE MB-29367 BLUE

Product code

FO20006517CZ

Chemical Name

Mixture Mixture

CAS-No.
Product Use

Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	30 - 60

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the enduser (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:

Inhalation, Ingestion, Skin contact

Acute exposure

Inhalation

: Resin particles, like other inert materials, can be mechanically

irritating.

Ingestion

: May be harmful if swallowed.

Eyes

Resin particles, like other inert materials, are mechanically irritating to

eyes.

Skin

: Experience shows no unusual dermatitis hazard from routine handling.

Chronic exposure

: Refer to Section 11 for Toxicological Information.

MARKETED BY
HARWICK STANDARD
DISTRIBUTION CORPORATION
60 S. Seiberling Street • Akron, Ohio 44305

PolyOne

MATERIAL SAFETY DATA SHEET

STAN-TONE MB-29367 BLUE

Version Number 1.0 Revision Date 10/01/2003

Page 2 of 6 Print Date 1/22/2004

Medical Conditions Aggravated by Exposure:

: None known.

4. FIRST AID MEASURES

4. FIRST AID MEASURES

Inhalation : Move to fresh air in case of accidental inhalation of fumes from

overheating or combustion. When symptoms persist or in all cases of

doubt seek medical advice.

Ingestion : Do not induce vomiting without medical advice. When symptoms

persist or in all cases of doubt seek medical advice.

Eyes : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. If eye irritation persists, seek medical attention.

Skin : Wash off with soap and plenty of water. If skin irritation persists

seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point : Not applicable

Flammable Limits

Upper explosion limit

Lower explosion limit

Autoignition temperature

Suitable extinguishing media

Not relevant

Not applicable

Not applicable

: water spray, dry powder, foam, carbon dioxide (CO2).

Special Fire Fighting

Procedures

Fullface self-contained breathing apparatus (SCBA) used in positive

pressure mode should be worn to prevent inhalation of airborne

contaminants.

Unusual Fire/Explosion

Hazards

None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear appropriate personal protection during cleanup, such as

impervious gloves, boots and coveralls.

Environmental precautions : Should not be released into the environment. The product should not

be allowed to enter drains, water courses or the soil.

Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in

plastic, cardboard or metal containers for disposal. Refer to Section

13 of this MSDS for proper disposal methods.

7. HANDLING AND STORAGE

Handling : Take measures to prevent the build up of electrostatic charge Heat

MATERIAL SAFETY DATA SHEET

### STAN-TONE MB-29367 BLUE

Version Number 1.0 Revision Date 10/01/2003

Page 3 of 6 Print Date 1/22/2004

only in areas with appropriate exhaust ventilation.

Storage

Keep containers dry and tightly closed to avoid moisture absorption

and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection

No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this

material.

Eye/Face Protection

Safety glasses with side-shields.

Hand protection

protective gloves

Skin and body protection

Long sleeved clothing.

Additional Protective

Measures

Safety shoes.

General Hygiene

Considerations

Handle in accordance with good industrial hygiene and safety

practice. Wash hands before breaks and at the end of workday.

Engineering measures

Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	0.10 mg/m3	PEL:	Total dust. as Co	OSHA Z1
	0.02 mg/m3	Time Weighted Average (TWA):	as Co	ACGIH

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : Solid

Evaporation rate Specific Gravity Not applicable Not determined

Color

: Pellets, slabs, sheets : PURPLE

Bulk density Vapor pressure

: Not established Not applicable

Odor Melting point/range **Boiling Point:** 

: Characteristic rubber odor : Not determined

Vapour density pН

Not applicable

Water solubility

: Not applicable : Insoluble

Not applicable

#### 10. STABILITY AND REACTIVITY



#### MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-29367 BLUE

Version Number 1.0 Revision Date 10/01/2003

Page 4 of 6 Print Date 1/22/2004

Stability

: Stable.

Hazardous Polymerization

Will not occur.

Conditions to avoid

Keep away from oxidizing agents and open flame. To avoid thermal

decomposition, do not overheat.

Incompatible Materials

Incompatible with strong acids and oxidizing agents.

Hazardous decomposition

products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

(NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1345-16-0	Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	Irritant	Eyes, Skin, Respiratory system.
		sensitizer	Skin.

#### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1345-16-0	Cobalt aluminate blue spinel	no	2B	no
	(C.I. Pigment Blue 28)	_		

#### IARC Carcinogen Classifications:

- 1 The component is carcinogenic to humans.
- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

### NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

#### 12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

**Environmental Toxicity** 

Chemicals are not readily available as they are bound within the

matrix of the polymer.

# PolyOne.

### POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

### STAN-TONE MB-29367 BLUE

Version Number 1.0 Revision Date 10/01/2003

Page 5 of 6 Print Date 1/22/2004

Bioaccumulation Potential

: Chemicals are not readily available as they are bound within the

matrix of the polymer.

Additional advice

: Not applicable

### 13. DISPOSAL CONSIDERATIONS

Product

: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Contaminated packaging

Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

#### 14. TRANSPORT INFORMATION

U.S. DOT Classification

: Not regulated for transportation.

ICAO/IATA (air)

Not regulated for transportation.

IMO / IMDG (maritime)

: Not regulated for transportation.

#### 15. REGULATORY INFORMATION

US Regulations:

**OSHA Status** 

: Classified as hazardous based on components.

**TSCA Status** 

All components of this product are listed on or exempt from the

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition

This product does not contain a substance listed by California Prop

65

65.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:



MATERIAL SAFETY DATA SHEET

### STAN-TONE MB-29367 BLUE

Version Number 1.0 Revision Date 10/01/2003

Print Date 1/22/2004

Chemical Name	CAS-No.	Weight %
BARIUM COMPOUNDS [EXCEPT BASO4]	7585-41-3	3.33
COBALT COMPOUNDS	1345-16-0	32.05

#### Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	32.05	69

WHMIS Classification : Not controlled.

DSL

All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS

: Listed

China IECS

: Listed

Europe EINECS

: Not determined

Japan ENCS

: Not determined

Korea KECI

: Listed

Philippines PICCS

: Listed

#### 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.