

## POLYONE CORPORATION

#### MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-22970 BEIGE 8925

Version Number 1.0 Revision Date 04/07/2004 Page 1 of 6

Print Date 4/26/2004

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION

2700 Papin Street, St. Louis, MO 63103

Telephone

Product Stewardship (314) 771-1800

**Emergency telephone** 

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

number or accident).

STAN-TONE MB-22970 BEIGE 8925

Product name
Product code

FO20007950CZ

Chemical Name

: Mixture

CAS-No.

Mixture

Product Use

Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Quartz	14808-60-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30
Silica, amorphous	7631-86-9	10 - 30
Titanium dioxide	13463-67-7	30 - 60

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the enduser (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:

Inhalation, Ingestion, Skin contact

Acute exposure

Inhalation

: Resin particles, like other inert materials, can be mechanically

irritating.

Ingestion

: May be harmful if swallowed.

Eyes

: Resin particles, like other inert materials, are mechanically irritating to

eyes.

Skin

: Experience shows no unusual dermatitis hazard from routine handling.

HARWICK STANDARD
DISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305

## POLYONE CORPORATION

### MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-22970 BEIGE 8925

Version Number 1.0 Revision Date 04/07/2004

Page 2 of 6 Print Date 4/26/2004

Chronic exposure

: Refer to Section 11 for Toxicological Information.

**Medical Conditions** 

Aggravated by Exposure:

: None known.

4. FIRST AID MEASURES

Inhalation Move to fresh air in case of accidental inhalation of fumes from

overheating or combustion. When symptoms persist or in all cases of

doubt seek medical advice.

Do not induce vomiting without medical advice. When symptoms Ingestion

persist or in all cases of doubt seek medical advice.

Rinse immediately with plenty of water, also under the eyelids, for at Eyes

least 15 minutes. If eye irritation persists, seek medical attention.

Wash off with soap and plenty of water. If skin irritation persists Skin

seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point Not applicable

Flammable Limits

Upper explosion limit

Lower explosion limit

Autoignition temperature Suitable extinguishing media Not applicable Not applicable

Not relevant

water spray, dry powder, foam, carbon dioxide (CO2).

Special Fire Fighting

Procedures

Fullface self-contained breathing apparatus (SCBA) used in positive

pressure mode should be worn to prevent inhalation of airborne

contaminants.

Unusual Fire/Explosion

Hazards

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

(NOx), other hazardous materials, and smoke are all possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear appropriate personal protection during cleanup, such as

impervious gloves, boots and coveralls.

Environmental precautions

Should not be released into the environment. The product should not

Methods for cleaning up

be allowed to enter drains, water courses or the soil.

Clean up promptly by sweeping or vacuum. Package all material in

plastic, cardboard or metal containers for disposal. Refer to Section

13 of this MSDS for proper disposal methods.

7. HANDLING AND STORAGE

# PolyOne

## POLYONE CORPORATION

#### MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-22970 BEIGE 8925

Version Number 1.0 Revision Date 04/07/2004 Page 3 of 6 Print Date 4/26/2004

Handling

Take measures to prevent the build up of electrostatic charge. Heat

only in areas with appropriate exhaust ventilation.

Storage

Keep containers dry and tightly closed to avoid moisture absorption

and contamination. Keep in a dry, cool place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection

: No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section

below for precautions to be taken when heating or processing this

material.

Eye/Face Protection

Safety glasses with side-shields.

Hand protection

Protective gloves.

Skin and body protection

: Long sleeved clothing.

Additional Protective

Safety shoes.

Measures

General Hygiene

Considerations

Handle in accordance with good industrial hygiene and safety

practice. Wash hands before breaks and at the end of workday.

Engineering measures

Heat only in areas with appropriate exhaust ventilation. Adequate

ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.

#### Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe ACGIH	
Quartz	0.05 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
<u> </u>	20 mppcf	PEL:	Total dust.	<b>Z</b> 3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Solid

Evaporation rate

: Not applicable

# PolyOne

## POLYONE CORPORATION

#### MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-22970 BEIGE 8925

Version Number 1.0 Revision Date 04/07/2004 Page 4 of 6

Print Date 4/26/2004

Appearance

: Pellets, slabs, sheets

Specific Gravity:

: Not determined

Color

: BROWN

Bulk density

Not establishedNot applicable

Odor

: Characteristic rubber odor

Vapor pressure Vapour density

: Not applicable : Not applicable

Melting point/range Boiling Point: : Not determined

рН

Not applicable

Water solubility

: Not applicable

er solubility : Insoluble

#### 10. STABILITY AND REACTIVITY

Stability

Stable.

Hazardous Polymerization

Will not occur.

Conditions to avoid

Keep away from oxidizing agents and open flame. To avoid thermal

decomposition, do not overheat.

Incompatible Materials

: Incompatible with strong acids and oxidizing agents.

Hazardous decomposition

products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

(NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects Respiratory system.	
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

### Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long term exposure may cause caughing, chest pain, diminished chest expansion and possibly silicosis which is a scarring of the lungs.

## 12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

**Environmental Toxicity** 

Chemicals are not readily available as they are bound within the

matrix of the polymer.

## PolyOne

## POLYONE CORPORATION

#### MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-22970 BEIGE 8925

Version Number 1.0

Revision Date 04/07/2004

Page 5 of 6 Print Date 4/26/2004

**Bioaccumulation Potential** 

Chemicals are not readily available as they are bound within the

matrix of the polymer.

Additional advice

Not applicable

#### 13. DISPOSAL CONSIDERATIONS

**Product** 

Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Contaminated packaging

Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

#### 14. TRANSPORT INFORMATION

U.S. DOT Classification

: Not regulated for transportation.

ICAO/IATA (air)

Not regulated for transportation.

IMO / IMDG (maritime)

Not regulated for transportation.

## 15. REGULATORY INFORMATION

US Regulations:

**OSHA Status** 

: Classified as hazardous based on components.

**TSCA Status** 

All components of this product are listed on or exempt from the

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition

65

WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a

chemical known to the State of California to cause birth defects or

other reproductive harm.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

#### POLYONE CORPORATION

#### MATERIAL SAFETY DATA SHEET

## STAN-TONE MB-22970 BEIGE 8925

Version Number 1.0 Revision Date 04/07/2004

Page 6 of 6 Print Date 4/26/2004

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
2-methoxyethanol	109-86-4	0.21	150

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
1309-37-1
14808-60-7
7631-86-9
109-86-4

**DSL** 

All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS

Listed

China IECS

Listed

**Europe EINECS** 

Not determined

Japan ENCS

Not determined

Korea KECI

Listed

Philippines PICCS

Listed

#### 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.