

### MATERIAL SAFETY DATA SHEET

# STAN-TONE 28WDN01 RED

Version Number 1.0 Revision Date 10/10/2002

Page 1 of 6 Print Date 4/30/2003

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION

2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY

Product Stewardship, (314) 771-1800

TELEPHONE

**Emergency telephone** 

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

or accident).

Product name

number

STAN-TONE 28WDN01 RED

Product code

TP90001583PP

Chemical Name

Mixture Mixture

CAS-No.

**Industrial Applications** 

Product Use

# 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
2-Naphthalenecarboxylic acid, 4-[(5-chloro-4-methyl-2-sulfophenyl)azol-3-hydroxy-,	7585-41-3	30 - 60
barium salt (1:1)		

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:

: Inhalation, Skin contact, Ingestion

Acute exposure

Inhalation

: Inhalation of airborne droplets may cause irritation of the respiratory

tract

Ingestion

: May be harmful if swallowed.

Eyes

: May cause eye/skin irritation.

Skin

: Experience shows no unusual dermatitis hazard from routine handling.

Chronic exposure

: Refer to Section 11 for Toxicological Information.

MARKETED BY
HARWICK STANDARD DISTRIBUTION CORPORATION 60 S. Seiberling Street • Akron, Ohio 44305



#### MATERIAL SAFETY DATA SHEET

# STAN-TONE 28WDN01 RED

Version Number 1.0 Revision Date 10/10/2002 Page 2 of 6 Print Date 4/30/2003

Medical Conditions

Aggravated by Exposure:

: None known.

4. FIRST AID MEASURES

Inhalation : Move to fresh air in case of accidental inhalation of fumes from

overheating or combustion. When symptoms persist, or in all cases

of doubt, seek medical advice.

Ingestion : Do not induce vomiting without medical advice. Seek medical

attention if necessary.

Eyes : Rinse immediately with plenty of water for at least 15 minutes. If eye

irritation persists, seek medical attention.

Skin : Wash off with soap and plenty of water. If skin irritation persists

seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point : No data available.

Flammable Limits

Upper explosion limit : No data available.

Lower explosion limit : No data available.

Autoignition temperature : Not applicable.

Suitable extinguishing media : Carbon dioxide blanket, dry powder, foam, Water spray.

Special Fire Fighting

Procedures

: Fullface self-contained breathing apparatus (SCBA) used in positive

pressure mode should be worn to prevent inhalation of airborne

contaminants.

Unusual Fire/Explosion

Hazards

None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear appropriate personal protection during cleanup, such as

impervious gloves, boots and coveralls.

Environmental precautions : Should not be released into the environment. The product should not

be allowed to enter drains, water courses or the soil.


Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS

for proper disposal methods.

7. HANDLING AND STORAGE

Handling : Heat only in areas with appropriate exhaust ventilation. Prolonged



#### MATERIAL SAFETY DATA SHEET

# STAN-TONE 28WDN01 RED

Version Number 1.0 Revision Date 10/10/2002

Page 3 of 6 Print Date 4/30/2003

heating may result in product degradation.

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place. Keep from freezing and temperature extremes.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection

Under normal handling conditions a respirator may not be required.

Eye/Face Protection

Safety glasses with side-shields.

Hand protection

Protective gloves.

Skin and body protection

Long sleeved clothing.

Additional Protective

Measures

Safety shoes.

General Hygiene Considerations

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Engineering measures

Heat only in areas with appropriate exhaust ventilation. Provide

appropriate exhaust ventilation at machinery.

## Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
2-	0.5 mg/m3	PEL:	as Ba	OSHA Z1
Naphthalenecarboxylic				
acid, 4-[(5-chloro-4-				
methyl-2-				
sulfophenyl)azo]-3-				
hydroxy-, barium salt				}
(1:1)				
2-	0.5 mg/m3	Time Weighted Average		ACGIH
Naphthalenecarboxylic		(TWA):		
acid, 4-[(5-chloro-4-				
methyl-2-				
sulfophenyl)azo]-3-				l
hydroxy-, barium salt				
(1:1)	L			

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Liquid

Evaporation rate

Not established

Appearance

: Liquid, Viscous liquid

Specific Gravity

Not determined

Color

: RED

dispersion

Bulk density

Not applicable.

Odor

: Slight ammonia

Vapor pressure

Not determined



### MATERIAL SAFETY DATA SHEET

# STAN-TONE 28WDN01 RED

Version Number 1.0 Revision Date 10/10/2002 Page 4 of 6 Print Date 4/30/2003

Melting point/range Boiling Point:

: Not applicable

Vapor density

: Heavier than air.

Water solubility

: Not applicable: Completely miscible

pН

Not determined

ity . Completely miscrone

### 10. STABILITY AND REACTIVITY

Stability

Stable.

Hazardous Polymerization

Will not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

Incompatible Materials

: Incompatible with strong acids and oxidizing agents.

Hazardous decomposition

products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

(NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7585-41-3	2-Naphthalenecarboxylic	Irritant	Eyes, Skin.
	acid, 4-[(5-chloro-4-		
	methyl-2-		
	sulfophenyl)azo]-3-		
	hydroxy-, barium salt (1:1)		

### 12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

Environmental toxicity has not been established for this mixture as a

whole.

Bioaccumulation Potential

No data available.

Additional advice

No data available.

### 13. DISPOSAL CONSIDERATIONS

Product

Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



#### MATERIAL SAFETY DATA SHEET

# STAN-TONE 28WDN01 RED

Version Number 1.0 Revision Date 10/10/2002 Page 5 of 6 Print Date 4/30/2003

Contaminated packaging

Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

### 14. TRANSPORT INFORMATION

U.S. DOT Classification

: Not regulated for transportation.

ICAO/IATA

Not regulated for transportation.

IMO / IMDG

: Not regulated for transportation.

## 15. REGULATORY INFORMATION

US Regulations:

**OSHA Status** 

Classified as hazardous based on components.

TSCA Status

All components of this product are listed on the TSCA inventory or

are exempt.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for
				Mixture/Product
2-	7585-41-3	35.0000	1,000 lbs	2,857 LB
Naphthalenecarbox				
ylic acid, 4-[(5-				
chloro-4-methyl-2-				
sulfophenyl)azo]-				
3-hydroxy-, barium				
salt (1:1)				

California Proposition

This product does not contain a substance listed by California Prop

65

65.

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
BARIUM COMPOUNDS [EXCEPT	7585-41-3	35.00
BASO4]		

Canadian Regulations:



MATERIAL SAFETY DATA SHEET

# STAN-TONE 28WDN01 RED

Version Number 1.0 Revision Date 10/10/2002 Page 6 of 6 Print Date 4/30/2003

WHMIS Classification

: D2B

WHMIS Ingredient Disclosure List

CAS-No. 7585-41-3

DSL

: Listed.

National Inventories:

Australia AICS

Listed.

China IECS

Listed.

Europe EINECS

Listed.

Japan ENCS

Not determined.

Korea KECI

Listed.

Philippines PICCS

Listed.

## 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.