

**Baypren® 110 M 41**

Version            Revision Date:            SDS Number:            Date of last issue: -  
1.0                08.09.2020                103000004133            Date of first issue: 25.03.2019

---

**SECTION 1. IDENTIFICATION**

Product name                : Baypren® 110 M 41

Product code                : 21000336

**Manufacturer or supplier's details**

Company name of supplier    : ARLANXEO Deutschland GmbH

Address                      : Chempark Dormagen, Geb. F41  
Dormagen 05 41540 Germany

Emergency telephone        : Chemtrec +18004249300  
Chemtrec Int'l. +17035273887  
For Information: RAPS@arlanxeo.com

**Recommended use of the chemical and restrictions on use**

Recommended use            : adhesives and mixtures of adhesives, adhesive coats on films

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

**GHS label elements**

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature                : Dichlorobutadiene  
-  
Chloroprene  
copolymer  
  
Polymer

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Talc (non-asbestos form)	14807-96-6	>= 1 - < 5

---

**SECTION 4. FIRST AID MEASURES**

# SAFETY DATA SHEET



## Baypren® 110 M 41

Version 1.0      Revision Date: 08.09.2020      SDS Number: 103000004133      Date of last issue: -  
Date of first issue: 25.03.2019

---

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and water.  
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if symptoms appear.
- If swallowed : Get medical attention if symptoms appear.
- Most important symptoms and effects, both acute and delayed : Skin: Reddening, burning, and possible permanent damage.  
Contact with hot material causes thermal skin burns.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Halogenated compounds  
Metal oxides
- Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.  
No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.  
Put on appropriate personal protection equipment.  
Do not touch or walk through spilled material.
-

## Baypren® 110 M 41

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.09.2020	103000004133	Date of first issue: 25.03.2019

- Evacuate personnel to safe areas.  
Keep unnecessary and unprotected personnel from entering.
- Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Methods and materials for containment and cleaning up : Move containers from spill area.  
Vacuum or sweep up material and place in a designated, labeled waste container.  
Dispose of wastes in an approved waste disposal facility.  
Do not allow spilled material or wash water to enter sewers, surface waters, or groundwater systems.

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.  
Workers should wash hands and face before eating, drinking and smoking.  
Put on appropriate personal protection equipment.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- Conditions for safe storage : Store in accordance with local regulations.  
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.  
Keep container closed when not in use.  
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.  
Do not store in unlabeled containers.  
Use appropriate container to avoid environmental contamination.
- Recommended storage temperature : < 77 °F / < 25 °C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc (non-asbestos form)	14807-96-6	TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable fraction)	2 mg/m <sup>3</sup>	ACGIH

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Baypren® 110 M 41**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.09.2020	103000004133	Date of first issue: 25.03.2019

---

**Personal protective equipment**

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

Remarks : Wear suitable gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.  
Ensure that eyewash stations and safety showers are close to the workstation location.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : chips

Color : beige

Odor : odorless

Density : 1,23 g/cm<sup>3</sup> (68 °F / 20 °C)

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : No specific data.

**Hazardous decomposition products**

Thermal decomposition : Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and CO<sub>2</sub> may be developed. Degradation products of the polymers and their additives may also be formed.

**Baypren® 110 M 41**

Version 1.0      Revision Date: 08.09.2020      SDS Number: 103000004133      Date of last issue: -  
Date of first issue: 25.03.2019

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

Inhalation  
Skin contact

**Acute toxicity**

Not classified based on available information.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:**

**Talc (non-asbestos form):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:**

**Talc (non-asbestos form):**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitization**

**Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Result : Not a skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**Talc (non-asbestos form):**

Genotoxicity in vitro : Test system: Bacteria  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mammalian-Animal  
Application Route: Oral  
Result: negative

**Baypren® 110 M 41**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.09.2020	103000004133	Date of first issue: 25.03.2019

---

**Carcinogenicity**

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Talc (non-asbestos form):**

Effects on fetal development : Species: Rabbit, female  
Application Route: Oral  
Dose: 900 milligram per kilogram  
Duration of Single Treatment: 18 d  
Teratogenicity: NOAEL: 900 mg/kg body weight  
Result: No teratogenic potential.

Species: Rat, female  
Application Route: Oral  
Duration of Single Treatment: 15 d  
Result: No teratogenic effects.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks : Under the recommended processing conditions small amounts of emitted substance (e.g. residual monomers, residual solvents, decomposition products) may be discharged. According to our experience and information the product has no harmful effects on health if properly handled. The substance(s) listed in Chapter 3 is/are encapsulated in this preparation in a polymer and is/are therefore not bioavailable.

## Baypren® 110 M 41

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.09.2020	103000004133	Date of first issue: 25.03.2019

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No toxicity at the limit of solubility.

**Components:****Talc (non-asbestos form):**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10.000 mg/l  
Exposure time: 24 h

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Additional ecological information : The product is practically insoluble in water. In view of its consistency and insolubility in water, no ecological problems are to be expected if the product is properly handled. This product is not readily biodegradable.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

# SAFETY DATA SHEET



## Baypren® 110 M 41

Version 1.0      Revision Date: 08.09.2020      SDS Number: 103000004133      Date of last issue: -  
Date of first issue: 25.03.2019

---

wherever possible.  
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.  
This material and its container must be disposed of in a safe way.  
Empty containers retain product residue; observe all precautions for product.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

---

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)
Chloroprene	126-99-8	100
nitrosodiphenylamine	86-30-6	100

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

##### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

---



# SAFETY DATA SHEET



## Baypren® 110 M 41

Version 1.0      Revision Date: 08.09.2020      SDS Number: 103000004133      Date of last issue: -  
Date of first issue: 25.03.2019

---

### US State Regulations

#### Massachusetts Right To Know

Talc (non-asbestos form)      14807-96-6  
nitrosodiphenylamine      86-30-6

#### Pennsylvania Right To Know

Polydichlorobutadiene      25067-95-2  
rosin      8050-09-7  
Talc (non-asbestos form)      14807-96-6

#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including Chloroprene, nitrosodiphenylamine, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Any chemical(s) listed above which do not appear elsewhere on this SDS are contained in this product at concentrations below 0.01%.

#### The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

TSCA : On TSCA Inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


## Baypren® 110 M 41

Version 1.0      Revision Date: 08.09.2020      SDS Number: 103000004133      Date of last issue: -  
Date of first issue: 25.03.2019

## SECTION 16. OTHER INFORMATION

## Further information

## NFPA 704:



## HMIS® IV:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
 ACGIH / TWA : 8-hour, time-weighted average  
 OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the

## Baypren® 110 M 41

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.09.2020	103000004133	Date of first issue: 25.03.2019

---

Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08.09.2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN