

SAFETY DATA SHEET

HCS-2012 APPENDIX D TO §1910.1200

Version 1
Product Name CHLORINATED POLYETHYLENE(CPE)

Issue Date 08-Jul-2015
Revision date 08-Jul-2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Wellpren CPE IM898M
Chemical Name CHLORINATED POLYETHYLENE(CPE)

Other means of identification

Cas No information available

Recommended use of the chemical and restrictions on use

Recommended Use Used in the plastics industry as an additive to modify a range of properties. Also used in rubber industry.
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Sundow Polymers Co.,Ltd.
Address FL.8, Riverdals Building, No.350, Dongfeng Street, Weifang, Shandong, China
Postal Code -
Phone +(86) 536 8057068
FAX +(86) 536 8057018
E-mail info@sundow.com

Importer Harwick Standard Distribution Corporation
Address
Postal Code
Phone
FAX
E-mail

Emergency telephone number

+86 5368057068 (Only office hours available.)

2. HAZARDS IDENTIFICATION

GHS Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Symbols/Pictograms None
Signal word None
Hazard Statements Not classified
Precautionary Statements
Prevention None
Response None
Storage None
Disposal None

Hazards not otherwise classified (HNOC)

No information available

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Mixture

| Chemical Name | CAS No | Weight-% |
|--------------------------|------------|----------|
| Chlorinated polyethylene | 64754-90-1 | >90 |
| Talc | 14807-96-6 | <7 |
| Calcium stearate | 1592-23-0 | 0 - 3 |
| Calcium carbonate | 471-34-1 | 0 - 5 |

4. FIRST AID MEASURES**Description of first aid measures**

| | |
|----------------|---|
| General advice | In all cases of doubt, or when symptoms persist, seek medical attention. |
| Inhalation | Move victim to fresh air. Seek medical advice immediately if adverse symptoms such as chest tightness, respiratory irritation, coughing or breathing difficulties develop. If breathing has stopped apply artificial respiration. |
| Skin Contact | Remove contaminated clothing and footwear. Wash affected areas with soap and plenty of water. Decontaminate footwear and wash clothing before reuse. Seek medical advice if skin irritation develops. |
| Eye contact | If the dust go into eye, can rinse eyes with water for at least 5 minutes. |
| Ingestion | If swallowed do NOT induce vomiting. Rinse mouth thoroughly with water. Seek medical advice. |

Most important symptoms and effects, both acute and delayed

It may cause minor irritation with eye or skin contact due to mechanical effects, but is not absorbed through the skin. Dust may cause irritation to the upper respiratory tract.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident.

5. FIRE-FIGHTING MEASURES**Extinguishing media**

Suitable extinguishing media Use water, foam, dry chemical or carbon MEDIA dioxide to extinguish fire.
Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Oxides of carbon, hydrogen chloride, organic acids, aldehydes and alcohols.
Dust of this material is capable of producing explosive mixtures with air.

Protective equipment and precautions for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus.
In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
Prevent fire-fighting water from entering surface water or groundwater.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Dust of this material is capable of producing explosive mixtures with air.
Wearing full PPE isolate hazard area, increase ventilation and restrict access. Remove all ignition sources.
Take steps to reduce dust generation as this material is capable of producing explosive mixtures with air.

Methods and material for containment and cleaning up

Sweeping or vacuuming techniques.

Small Spills: Wear suitable respiratory protection. Use a dry cleaning procedure and avoid generating dust. Sweep or vacuum up the product and place in sealable containers. Label the containers to ensure appropriate disposal.

Large spills: Wearing the personal protective equipment listed in Section 8 use a dry clean-up procedure.

Vacuuming is the preferred method. Alternatively, sweep up product with a broom. Take steps to minimise generation of airborne dust. Place contaminated material in suitably labelled, containers. Prevent substance from entering drains, waterways or groundwater.

7. HANDLING AND STORAGE

Precautions for safe handling

Practice sound industrial hygiene. Wash hands before work breaks and at the end of a shift. When handling minimise contact with product by always wearing the recommended personal protection equipment (See Section 8). Avoid dust generation - material is capable of forming explosive mixtures with air. Avoid breathing airborne dust. Avoid contact with, or inhaling vapour emanating from molten material.

Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated place. Avoid exposure to direct sunlight or heat.

Store away from incompatible materials (see Section 10). Protect against physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH | Denmark | European Union |
|-------------------------------------|---|----------|---|--------------------------------|----------------|
| Talc (CAS #: 14807-96-6) | TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction | - | IDLH: 1000 mg/m ³ TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz respirable dust | TWA: 0.3 fiber/cm ³ | - |
| Calcium stearate (CAS #:) | TWA: 10 mg/m ³ except stearates of toxic metals | - | - | - | - |
| Calcium carbonate (CAS #: 471-34-1) | - | - | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust | - | - |

| Chemical Name | Latvia | France | Finland | Germany | Italy |
|-------------------------------------|--------------------------|---------------------------|--|---------|-------|
| Talc (CAS #: 14807-96-6) | | - | TWA: 0.5 fiber/cm ³ STEL: 2 ppm STEL: 1 ppm | Skin | - |
| Calcium carbonate (CAS #: 471-34-1) | TWA: 6 mg/m ³ | TWA: 10 mg/m ³ | - | - | - |

| Chemical Name | Poland | Portugal | Spain | Switzerland | Netherlands |
|-------------------------------------|---------------------------|---------------------------|---------------------------|--------------------------|-----------------------------|
| Talc (CAS #: 14807-96-6) | - | - | - | - | TWA: 0.25 mg/m ³ |
| Calcium stearate (CAS #:) | - | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | - | - |
| Calcium carbonate (CAS #: 471-34-1) | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | - | TWA: 3 mg/m ³ | - |

| Chemical Name | Norway | United Kingdom | Australia | Austria | Belgium |
|---------------|--------|----------------|-----------|---------|---------|
| | | | | | |

| | | | | | |
|-------------------------------------|--|---|-----------------------|--------------------------|---|
| Talc (CAS #: 14807-96-6) | TWA: 6 mg/m ³ TWA: 2 mg/m ³ STEL: 6 mg/m ³ STEL: 2 mg/m ³ | - | 2.5 mg/m ³ | TWA: 2 mg/m ³ | - |
| Calcium stearate (CAS #.) | - | - | 10 mg/m ³ | - | - |
| Calcium carbonate (CAS #: 471-34-1) | - | - | 10 mg/m ³ | - | - |

Appropriate engineering controls

Use only in well ventilated areas or use good general mechanical extraction ventilation to maintain air concentrations below exposure standards.

Individual protection measures, such as personal protective equipment

- Respiratory protection Use a dust respirator.
- Hand Protection Wear protective gloves.
- Eye/face protection Safety glasses should be sufficient for most operations; however, for dusty operations wear chemical goggles. If vapor exposure causes eye discomfort, use a fullface respirator.
- Skin and body protection No precautions other than clean body covering clothing should be needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|--------------------------------|----------------------------|
| Appearance | Powder |
| Color | White |
| Odor | Odorless |
| Odor Threshold | Not determined |
| pH | Not determined |
| Melting point/freezing point | Not determined |
| Boiling point / boiling range | Not determined |
| Flash point | Not applicable |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | Not determined |
| Flammability Limit in Air | Not determined |
| Vapor Pressure | Not applicable |
| Vapor density | Not determined |
| Density | 1.1-1.3 g/cm ³ |
| Relative density | Not determined |
| Bulk density | 0.45-0.6 g/cm ³ |
| Specific gravity | Not determined |
| Water solubility | Insoluble at 20 °C |
| Partition coefficient (LogPow) | Not determined |
| Autoignition temperature | Not determined |
| Decomposition temperature | App. 160 °C |
| Kinematic viscosity | Not determined |
| Dynamic viscosity | Not determined |
| Explosive properties | Not an explosive |
| Oxidizing properties | Not determined |

Other information

No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage and handling conditions (see SECTION 7, handling and storage).

Chemical stability

This material is stable under normal ambient and anticipated storage and handling conditions.

Possibility of Hazardous Reactions

None under normal processing

Conditions to avoid

Strong heating, open flames.

Incompatible materials

Oxides of carbon, hydrogen chloride, organic acids, aldehydes and alcohols.

Hazardous Decomposition Products

Irritating gases may be emitted upon the temperature 160°C.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|--------------|--|
| Inhalation | Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| Eye contact | Contact with eyes may cause irritation. |
| Skin Contact | Substance may cause slight skin irritation. |
| Ingestion | Ingestion may cause irritation to mucous membranes |

Information on toxicological effects

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|----------------------|----------------------|-----------------|
| Chlorinated polyethylene (CAS #: 64754-90-1) | > 5 g/kg (Rat) | - | - |
| Calcium stearate (CAS #:) | > 10 g/kg (Rat) | - | - |
| Calcium carbonate (CAS #: 471-34-1) | > 2000 mg/kg bw(rat) | > 2000 mg/kg bw(rat) | > 3 mg/L(rat) |

Skin corrosion/irritation

Non-irritating to the skin

Serious eye damage/eye irritation

No eye irritation

Sensitization

No information available

Germ cell mutagenicity

No information available

Carcinogenicity

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------|-------|---------|-----|------|
| Talc (CAS #: 14807-96-6) | - | Group 3 | - | - |

Reproductive toxicity

No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Aspiration hazard

No information available

12. ECOLOGICAL INFORMATION**Ecotoxicity**

| Chemical Name | Algae/aquatic plants EC50 | Fish LC50 | Crustacea EC50 |
|-------------------------------------|---------------------------|---|--------------------------------|
| Talc (CAS #: 14807-96-6) | - | 100: 96 h Brachydanio rerio g/L LC50 semi-static | - |
| Calcium carbonate (CAS #: 471-34-1) | - | > 100: 96 h Oncorhynchus mykiss LC50 | > 100: 48 h Daphnia magna EC50 |

Persistence and degradability

No information available

Bioaccumulative potential

No information available

Mobility in soil

No information available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods**

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated packaging

Dispose of in accordance with federal, state and local regulations

14. TRANSPORT INFORMATION**DOT**

| | |
|-----------------------------|--------------------------|
| UN/ID No. | Not regulated |
| Proper shipping name | Not regulated |
| Hazard Class | Not regulated |
| Packing Group | Not regulated |
| Special precautions | No information available |
| Marine pollutant | Not applicable |

15. REGULATORY INFORMATION**International Inventories**

| Component | AICS | DSL/NDSL | EINECS/ELI NCS | ENCS | IECSC | KECL | PICCS | TSCA |
|--|------|----------|-------------------|------|-------|------|-------|------|
| Chlorinated polyethylene 64754-90-1 | X | X | - | X | X | X | X | X |
| Talc 14807-96-6 | X | X | X | X | X | X | X | X |

| | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|
| Calcium stearate 1592-23-0 | X | X | X | X | X | X | X | X |
| Calcium carbonate 471-34-1 | X | X | X | X | X | X | X | X |

"-" Not Listed

"X" Listed

US Federal Regulations

SARA 313

No information available

SARA 311/312 Hazard Categories

No information available

CWA (Clean Water Act)

No information available

CERCLA

No information available

US State Regulations

California Proposition 65

No information available

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------|------------|---------------|--------------|
| Talc 14807-96-6 | X | X | - |

16. OTHER INFORMATION

Revision Note

| | |
|---------------|----------------|
| Issue Date | 08-Jul-2015 |
| Revision date | 08-Jul-2015 |
| Revision Note | Not applicable |

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA - TWA (time-weighted average)

STEL - STEL (Short Term Exposure Limit)

Ceiling - Maximum limit value

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

----- **End of Safety Data Sheet** -----