according to the OSHA Hazard Communication Standard



### WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

#### **SECTION 1. IDENTIFICATION**

Product name :		WINGSTAY S P			
Manufacturer or supplier's o	deta	ails			
Company name of supplier	:	Synthomer Inc.			
Address	:	25435 Harvard Road Beachwood Ohio 44122 USA			
Telephone	:	+1 216-682-7000			
E-mail address of person responsible for the SDS	:	regulatoryaffairs@synthomer.com			
Emergency telephone	:	United States Local: +1 (703) 741-5970 // Chemtrec Toll Free: +1 (800) 424-9300 // Chemtrec International: +1 (703) 527- 3887			
Recommended use of the chemical and restrictions on use					

# Recommended use of the chemical and restrictions on Restrictions on use : For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)				
Skin irritation	:	Category 2		
Skin sensitization :		Sub-category 1A		
GHS label elements Hazard pictograms	:			
Signal Word	:	Warning		
Hazard Statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction.		
Precautionary Statements	:	<b>Prevention:</b> P261 Avoid breathing mist or vapors.		

according to the OSHA Hazard Communication Standard



### WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

P264 Wash skin thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Phenol, styrenated	61788-44-1	>= 90 - <= 100
phenol	108-95-2	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice :	Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact :	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

Versic 1.0	Version Revision Date: 1.0 04/24/2024			Date of last issue: - Date of first issue: 04/24/2024				
lf	f swalld	owed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.				
а		portant symptoms ects, both acute and l	:	Causes skin irritation. May cause an allergic skin reaction.				
Ν	Notes to physician		:	Treat symptomatically.				
SECT	ION 5.	FIRE-FIGHTING ME	ASL	JRES				
S	Suitable	extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
	Jnsuita nedia	ble extinguishing	:	High volume water jet				
	Specific ighting	hazards during fire	:	Do not allow run-off from fire fighting to enter drains or water courses.				
	lazardo icts	ous combustion prod-	:	No hazardous combustion products are known				
F	<sup>-</sup> urther	information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.				

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Large spills should be collected mechanically (remove by pumping) for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion		Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
phenol	108-95-2	TWA	5 ppm	ACGIH
		TWA	5 ppm 19 mg/m3	NIOSH REL
		С	15.6 ppm 60 mg/m3	NIOSH REL
		TWA	5 ppm 19 mg/m3	OSHA Z-1
		TWA	5 ppm 19 mg/m3	OSHA P0

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
phenol	108-95-2	Phenol	Urine	End of shift (As	250 mg/g creatinine	ACGIH BEI

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

Version 1.0	Revision Date: 04/24/2024		Date of last issue: - Date of first issue: 04/24/2024
			soon as possible after exposure ceases)
Pers	onal protective equip	oment	
Resp	piratory protection	:	No personal respiratory protective equipment normally required.
Hand	d protection		
N	laterial	:	Nitrile rubber
R	emarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye	protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin	and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Prote	ective measures	:	Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
------------------	--

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light yellow
Odor	:	phenol-like
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	450 °F / 232 °C

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

Flash point	:	333 °F / 167 °C
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	7.1 μg/l tristyrenated phenol (TSP) Method: OECD Test Guideline 105
		665 μg/l distyrenated phenol (DSP) Method: OECD Test Guideline 105
Partition coefficient: n- octanol/water	:	log Pow: 6.24 (77 °F / 25 °C)
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Not applicable
Minimum ignition energy	:	Not applicable

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No decomposition if stored and applied as directed.

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

Versi 1.0	ion	Revision Date: 04/24/2024		Date of last issue: - Date of first issue: 04/24/2024
	Chemic	al stability	:	No decomposition if stored and applied as directed.
	Possibility of hazardous reac- tions		:	No decomposition if stored and applied as directed.
	Conditions to avoid		:	Protect from frost, heat and sunlight.
	Incompatible materials		:	Not applicable
	Hazardous decomposition products		:	No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 2,320 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 2,435 mg/kg Method: Calculation method
Components:		
Phenol, styrenated:		
Acute oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402
phenol:		
Acute oral toxicity	:	LD50 (Mouse): 282 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): > 0.9 mg/l Exposure time: 8 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat, female): 660.00 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation		
Causes skin irritation.		
Product:		
Remarks	:	May cause skin irritation and/or dermatitis.

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

rsion	Revision Da 04/24/2024		Date of last issue: - Date of first issue: 04/24/2024
Comr	oonents:		
	ol, styrenated	ŀ	
Resul	-		Skin irritation
pheno	ol:		
Resul	t	: C	Corrosive after 3 minutes to 1 hour of exposure
		ge/eye irritation	1
Not cl	assified due to	b lack of data.	
<u>Produ</u>			
Rema	rks		apors may cause irritation to the eyes, respiratory system and the skin.
Respi	ratory or ski	n sensitization	
Skin s	sensitization		
May c	ause an allerg	jic skin reaction.	
Respi	ratory sensit	ization	
Not cla	assified due to	b lack of data.	
<u>Produ</u>	<u>ict:</u>		
Rema	rks	: C	Causes sensitization.
<u>Comp</u>	oonents:		
Phene	ol, styrenated		
Resul	t		Probability or evidence of high skin sensitization rate in numans
	cell mutager	•	
Not cl	assified due to	b lack of data.	
Comp	onents:		
pheno	ol:		
	cell mutageni sment	•	Suspected of inducing heritable mutations in the germ cells of umans.
Carci	nogenicity		
Not cla IARC		ingredient of this	s product present at levels greater than or equal to 0.1% is le, possible or confirmed human carcinogen by IARC.
OSHA			is product present at levels greater than or equal to 0.1% is gulated carcinogens.

according to the OSHA Hazard Communication Standard



### WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT-single exposure

Not classified due to lack of data.

#### STOT-repeated exposure

Not classified due to lack of data.

#### Components:

#### phenol:

:	Kidney The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
:	Liver
:	Skin
:	Nervous system
	::

#### Aspiration toxicity

Not classified due to lack of data.

#### **Further information**

- Product:
- Remarks

: Information taken from reference works and the literature.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity		
Components:		
Phenol, styrenated:		
Toxicity to fish	:	LC50 (Fish): 5.6 mg/l Exposure time: 96 h GLP: No information available.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 4.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Chlorella vulgaris (Fresh water algae)): 20.4213 mg/l Exposure time: 72 h Test Type: static test

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

Vers 1.0	sion	Revision Date: 04/24/2024		Date of last issue: - Date of first issue: 04/24/2024
				Method: OECD Test Guideline 201
	Toxicity icity)	to fish (Chronic tox-	:	Remarks: No data available
		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia magna (Water flea)): 0.2 mg/l Exposure time: 21 d
	phenol	:		
	Toxicity	r to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 8.90 mg/l Exposure time: 96 h Test Type: flow-through test
		to daphnia and other invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 3.1000 mg/l Exposure time: 48 h Test Type: static test
	Toxicity plants	to algae/aquatic	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 61.10 mg/l Exposure time: 96 h Test Type: static test
	Toxicity icity)	to fish (Chronic tox-	:	NOEC (Fish): 0.08 mg/l Exposure time: 60 d
		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia magna (Water flea)): 0.1600 mg/l Exposure time: 16 d
	Persist	ence and degradabili	ty	
	Compo	onents:		
		, styrenated:		
	Biodegr	radability	:	Result: Not biodegradable
	phenol	:		
	Biodegr	radability	:	Result: Readily biodegradable.
		<b>umulative potential</b> a available		
		<b>y in soil</b> a available		
	Other a	dverse effects		
	Produc Ozone-	: <u>t:</u> Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82 Pro- tection of Stratospheric Ozone - CAA Section 602 Class I

according to the OSHA Hazard Communication Standard



# WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024
Additio mation	nal ecological infor-	<ul> <li>Substances Remarks: This product neither contains, nor was manufac- tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).</li> <li>Information given is based on data on the ingredients and the ecotoxicology of similar products. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.</li> </ul>

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

#### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, styrenated)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Phenol, styrenated)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964

according to the OSHA Hazard Communication Standard



### WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

#### IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, styrenated)
Class		9
Class	•	9
Packing group	:	
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### 49 CFR

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
	(Phenol, styrenated)
Class	: 9
Packing group	: 111
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylbenzene	100-41-4	100	100 (F003)

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitization Skin corrosion or irritation
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the OSHA Hazard Communication Standard



### WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

phenol	108-95-2	>= 0.1 - < 1 %
ethylbenzene	100-41-4	>= 0 - < 0.1 %
styrene	100-42-5	>= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

phenol	108-95-2	>= 0.1 - < 1 %
ethylbenzene	100-41-4	>= 0 - < 0.1 %
styrene	100-42-5	>= 0 - < 0.1 %
	المعتمان متصعيبا المصعينات المتعا	under the LLC Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### California Prop. 65

WARNING: This product can expose you to chemicals including ethylbenzene, styrene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

		USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI)
ACGIH BEI		
NIOSH REL		USA. NIOSH Recommended Exposure Limits
OSHA PO	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C OSHA P0 / TWA		Ceiling value not be exceeded at any time. 8-hour time weighted average

according to the OSHA Hazard Communication Standard



### WINGSTAY S P

Version	Revision Date:	Date of last issue: -
1.0	04/24/2024	Date of first issue: 04/24/2024

#### OSHA Z-1 / TWA

8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Revision Date** 

: 04/24/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8