

## SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

### 1.1. Product identifier

KER<sup>®</sup> 1723, 1739 - styrene-butadiene rubber

### 1.2. Relevant identified uses of the mixture and uses advised against

#### Identified uses

Synthetic rubber processing (compounding, production of articles).

Outdoor and indoor use of rubber articles manufactured from the product by professional users.

Outdoor and indoor use of rubber articles manufactured from the product by consumers.

#### Uses advised against

None.

### 1.3. Details of the supplier of the safety data sheet

Synthos Dwory 7 spółka z ograniczoną odpowiedzialnością S.K.A.

ul. Chemików 1

32-600 Oświęcim

Poland

Tel. + 48 33 844 18 21 ÷ 25

Fax + 48 33 842 42 18

e-mail: [reachSD@synthosgroup.com](mailto:reachSD@synthosgroup.com)

### 1.4. Emergency telephone number

+ 48 33 847 22 23 (the number is available 24/7)

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the mixture

#### 2.1.1. Classification of the mixture in accordance with Directive 1999/45/EC

This product is not classified as dangerous.

### 2.2. Label elements

In accordance with EU and national laws labelling of the product is not required.

### 2.3. Other hazards

The product contains no substances that meet the criteria for PBT or vPvB in accordance with Annex XIII

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

1. TDAE type oil - Distillates (petroleum), solvent-refined heavy paraffinic, Baseoil - unspecified (CAS No.: 64741-88-4, EC No.: 265-090-8, Index No.: 649-454-00-7, REACH Registration No.: not available, concentration: ~27%, classification in accordance with Directive 67/548/EEC: Note L – this substance is not classified as carcinogen as it has been shown that it contains less than 3% of DMSO extract as measured by means of the IP 346 method, classification in accordance with Regulation EC (No.) 1272/2008: Note L (see above)).

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

#### 4.1.1. Inhalation

In case inhalation of vapours released by/from melted product causes nausea go out to fresh air. Rinse throat with water. Consult a physician in case symptoms persist.

#### 4.1.2. Skin contact

Wash skin with plenty of water and soap. Susceptible persons may suffer from skin irritation. Consult a physician in case symptoms persist.

In case of contact of melted product with skin, immediately cool down the melted plastic and surrounding skin with plenty of water. Do not attempt to remove material which has adhered to skin until it has been cooled down to ambient temperature. In case of thermal burns consult a physician.

**4.1.3. Eye contact**

Thoroughly rinse eyes with plenty of water for at least 15 minutes while lifting the eyelids. In case of contact of melted product with eyes, immediately cool down the melted plastic and continue rinsing eyes for at least 15 minutes. Check for and remove (if any and if possible) contact lenses (unless they adhered to eyes). Provide medical help.

**4.1.4. Ingestion/swallow**

Consult a physician

**4.2. Most important symptoms and effects, both acute and delayed**

Upon direct contact with the product susceptible persons may suffer from skin/eye irritations.

**4.3. Indication of any immediate medical attention and special treatment needed**

None.

**SECTION 5. FIRE-FIGHTING MEASURES****5.1. Extinguishing media****5.1.1. Suitable extinguishing media**

Extinguishing powders, carbon dioxide, foam, water spray.

**5.1.2. Unsuitable extinguishing media**

Water jet.

**5.2. Special hazards arising from the mixture**

None are known.

**5.3. Advice for fire-fighters**

Evacuate personnel from the endangered area immediately

Fire-fighters should wear full bunker gear and SCBA approved by relevant authorities.

Extinguished rubber should be soaked thoroughly with water to cool it down and prevent re-ignition.

**5.4. Other information**

Dispose of fire debris and contaminated extinguishing water in accordance with regulations in force. Collect contaminated extinguishing water separately, do not allow it to reach sewage or effluent systems.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures****6.1.1. For non-emergency personnel**

Avoid contact with the product. Follow advice and instructions of emergency responders.

**6.1.2. For emergency responders**

Avoid contact with the product. Wear work clothing and personal protective equipment.

**6.2. Environmental precautions**

None.

**6.3. Methods and material for containment and cleaning up****6.3.1. Methods and material for containment**

Not applicable the product is a solid of low mobility.

**6.3.2. Methods and material for cleaning up**

Collect the product to a labelled container. Use gloves, and/or broom and shovel. Use or dispose of the material in accordance with regulations in force.

**6.4. Reference to other sections**

Not applicable.

**SECTION 7. HANDLING AND STORAGE****7.1. Precautions for safe handling**

Observe basic regulations on occupational health, safety and hygiene as well as operating instructions at the workplace.

Do not eat and drink when handling the product.

Wear proper working clothing. If necessary, use personal protection equipment.

Avoid direct contact with the product.

grades: 1723, 1739

Avoid contact with eyes.  
Ensure proper ventilation of the workplace.  
Do not permit dust to accumulate.

**7.2. Conditions for safe storage, including any incompatibilities**

The product should be stored in ventilated rooms at temperature not exceeding 30°C.

Protect against humidity, light and weather conditions.

Keep away from the sources of heat and ignition.

Do not store together with organic solvents.

In case of wooden 1.0 t pallets storage of the product in 2 (two) or more layers (stacking) is not recommended.

For conditions to avoid and incompatible materials see Section 10 of this Safety Data Sheet.

**7.3. Specific end use(s)**

Not applicable.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****8.1.1. Occupational exposure limits**

Substance name	CAS No.	NDS <sup>1</sup> , mg/m <sup>3</sup>	NDSch <sup>2</sup> , mg/m <sup>3</sup>	NDSP <sup>3</sup> , mg/m <sup>3</sup>
mineral oils (oil mist)	-	5	10	not established

<sup>1</sup>NDS – maximum permissible concentration – Polish equivalent of Threshold Limit Value – Time Weighted Average (TLV-TWA).

<sup>2</sup>NDSch – maximum short-term permissible concentration – Polish equivalent of Threshold Limit Value Short Term Exposure Limit (TLV-STEL).

<sup>3</sup>NDSP – maximum permissible concentration – ceiling value – Polish equivalent of Threshold Limit Value – Ceiling Value (TLV-C).

**8.1.2. DN(M)EL levels****8.1.2.1. DN(M)EL levels – workers**

Data not available.

**8.1.2.2. DN(M)EL levels – general population**

Data not available.

**8.1.3. PNEC levels**

Data not available.

**8.2. Exposure controls****8.2.1. Appropriate engineering controls**

Provide ventilation of the workplace.

**8.2.2. Individual protection measures, such as personal protective equipment****8.2.2.1. Eye/face protection**

Workers performing activities for which exposure to particles that are capable of causing mechanical injury to the eye have to wear protective goggles.

**8.2.2.2. Skin protection**Hand protection

Wear protective gloves. Material: leather, PVC: thickness ca. 0,3 mm; penetration time: >480 min. Gloves of other material can be used as well provided they deliver the same level of protection. Damaged gloves have to be replaced with new ones.

Other

Wear work clothing and shoes.

**8.2.2.3. Respiratory protection**

In case of insufficient ventilation and when dusts are generated wear mask conforming to EN 143 equipped with a P1 type filter.

**8.2.2.4. Thermal hazards**

The product creates no thermal hazards.

**8.2.3. Environmental exposure controls**

Avoid release to the environment. Do not discharge into drains.

Emissions from vents and processing equipment have to be controlled in order to determine whether they are in compliance with in force regulations on environmental protection. Basing on results of such

grades: 1723, 1739

controls the need for implementation of relevant environmental risk management measures can be determined.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

a) Appearance	solid (bales) of dark-brown to black colour
b) Odour	characteristic
c) Odour threshold	data not available
d) pH	not applicable
e) Melting point/freezing point	data not available
f) Initial boiling point and boiling range	not applicable – decomposes
g) Flash point	data not available
h) Evaporation rate	not applicable
i) Flammability (solid, gas)	data not available
j) Upper/lower flammability or explosive limits	not applicable
k) Vapour pressure	not applicable
l) Vapour density	not applicable
m) Relative density	ca. 1 g/cm <sup>3</sup>
n) Solubility	insoluble in water
o) Partition coefficient: n-octanol/water	not applicable
p) Auto-ignition temperature	not applicable
q) Decomposition temperature	ca. 220°C
r) Viscosity	not applicable
s) Explosive properties	not applicable
t) Oxidising properties	not applicable

### 9.2. Other information

u) Heat of combustion	ca. 45 MJ/kg
v) Polymerization heat	not applicable

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

See Section 10.3 of this Safety Data Sheet.

### 10.2. Chemical stability

The product is stable under given herein conditions of use and storage.

### 10.3. Possibility of hazardous reactions

Occurrence of hazardous reactions is unlikely.

### 10.4. Conditions to avoid

High temperature, direct sunlight.

### 10.5. Incompatible materials

Organic solvents, strong oxidizers.

### 10.6. Hazardous decomposition products

Thermal decomposition of the product starts at ca. 220°C and is accompanied by formation and subsequent release of styrene, butadiene and their derivatives.

## SECTION 11. TOXICOLOGICAL INFORMATION

No data on toxicological properties of the product as such is available. Hazards which the product creates to the human health and life have been assessed in accordance with rules applicable for mixtures (see also Section 2 of this Safety Data Sheet).

### 11.1. Information on toxicological effects

#### 11.1.1. Acute toxicity

Based on available data, the classification criteria are not met.

#### 11.1.2. Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### 11.1.3. Serious eye damage/irritation

Based on available data, the classification criteria are not met.

grades: 1723, 1739

**11.1.4. Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.

**11.1.5. Germ cell mutagenicity**

Based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC, and relevant information for the substances listed under Section 3 (if any) the product is not classified as mutagenic.

**11.1.6. Carcinogenicity**

Based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC, and relevant information for the substances listed under Section 3 (if any) the product is not classified as carcinogenic.

**11.1.7. Reproductive toxicity**

Based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC, and relevant information for the substances listed under Section 3 (if any) the product is not classified as toxic to reproduction.

**11.1.8. STOT-single exposure**

Based on available data, the classification criteria are not met.

**11.1.9. STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**11.1.10. Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on likely routes of exposure**

Dermal, inhalation.

**11.3. Symptoms related to the physical, chemical and toxicological characteristics**

This product is not classified as dangerous.

**11.4. Delayed and immediate effects as well as chronic effects from short and long-term exposure**

This product is not classified as dangerous. Upon direct contact with the product susceptible persons may suffer from skin/eye irritations.

**SECTION 12. ECOLOGICAL INFORMATION**

No data on ecotoxicological properties of the product as such is available. Hazards which the product creates to the environment have been assessed in accordance with rules applicable for mixtures (see also Section 2 of this Safety Data Sheet).

**12.1. Toxicity**

The product is not classified as dangerous to the environment.

**12.2. Persistence and degradability**

The main component of the product (polymer) does not undergo biodegradation, oxidation or hydrolysis at noticeable rate.

**12.3. Bioaccumulative potential**

Based on chemical structure it is expected that the main component of the product (polymer) will not undergo bioaccumulation.

**12.4. Mobility in soil**

Data not available

**12.5. Results of PBT and vPvB assessment**

The product contains no substances which have been identified as PBT/vPvB.

**12.6. Other adverse effects**

Data not available.

**SECTION 13. DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Primary, product wastes should be recovered. Wastes, which could not be recovered should be biologically, chemically or physically transformed or stored on landfill.

Landfilling should be performed only for those wastes, destruction of which is technically impossible or ecologically or economically unjustified.

Recovery or destruction of product wastes has to be performed in accordance with regulations in force, in special assigned facility and/or equipment meeting the appropriate requirements.

grades: 1723, 1739

Waste code: the product itself: 07 02 13 or 07 02 99.

**13.2. Waste packagings**

Bales of the product are wrapped with a polyethylene film and placed on flat or box-pallets.

The film is the unit packaging and an integral part of the product.

Returnable packaging may be reused after decontamination.

Disposable packaging has to be disposed of according to existing national, international and/or local disposal regulations.

Example waste code: used containers, rigorously scraped out and containing dried residues of the supplied product:

15 01 02 plastic packaging.

15 01 04 metal packaging.

"Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means (draining or scraping) to leave a residue or contamination that cannot be removed by such means.

These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

**SECTION 14. TRANSPORT INFORMATION**

Transport and packaging of the product are not subject to regulations on transport of hazardous goods (ADR, RID, IATA DGR, IMDG).

Transport the product using covered means of transport.

**14.1. UN number**

Not applicable.

**14.2. UN proper shipping name**

Not applicable.

**14.3. Transport hazard class(es)**

Not applicable.

**14.4. Packing group**

Not applicable.

**14.5. Environmental hazards**

Not applicable.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

**SECTION 15. REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the mixture**

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (including any amendments/adaptations to technical progress).


REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (including any amendments/adaptations to technical progress).

DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (including any amendments/adaptations to technical progress).

**15.2. Chemical safety assessment**

The supplier has not carried out chemical safety assessment for the mixture. In accordance with provisions of REACH regulation carrying out of chemical safety assessment for this product is not required.

### 15.3. NFPA Hazard Rating



Health Hazards – 0, Flammability Hazards – 1, Instability Hazards – 0, Special Hazards – none.

## SECTION 16. OTHER INFORMATION

### 16.1. Revised sections

1.1, 1.2, 14.

### 16.2. List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements given under Sections 2 to 15 and (if applicable) full text of any statements which are not written out in full under the aforementioned Sections

Not applicable.

*This document is of an informative character. The information given herein is based on the present state of our knowledge and experience. It makes neither product properties nor qualitative parameters guarantee and cannot be used as a basis of any claims. The information provided is not applicable for any mixtures of the product with any other materials. The product has to be transported, stored and used in accordance with regulations in force, good occupational hygiene practice and recommendations given its Safety Data Sheet.*