

SAFETY DATA SHEET

Keltan ® 4450S

Version 1.0 Revision Date: 02/08/2019 SDS Number: 103000007470 Date of previous issue: -
Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : Keltan ® 4450S
Material number : 57510198
Recommended use : crude product for the production of technical rubber articles

Manufacturer or supplier's details

Supplier : ARLANXEO USA LLC
111 RIDC Park West Drive
PITTSBURGHPA 15275-1112
USA
Telephone : +18005269377 For information: US/Canada
+14128091000 International
Emergency telephone : Chemtrec (800) 424-9300
International (703) 527-3887
Lanxess Emergency Phone (800) 410-3063

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

The polymer is not hazardous in the form in which it is placed on the market as long as the hazardous component is included in the polymer matrix.

GHS label elements

The polymer is not hazardous in the form in which it is placed on the market as long as the hazardous component is included in the polymer matrix.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Ethylene-propylene-diene-rubber (EPDM)

Hazardous ingredients

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
In case of skin contact : Wash off with soap and water.
Get medical attention if symptoms occur.
In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if symptoms appear.
If swallowed : Get medical attention if symptoms appear.

Keltan ® 4450S

Version Revision Date: SDS Number: Date of previous issue: -
1.0 02/08/2019 103000007470 Country / Language: US / EN

Most important symptoms and effects, both acute and delayed

Symptoms : Skin: Reddening, burning, and possible permanent damage.

Effects : Contact with hot material causes thermal skin burns.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Foam
Dry chemical
Carbon dioxide (CO₂)
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Put on appropriate personal protection equipment.
Do not touch or walk through spilled material.
Evacuate personnel to safe areas.
Keep unnecessary and unprotected personnel from entering.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up : Move containers from spill area.
Vacuum or sweep up material and place in a designated, labeled waste container.

Keltan® 4450S

Version Revision Date: SDS Number: Date of previous issue: -
1.0 02/08/2019 103000007470 Country / Language: US / EN

Dispose of wastes in an approved waste disposal facility.
Do not allow spilled material or wash water to enter sewers,
surface waters, or groundwater systems.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- Protect from moisture.
- Conditions for safe storage : Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep container closed when not in use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Use appropriate container to avoid environmental contamination.
- Keep away from direct sunlight or strong incandescent light.
Protect from moisture.
- Recommended storage temperature : < 86 °F (< 30 °C)
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

Remarks : Wear suitable gloves.

Eye protection : Safety glasses with side-shields

Keltan® 4450S

Version	Revision Date:	SDS Number:	Date of previous issue: -
1.0	02/08/2019	103000007470	Country / Language: US / EN

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Appearance	: rubber bales
Color	: white
Odor	: rubber
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Self-ignition	: > 698 °F (> 370 °C) Autoignition temperature
Burning number	: 1 (68 °F (20 °C))
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	: No data available

Keltan® 4450S

Version	Revision Date:	SDS Number:	Date of previous issue: -
1.0	02/08/2019	103000007470	Country / Language: US / EN

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : No specific data.

Hazardous decomposition products

Thermal decomposition : Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and CO₂ may be developed. Degradation products of the polymers and their additives may also be formed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation
Skin contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Keltan ® 4450S

Version	Revision Date:	SDS Number:	Date of previous issue: -
1.0	02/08/2019	103000007470	Country / Language: US / EN

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks: Under the recommended processing conditions small amounts of emitted substance (e.g. residual monomers, residual solvents, decomposition products) may be discharged. According to our experience and information the product has no harmful effects on health if properly handled.
The substance(s) listed in Chapter 3 is/are encapsulated in this preparation in a polymer and is/are therefore not bioavailable.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Keltan ® 4450S

Version Revision Date: SDS Number: Date of previous issue: -
1.0 02/08/2019 103000007470 Country / Language: US / EN

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The product is practically insoluble in water. In view of its consistency and insolubility in water, no ecological problems are to be expected if the product is properly handled. This product is not readily biodegradable.

SECTION 13. DISPOSAL CONSIDERATIONS

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Disposal methods : The generation of waste should be avoided or minimized wherever possible.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Keltan ® 4450S

Version	Revision Date:	SDS Number:	Date of previous issue: -
1.0	02/08/2019	103000007470	Country / Language: US / EN

SECTION 15. REGULATORY INFORMATION**CERCLA**

None

Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Ethylene Propylene Diene Rubber 25038-36-2 98 - 99

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive defects.

TSCA inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


Keltan® 4450S

Version 1.0 Revision Date: 02/08/2019 SDS Number: 103000007470 Date of previous issue: -
Country / Language: US / EN

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS® IV:

HEALTH		0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Revision Date : 02/08/2019

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.