SAFETY DATA SHEET



Section 1. Identification

Product identifier

: KRYNAC 3950F

Material Number

: 05800358

Chemical name

2-propene-nitrile polymer with 1,3-butadiene

Chemical family

: Synthetic rubber

Identified uses

: rubber

Supplier/Manufacturer

ARLANXEO USA LLC 111 RIDC Park West Drive Pittsburgh, PA 15275-1112 United States (USA)

For information: US/Canada (800) LANXESS

International +1 412 809 1000

In case of emergency

Chemtrec (800) 424-9300 International (703) 527-3887

Lanxess Emergency Phone (800) 410-3063.

Section 2. Hazards identification

HAZCOM Standard Status

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), the SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for employees and other users of this product.

Physical state

: Solid.

Color

; yellow to brown

Classification of the substance or mixture

Not classified.

Signal word

: No signal word.

Hazard statements

: No known significant effects or critical hazards.

Hazard Not Otherwise

: None known.

Classified (HNOC)

Precautionary statements
Prevention

: Not applicable.

Response

Not applicable.Not applicable.

Storage Disposal

Not applicable.

Supplemental label

· Not applicable.

elements

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink.

Section 3. Composition/information on ingredients

Substance/mixture

: Polymer

Chemical name

: 2-propene-nitrile polymer with 1,3-butadiene

CAS number

: -

The following potentially hazardous ingredient(s) are used to formulate this product. As supplied, the ingredient(s) are bound in a polymer matrix. Because they are bound in the matrix, they are not expected to create any unusual hazards when handled and processed. according to good manufacturing and industrial hygiene practices and the guidelines provided by this SDS.

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
Proprietary Additive	≤1	Trade secret.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Get medical attention if thermal burns

occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Potential acute health effects

Eye contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin contact: Contact with hot material will cause thermal burns.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : Reddening, itching, swelling, burning and possible permanent damage.

Ingestion: No specific data.

Potential chronic health effects

No known significant effects or critical hazards.

Notes to physician : Treat symptomatically. No specific treatment,

Protection of first-aiders: No special measures required.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire. In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing

media

: None known.

KRYNAC 3950F 05800358 Version 4.01 **2/9**

Section 5. Fire-fighting measures

Specific hazards arising from the chemical

: Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

Hazardous thermal decomposition products Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Environmental precautions

: No special measures required.

Methods and materials for containment and cleaning up

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. If molten, allow material to cool and place into an appropriate marked container for disposal. Prevent entry into sewers, water courses, basements or confined areas.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage : Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

Section 8. Exposure controls/personal protection

Occupational exposure limits

Ingredient name	Exposure limits
Proprietary Additive	None

Appropriate engineering controls

: Thermal processing operations should be ventilated to control gases and fumes given off during processing.

Personal protection

KRYNAC 3950F 05800358 Version 4.01 3/9

Section 8. Exposure controls/personal protection

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove notentially contaminated clothing.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the

hazards of the product and the safe working limits of the selected respirator.

Skin protection: Wear cloth work clothing including long pants and long-sleeved shirts. gloves, When

handling hot material, wear heat-resistant protective gloves that are able to withstand

the temperature of molten product. Suitable protective footwear.

Eye/face protection: If contact with product is possible, wear safety glasses with side shields.

Medical Surveillance : Not available.

Section 9. Physical and chemical properties

Physical state : Solid. [rubber bales]

Color; yellow to brownOdor; Aromatic. [Slight]

Odor threshold : Not available.

pH : Not available.

Boiling point : Not available.

Melting point : Not available.

Flash point : Not available.

Evaporation rate : Not available.

Explosion limits : Not available.

Vapor pressure : Not available.

Specific gravity (Relative

density)

Solubility in water : Insoluble in the following materials: cold water

Not available.

Partition coefficient: n-

octanol/water

: Not available.

Vapor density : Not available.
Viscosity : Not available.
Ignition temperature : >300°C

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Section 10. Stability and reactivity

ReactivityNo specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous : Under normal conditions of storage and use, hazardous reactions will not occur. reactions

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : No specific data.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not be produced.

KRYNAC 3950F 05800358 Version 4.01 **4/9**

Section 11. Toxicological information

Information on the likely

routes of exposure

: Dermal contact. Inhalation.

Potential acute health effects

Eye contact

No known significant effects or critical hazards.No known significant effects or critical hazards.

Inhalation Skin contact

: Contact with hot material will cause thermal burns.

Ingestion

: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact

: No specific data.

Inhalation

: No specific data.

Skin contact

: Reddening, itching, swelling, burning and possible permanent damage.

Ingestion

: No specific data.

Potential chronic health effects

Short term exposure

Potential immediate

: Not available.

effects

Long term exposure

Potential delayed effects

: Not available.

General

No known significant effects or critical hazards.No known significant effects or critical hazards.

Carcinogenicity

Mutagenicity

: No known significant effects or critical hazards.: No known significant effects or critical hazards.

Teratogenicity

Developmental effects

: No known significant effects or critical hazards.

Fertility effects

: No known significant effects or critical hazards.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	Test
Proprietary Additive	LD50 Oral	Rat	>5000 mg/kg	5	П
Proprietary Additive	LD50 Dermal	Rat	>10000 mg/kg	=	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	Reversibility
Proprietary Additive	Skin - Edema Eyes - Cornea opacity Eyes - Iris lesion Eyes - Redness of the conjunctivae	Rabbit Rabbit Rabbit Rabbit	0 0 0 <1	4 hours	72 hours 72 hours 72 hours 72 hours	Fully reversible in 7 days or less

Conclusion/Summary

Skin

: Proprietary Additive: Non-irritating

Eves

: Proprietary Additive: Non-irritating

Sensitization

KRYNAC 3950F 05800358 Version 4.01 **5/9**

Product/ingredient name	Route of exposur		Specie	es :			Result			
Proprietary Additive	skin		Mouse	;			Not sensitizir	ıg		
Chronic toxicity										
Product/ingredient name	Result				Species		Dose	Exposure		sure
Proprietary Additive	Chronic I	NOAEL O	ral		Rat - Male		12.7 mg/kg p day	er		onths; 7 per week
	Sub-chro	nic NOAE	L Oral		Rat - Male		12.5 mg/kg p day	er	52 da	
	Sub-acut	e LOAEL	Oral		Rat - Male Female	,	50 mg/kg pe	r day	28 da	ys
<u>lutagenicity</u>							*			
Product/ingredient name	Test	Test Ex			riment			Resu	ılt	
Proprietary Additive			Subje	eriment: In vitro ect: Bacteria			Negative			
	0500 4	1			etabolic activation: +/-		Negative			
				eriment: In vitro ject: Mammalian-Animal			Negative			
	Chromos	Chromosomal Meta			abolic activation: +/-					
	Aberration Test OECD 476 In vitro Expe			eriment: In vitro			Negative			
		ian Cell G	ene	Subject: Mammalian-Animal			litogaavo			
9	Mutation	Test			: Somatic abolic activation: +/-					
arcinogenicity	11: — — — — — — — — — — — — — — — — — —						· ·			
Product/ingredient name		CAS#		IA	ARC NTP		TP	OSHA		
Proprietary Additive		Trade s	ecret.	N	Not classified. Not classified.		N	lot clas	sified.	
eproductive toxicity										
Product/ingredient name	Effects					Specie	S	Dose	,	Exposu
Proprietary Additive	LOAEL (LOAEL (Testicular damage in a			nimals.) Rat - Male		ale	Oral: mg/k	: 50 kg per	_
								day	·	
	NOAEL					Rat - M	ale		: 12.5 (g per	
								day	,g por	
eratogenicity										
Product/ingredient name	Result				Species		Dose		Ехро	sure
Proprietary Additive	Negative	- Oral			Rat 20		200 mg/kg p day	er	-	

Toxicity

KRYNAC 3950F 05800358 Version 4.01 **6/9**

Section 12. Ecological information

Product/ingredient name	Test	Result	Species	Exposure
Proprietary Additive	OECD 209 Activated Sludge, Respiration Inhibition Test	Acute EC50 >10000 mg/l	Bacteria	3 hours
	OECD 202 <i>Daphnia</i> sp. Acute Immobilization Test	Acute EC50 >4.8 mg/l	Daphnia - Daphnia magna	48 hours
	OECD 201 Freshwater Alga and Cyanobacteria, Growth Inhibition Test	Acute IC50 >5 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	OECD 203 Fish, Acute Toxicity Test	Acute LC50 >5 mg/l	Fish - Oryzias latipes	96 hours
	OECD 201 Freshwater Alga and Cyanobacteria, Growth Inhibition Test	Chronic NOEC 1.3 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	OECD 211 <i>Daphnia Magna</i> Reproduction Test	Chronic NOEC 0.34 mg/l	Daphnia - Daphnia magna	21 days

Conclusion/Summary

: Not available.

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Proprietary Additive	OECD 301C Ready Biodegradability - Modified MITI Test (I)	0 % - Not readily - 28 days	-	-

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Proprietary Additive	-	50%; 0.5 day(s)	Not readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Proprietary Additive	6.25	840	high

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal state, provincial and or local environmental controls laws.

RCRA classification

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

KRYNAC 3950F 05800358 Version 4.01 **7/9**

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	i i i		-	-		Not regulated.
IMDG Class	•		3 0	-		Not regulated.
IATA-DGR Class	-	-	20			Not regulated.

PG*: Packing group

RQ

: 0 lbs

Section 15. Regulatory information

SARA 311/312

: None

SARA Title III Section 302

: None

Extremely Hazardous

Substances

SARA Title III Section 313

: None

Toxic Chemicals

US EPA CERCLA

: None

Hazardous Subtances (40

CFR 302.4)

State regulations

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Ingredient name	CAS number	State Code	<u>Concentration</u> (%)
Acrylonitrile-Butadiene Copolymer	9003-18-3		≥90
Emulsifier	Trade secret.		≤5

Massachusetts Substances: MA - S

Massachusetts Extraordinary Hazardous Substances: MA - Extra HS

New Jersey Hazardous Substances: NJ - HS

Pennsylvania RTK Hazardous Substances: PA - RTK HS Pennsylvania Special Hazardous Substances: PA - Special HS

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.


U.S. Toxic Substances

: Listed on the TSCA Inventory.

Control Act

Section 16. Other information

Hazardous Material Information System



0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

*=Chronic

Section 16. Other information

The customer is responsible for determining the PPE code for this material. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

National Fire Protection Association (U.S.A.)



0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

Our method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided as a customer service.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Date of issue

: 02-14-2017

Date of previous issue

: 01-27-2017

Version

: 4.01

Product Safety and Regulatory Affairs

Indicates information that has changed from previously issued version.

Notice to reader

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of LANXESS Corporation. The information in this SDS relates only to the specific material designated herein. LANXESS Corporation assumes no legal responsibility for use of or reliance upon the information in this SDS.